

A modern office environment featuring white height-adjustable desks and black ergonomic chairs with green upholstery. The desks are arranged in a U-shape, and the floor is made of light-colored wood. A large green circle is overlaid on the image, containing text. The background shows large windows and a bright, airy atmosphere.


The ESI height adjustable table collection offers a wide range of choices for individual users and conference rooms. Height adjustable tables give users the flexibility to sit or stand at their workspace, while preserving the optimal ergonomic positioning.



ergonomic
solutions

Workplace comfort. [Simplified.](#)

With the ESI collection of height adjustable tables, sitting is no longer the only option for workstations, conference rooms, breakout rooms, and collaborative spaces.




CONCEAL

CABLE MANAGEMENT

The CONCEAL expands and retracts to keep cables organized under a height adjustable table base.


- Total Height: 53.5"
- Total # of links: 23
- Links are detachable
- Weighted bottom
- Attaches to bottom of work surface

PART #	LIST PRICE
● CONCEAL-GRY	\$61
● CONCEAL-BLK	\$61



HYBRID WORKSTATION

ESI height adjustable table bases can be used in virtually any environment. This "hybrid" workstation provides a balance of privacy and collaboration. By positioning the workstations facing outward, employees have their own private space. At the same time, fellow employees are just a few steps away, promoting quick collaboration.



OPEN FLOOR PLAN?

One **EVOLVE4-FMS** provides dual monitor arms for two facing workstations.

A Height Adjustable Workstation combined with a Keyboard Solution, CPU Holder, LED Task Light, and Monitor Arm creates an ergonomic and healthy workstation.



SOLUTION ALL-FIT

Ideal for shallow work surfaces 13" deep or larger, characteristic of benching systems and height adjustable tables.

PL003-27N NOTCHED KEYBOARD PLATFORM
• 27" platform with notched cutout

PART #

SOLUTION ALL-FIT

LIST PRICE

\$406

AA100 LIFT & LOCK ARTICULATING ARM

- Lift and Lock height adjustment
- +10°/-20° tilt adjustment and 360° rotation
- 12.25" or 12.75" Glide Track options
- Height Adjustment Range: 6"
- 2-3/8" above track | 3-5/8" below track
- Fully retracts on a 13" work surface

DIGITAL KEYPAD TRIUMPH UPGRADE



- Digital programmable switch with 3 memory settings
- Low Standby Power Consumption

PART #

DGTLKPD-VE3

LIST PRICE

\$125

48 HOUR SHIPPING

800.833.3746 | esiergo.com

TRIUMPH



ELECTRIC TABLE BASE

TECHNICAL SPECIFICATIONS

- Height Adjustment Range: 19.5"
 - LOW: 26" | HIGH 45.5"
- Adjustment Speed: 1.4"/second
- Lifting Capacity: 180 lbs
- Adjustable Cross Channels
- Soft Start feature allows the user to ease-in to a height adjustment
- Anti-Collision Safety Feature

TABLE BASE COLOR OPTIONS

● SILVER (-SLV)

● BLACK (-BLK)

○ WHITE  (-WHT)

Example: 2T-C28-24-**BLK**
represents your order for a
BLACK TRIUMPH table base



CASTERS

Set of 4 casters for TRIUMPH 2 leg

- Increases height by 2"


PART # LIST PRICE
CASTER-SP2 4 CASTERS **\$64**

AVAILABLE 2 LEG WORK SURFACES

*CALL CUSTOMER SERVICE FOR 120° WORK SURFACE OPTIONS.



RECTANGLE



PENINSULA




SMALL EQUAL
CORNER




120 DEGREE*

2T-C28-24 & 2T-C28-30
WIDTH ADJUSTS FROM



2T-C40-24 & 2T-C40-30
WIDTH ADJUSTS FROM



TRIUMPH 2 LEG ORDERING OPTIONS

DIMENSIONS			BASE PART # SPECIFY COLOR PREFERENCE	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
WL	WR	D				
RECTANGLE	36	24	2T-C28-24-__	\$1,244	2R3624__	\$356
	42	24	2T-C28-24-__	\$1,244	2R4224__	\$388
	48	24	2T-C28-24-__	\$1,244	2R4824__	\$388
	60	24	2T-C40-24-__	\$1,264	2R6024__	\$489
	72	24	2T-C40-24-__	\$1,264	2R7224__	\$721
	36	30	2T-C28-30-__	\$1,270	2R3630__	\$417
	42	30	2T-C28-30-__	\$1,270	2R4230__	\$418
	48	30	2T-C28-30-__	\$1,270	2R4830__	\$418
	60	30	2T-C40-30-__	\$1,296	2R6030__	\$546
	72	30	2T-C40-30-__	\$1,296	2R7230__	\$752
PEN	60	30	2T-C40-30-__	\$1,296	P6030__	\$1,100
	72	30	2T-C40-30-__	\$1,296	P7230__	\$1,121
SEC	42	42	2T-C28-24-__	\$1,244	2EC424224__	\$1,100
	48	48	2T-C28-24-__	\$1,244	2EC484824__	\$1,136

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

VICTORY



ELECTRIC TABLE BASE

TECHNICAL SPECIFICATIONS

- Height Adjustment Range: 25.3"
 - LOW: 24.4" | HIGH: 49.7"
- Adjustment Speed: 1.4"/second
- Lifting Capacity:
 - 220 lbs (2-leg) / 330 lbs (3-leg)
- Adjustable Cross Channels
- Soft Start feature allows the user to ease-in to a height adjustment
- Anti-Collision Safety Feature

TABLE BASE COLOR OPTIONS

SILVER (-SLV)

BLACK (-BLK)

WHITE **OLLT (-WHT)**

Example: 2VT-C36-24-**BLK**
represents your order for a
BLACK VICTORY table base



CASTERS

Set of 4 casters for VICTORY 2 leg

- Increases height by 2"


PART # **CASTER-SP2** LIST PRICE
4 CASTERS **\$64**

AVAILABLE 2 LEG WORK SURFACES

*CALL CUSTOMER SERVICE FOR 120° WORK SURFACE OPTIONS.



RECTANGLE



PENINSULA




SMALL EQUAL
CORNER




120 DEGREE*

2VT-C36-24 & 2VT-C36-30
WIDTH ADJUSTS FROM



2VT-C48-24 & 2VT-C48-30
WIDTH ADJUSTS FROM



VICTORY 2 LEG ORDERING OPTIONS

	DIMENSIONS			BASE PART # SPECIFY COLOR PREFERENCE	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	WL	WR	D				
RECTANGLE	36	24	24	2VT-C36-24-__	\$1,735	2R3624__	\$356
	42	24	24	2VT-C36-24-__	\$1,735	2R4224__	\$388
	48	24	24	2VT-C48-24-__	\$1,757	2R4824__	\$388
	60	24	24	2VT-C48-24-__	\$1,757	2R6024__	\$489
	72	24	24	2VT-C48-24-__	\$1,757	2R7224__	\$721
	36	30	30	2VT-C36-30-__	\$1,817	2R3630__	\$417
	42	30	30	2VT-C36-30-__	\$1,817	2R4230__	\$418
	48	30	30	2VT-C48-30-__	\$1,839	2R4830__	\$418
	60	30	30	2VT-C48-30-__	\$1,839	2R6030__	\$546
	72	30	30	2VT-C48-30-__	\$1,839	2R7230__	\$752
PEN	60	30	30	2VT-C48-30-__	\$1,839	P6030__	\$1,100
	72	30	30	2VT-C48-30-__	\$1,839	P7230__	\$1,121
SEC	42	42	24	2VT-C36-24-__	\$1,735	2EC424224__	\$1,100
	48	48	24	2VT-C36-24-__	\$1,735	2EC484824__	\$1,136

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

DIGITAL KEYPAD

VICTORY UPGRADE



- Digital programmable switch with 3 memory settings
- Low Standby Power Consumption

PART # **DGTLKPD-VE3** LIST PRICE **\$125**



AVAILABLE 3 LEG WORK SURFACES

*CALL CUSTOMER SERVICE FOR 120° WORK SURFACE OPTIONS.

LARGE EQUAL
CORNER




120 DEGREE*

OFFSET CORNER
RIGHTOFFSET CORNER
LEFTPENINSULA RIGHT
(PEN RIGHT)PENINSULA LEFT
(PEN LEFT)

VICTORY 3 LEG ORDERING OPTIONS

	DIMENSIONS			BASE PART # SPECIFY COLOR PREFERENCE	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	WL	WR	D				
LARGE EQUAL CORNER	60	60	24	3VT-C4848-24-__	\$2,246	3EC606024__	\$1,038
	72	72	24	3VT-C4848-24-__	\$2,246	3EC727224__	\$1,860
	60	60	30	3VT-C4848-30-__	\$2,271	3EC606030__	\$1,038
	72	72	30	3VT-C4848-30-__	\$2,271	3EC727230__	\$1,860
OFFSET CORNER LEFT	60	48	24	3VT-C4836-24-__	\$2,154	3OCL604824__	\$1,100
	72	48	24	3VT-C4836-24-__	\$2,154	3OCL724824__	\$1,105
	72	60	24	3VT-C4848-24-__	\$2,246	3OCL726024__	\$1,110
	60	48	30	3VT-C4836-30-__	\$2,198	3OCL604830__	\$1,100
OFFSET CORNER RIGHT	72	48	30	3VT-C4836-30-__	\$2,198	3OCL724830__	\$1,105
	72	60	30	3VT-C4848-30-__	\$2,271	3OCL726030__	\$1,110
	48	60	24	3VT-C4836-24-__	\$2,154	3OCR486024__	\$1,100
	48	72	24	3VT-C4836-24-__	\$2,154	3OCR487224__	\$1,105
PEN LEFT	60	72	24	3VT-C4848-24-__	\$2,246	3OCR607224__	\$1,110
	48	60	30	3VT-C4836-30-__	\$2,198	3OCR486030__	\$1,100
	48	72	30	3VT-C4836-30-__	\$2,198	3OCR487230__	\$1,105
	60	72	30	3VT-C4848-30-__	\$2,271	3OCR607230__	\$1,110
PEN RIGHT	72	48	30	3VT-C4836-30-__	\$2,198	3PL724830__	\$1,033
	72	60	30	3VT-C4848-30-__	\$2,271	3PL726030__	\$1,085
PEN LEFT	48	72	30	3VT-C4836-30-__	\$2,198	3PR487230__	\$1,033
	60	72	30	3VT-C4848-30-__	\$2,271	3PR607230__	\$1,085

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

3VT-C3648-24 & 3VT-C3648-30
WIDTH ADJUSTS FROM3VT-C4848-24
WIDTH ADJUSTS FROM3VT-C4848-30
WIDTH ADJUSTS FROMFor more information and options, please visit our website at esiergo.com

48 HOUR SHIPPING



PREMIUM

ELECTRIC TABLE BASE



TECHNICAL SPECIFICATIONS

- Height Adjustment Range: 26"
 - LOW: 22" | HIGH: 48"
- Adjustment Speed: 1.5"/second
- Lifting Capacity:
 - 220 lbs (2-leg) / 300 lbs (3-leg)
- Soft Start feature allows the user to ease-in to a height adjustment
- Anti-Collision Safety Feature

TABLE BASE COLOR OPTIONS

☒ SILVER

CASTERS

Set of 4 casters for PREMIUM 2 leg

- Increases height by 2"

PART # LIST PRICE

CASTER-OV2 4 CASTERS **\$64**

DIGITAL KEYPAD

PREMIUM UPGRADE



- Digital programmable switch with 3 memory settings
- Low Standby Power Consumption


PART # LIST PRICE

DGTLKPD-PE **\$141**

AVAILABLE 2 LEG WORK SURFACES



RECTANGLE



PENINSULA

PREMIUM 2 LEG ORDERING OPTIONS						
	DIMENSIONS		BASE PART #	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	W	D				
RECTANGLE	36	24	2E-C36-24-SLV	\$2,451	2R3624__	\$356
	42	24	2E-C36-24-SLV	\$2,451	2R4224__	\$388
	48	24	2E-C48-24-SLV	\$2,451	2R4824__	\$388
	60	24	2E-C60-24-SLV	\$2,461	2R6024__	\$489
	72	24	2E-C72-24-SLV	\$2,482	2R7224__	\$721
	36	30	2E-C36-30-SLV	\$2,453	2R3630__	\$417
	42	30	2E-C36-30-SLV	\$2,453	2R4230__	\$418
	48	30	2E-C48-30-SLV	\$2,453	2R4830__	\$418
	60	30	2E-C60-30-SLV	\$2,463	2R6030__	\$546
	72	30	2E-C72-30-SLV	\$2,484	2R7230__	\$752
PEN	60	30	2E-C60-30-SLV	\$2,463	P6030__	\$1,100
	70	30	2E-C72-30-SLV	\$2,484	P7230__	\$1,121

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

48 HOUR SHIPPING

800.833.3746 | esiergo.com



AVAILABLE 3 LEG WORK SURFACES

*CALL CUSTOMER SERVICE FOR 120° WORK SURFACE OPTIONS.



LARGE EQUAL
CORNER



120 DEGREE*



OFFSET CORNER
RIGHT



OFFSET CORNER
LEFT



PENINSULA RIGHT
(PEN RIGHT)



PENINSULA LEFT
(PEN LEFT)

CASTERS

Set of 5 casters for PREMIUM 3 leg

- Increases height by 2"

PART #

LIST PRICE

CASTER-OV3

5 CASTERS

\$104

PREMIUM 3 LEG ORDERING OPTIONS

	DIMENSIONS			BASE PART #	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	WL	WR	D				
LARGE EQUAL CORNER	60	60	24	3E90-C6060-24-SLV	\$3,744	3EC606024__	\$1,038
	72	72	24	3E90-C7272-24-SLV	\$3,786	3EC727224__	\$1,860
	60	60	30	3E90-C6060-30-SLV	\$3,746	3EC606030__	\$1,038
	72	72	30	3E90-C7272-30-SLV	\$3,788	3EC727230__	\$1,860
OFFSET CORNER LEFT	60	48	24	3E90-C4860-24-SLV	\$3,734	3OCL604824__	\$1,100
	72	48	24	3E90-C4872-24-SLV	\$3,755	3OCL724824__	\$1,105
	72	60	24	3E90-C6072-24-SLV	\$3,765	3OCL726024__	\$1,110
	60	48	30	3E90-C4860-30-SLV	\$3,736	3OCL604830__	\$1,100
	72	48	30	3E90-C4872-30-SLV	\$3,757	3OCL724830__	\$1,105
	72	60	30	3E90-C6072-30-SLV	\$3,767	3OCL726030__	\$1,110
OFFSET CORNER RIGHT	48	60	24	3E90-C4860-24-SLV	\$3,734	3OCR486024__	\$1,100
	48	72	24	3E90-C4872-24-SLV	\$3,755	3OCR487224__	\$1,105
	60	72	24	3E90-C6072-24-SLV	\$3,765	3OCR607224__	\$1,110
	48	60	30	3E90-C4860-30-SLV	\$3,736	3OCR486030__	\$1,100
	48	72	30	3E90-C4872-30-SLV	\$3,757	3OCR487230__	\$1,105
	60	72	30	3E90-C6072-30-SLV	\$3,767	3OCR607230__	\$1,110
PEN LEFT	72	48	30	3E90-C4872-30-SLV	\$3,757	3PL724830__	\$1,033
	72	60	30	3E90-C6072-30-SLV	\$3,767	3PL726030__	\$1,085
PEN RIGHT	48	72	30	3E90-C4872-30-SLV	\$3,757	3PR487230__	\$1,033
	60	72	30	3E90-C6072-30-SLV	\$3,767	3PR607230__	\$1,085

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

Q CRANK

HAND CRANK TABLE BASE



TECHNICAL SPECIFICATIONS

- Height Adjustment Range: 17.7"
 - LOW: 24.8 | HIGH: 42.5
- Adjustment Speed: 1" per 2 cranks
- Lifting Capacity: 220 lbs
- Adjustable Cross Channels

TABLE BASE COLOR OPTIONS

SILVER

CASTERS

Set of 4 casters for Q CRANK

- Increases height by 2"


PART # LIST PRICE

CASTER-SP2 \$64

AVAILABLE WORK SURFACES




RECTANGLE




(PEN) PENINSULA



Q CRANK-24S & Q CRANK-30S WIDTH ADJUSTS FROM



Q CRANK-24L & Q CRANK-30L WIDTH ADJUSTS FROM



Q CRANK 2 LEG ORDERING GUIDE

	DIMENSIONS		BASE PART #	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	W	D				
RECTANGLE	36	24	Q CRANK-24S-SLV	\$1,085	2R3624__	\$356
	42	24	Q CRANK-24S-SLV	\$1,085	2R4224__	\$388
	48	24	Q CRANK-24S-SLV	\$1,085	2R4824__	\$388
	60	24	Q CRANK-24L-SLV	\$1,118	2R6024__	\$489
	72	24	Q CRANK-24L-SLV	\$1,118	2R7224__	\$721
	36	30	Q CRANK-30S-SLV	\$1,100	2R3630__	\$417
PEN	42	30	Q CRANK-30S-SLV	\$1,100	2R4230__	\$418
	48	30	Q CRANK-30S-SLV	\$1,100	2R4830__	\$418
	60	30	Q CRANK-30L-SLV	\$1,133	2R6030__	\$546
	72	30	Q CRANK-30L-SLV	\$1,133	2R7230__	\$752
	60	30	Q CRANK-30L-SLV	\$1,133	P6030__	\$1,100
	72	30	Q CRANK-30L-SLV	\$1,133	P7230__	\$1,121

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

ESPREE

PNEUMATIC TABLE BASE

TECHNICAL SPECIFICATIONS

- Height Adjustment Range: 20"
 - LOW: 26" | HIGH: 46"
- Lifting Capacity (including work surface):
 - 2ESP-C48-24: 38 lbs - 83 lbs
 - 2ESP-C48-30: 38 lbs - 83 lbs
 - 2ESP-C60-24: 49 lbs - 94 lbs
 - 2ESP-C60-30: 49 lbs - 94 lbs
- Table bases accommodate work surfaces measuring 48" and 60" in width
- Counterbalanced columns provide smooth, synchronized height adjustment


TABLE BASE COLOR OPTIONS

● **SILVER**



AVAILABLE WORK SURFACES



RECTANGLE



PENINSULA



ESPREE 2 LEG ORDERING GUIDE

	DIMENSIONS		BASE PART #	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	W	D				
RECTANGLE	48	24	2ESP-C48-24-SLV	\$1,665	2R4824__	\$388
	48	30	2ESP-C48-30-SLV	\$1,674	2R4830__	\$418
	60	24	2ESP-C60-24-SLV	\$1,699	2R6024__	\$489
	60	30	2ESP-C60-30-SLV	\$1,708	2R6030__	\$546
PEN	60	30	2ESP-C60-30-SLV	\$1,708	P6030__	\$1,100
	72	30	2ESP-C60-30-SLV	\$1,708	P7230__	\$1,121

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.

CORE

SINGLE COLUMN ELECTRIC TABLE BASE




TECHNICAL SPECIFICATIONS

- Height Adjustment Range: 18.9"
 - LOW: 25.8" | HIGH: 44.7"
- Adjustment Speed: 1.4"/sec
- Lifting Capacity: 132 lbs
- Soft Start feature allows the user to ease-in to a height adjustment
- Anti-Collision Safety Feature

TABLE BASE COLOR OPTIONS

☒ SILVER

AVAILABLE WORK SURFACES



RECTANGLE



(SEC)
SMALL EQUAL
CORNER



DIGITAL KEYPAD

CORE UPGRADE



- Digital programmable switch with 3 memory settings
- Low Standby Power Consumption

PART # **DGTLKPD-VE3** LIST PRICE **\$125**

CORE SINGLE COLUMN ORDERING GUIDE

	DIMENSIONS		BASE PART #	BASE LIST	SURFACE PART # SEE ORDERING DETAILS PG 29	SURFACE LIST
	W	D				
RECTANGLE	36	24	CORE-SLV	\$1,292	2R3624__	\$356
	42	24	CORE-SLV	\$1,292	2R4224__	\$388
	36	30	CORE-SLV	\$1,292	2R3630__	\$417
	42	30	CORE-SLV	\$1,292	2R4230__	\$418
	36	24	CORE-WM-SLV	\$1,291	2R3624__	\$356
	42	24	CORE-WM-SLV	\$1,291	2R4224__	\$388
	36	30	CORE-WM-SLV	\$1,291	2R3630__	\$417
	42	30	CORE-WM-SLV	\$1,291	2R4230__	\$418
SEC	48	24	CORE-SLV	\$1,292	2EC424224__	\$1,100
	42	24	CORE-SLV	\$1,292	2EC484824__	\$1,136

WORK SURFACES ARE NOT SOLD SEPARATELY. SEE PAGE 29 FOR DETAILS.



WALL-MOUNTED

Save on space by
mounting the CORE
directly to a wall



CORE-WM

WALL-MOUNTED ELECTRIC TABLE BASE



TABLE BASE COLOR OPTIONS

☒ SILVER

AVAILABLE WORK SURFACES



RECTANGLE

STANDARD WORK SURFACES







WORK SURFACES ARE NOT SOLD SEPARATELY. TABLE BASE MUST BE PURCHASED TO ORDER A WORK SURFACE. Typical lead time is 10-14 business days for production of work surfaces. Please indicate laminate choice by adding the 2-letter code at the end of the Work Surface Part Number.

2R4830KM = 48" x 30" Rectangle Work Surface in *Kensington Maple*

LAMINATE GUIDE

Work surfaces are available in 38 standard Wilsonart® laminate colors. Standard laminates ship with matching 3mm edge banding. Additional laminate colors may be available. Call Customer Service for more information.

 WC WILSONART WILD CHERRY	 BW WILSONART BRIGHTON WALNUT	 KM WILSONART KENSINGTON MAPLE
 WN WILSONART WHITE NEBULA	 RN WILSONART GRAPHITE NEBULA	 WT WILSONART WHITE TIGRIS
 NK WILSONART NICKEL EV	 TG WILSONART TUNGSTEN EV	 CZ WILSONART CANYON ZEPHYR
 LZ WILSONART CLOUD ZEPHYR	 GM WILSONART GREY MESH	 PM WILSONART PEWTER MESH
 DW WILSONART DESIGNER WHITE	 PE WILSONART PEPPERDUST	 DG WILSONART DOVE GREY

STANDARD LAMINATE		
WOOD GRAINS	BE	BEIGEWOOD
	BW	BRIGHTON WALNUT
	CO	CASTLE OAK
	FM	FUSION MAPLE
	KM	KENSINGTON MAPLE
	MM	MONTICELLO MAPLE
	SC	SHAKER CHERRY
	SO	SOLAR OAK
	WC	WILD CHERRY
PATTERNS	CZ	CANYON ZEPHYR
	CN	CLOUD NEBULA
	LZ	CLOUD ZEPHYR
	DZ	DESERT ZEPHYR
	RN	GRAPHITE NEBULA
	GM	GREY MESH
	GN	GREY NEBULA
	NZ	LODEN ZEPHYR
	MZ	MISTED ZEPHYR
	OZ	MORRO ZEPHYR
	NK	NICKEL EV
	PM	PEWTER MESH
	SZ	SHADOW ZEPHYR
	SM	SHEER MESH
	SI	SILICON EV
	PZ	SPICED ZEPHYR
	TT	TITANIUM EV
	TG	TUNGSTEN EV
	TZ	TWILIGHT ZEPHYR
	WN	WHITE NEBULA
	WT	WHITE TIGRIS
SOLIDS	AW	ANTIQUE WHITE
	BK	BLACK
	DW	DESIGNER WHITE
	DG	DOVE GREY
	FW	FROSTY WHITE
	NS	NORTH SEA
	PE	PEPPERDUST
	WS	WHITE SAND

* NOTE: DUE TO PRINTING LIMITATIONS, COLORS ARE NOT GUARANTEED TO BE ACCURATELY REPRODUCED.

FACTORY & SHOWROOM
4030 EAST QUENTON DRIVE
MESA, ARIZONA 85215

CHICAGO SHOWROOM
MERCHANDISE MART
SHOWROOM 10-100
CHICAGO, ILLINOIS 60654

P: 800.833.3746
info@esiergo.com
esiergo.com

