

TABLES

The ESI height adjustable table collection offers a wide range of features and options to choose from. Whether there is a need for height adjustability for individual users or conference rooms, ESI has a solution. Height adjustable tables give users the flexibility to sit or stand at their workspace, while preserving the optimal ergonomic positioning.

TRIUMPH



TRIUMPH



ELECTRIC

Exceptional height range, the Triumph has a smooth and quiet operation, and concealed crossbar design.

- Height range: 26" - 45.5"
- Total travel range: 19.5"
- Adjustment speed: 1.4"/second
- Lifting capacity: 180 lbs
- Adjustable cross channels

TRIUMPH TABLE BASE AND WORK SURFACE OPTIONS

* Work surfaces must be purchased with a table base and are not sold separately.

RECTANGLE



WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
36	24	2T-C28-24	2R3624_ _	\$1,204	\$344
42	24	2T-C28-24	2R4224_ _	\$1,204	\$375
48	24	2T-C28-24	2R4824_ _	\$1,204	\$375
36	30	2T-C28-30	2R3630_ _	\$1,229	\$403
42	30	2T-C28-30	2R4230_ _	\$1,229	\$404
48	30	2T-C28-30	2R4830_ _	\$1,229	\$404
60	24	2T-C40-24	2R6024_ _	\$1,223	\$473
72	24	2T-C40-24	2R7224_ _	\$1,223	\$699
60	30	2T-C40-30	2R6030_ _	\$1,255	\$528
72	30	2T-C40-30	2R7230_ _	\$1,255	\$728

PENINSULA



WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
60	30	2T-C40-30	P6030_ _	\$1,255	\$1,065
72	30	2T-C40-30	P7230_ _	\$1,255	\$1,085

SMALL EQUAL CORNER



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
42	42	24	2T-C28-24	2EC424224_ _	\$1,204	\$1,065
48	48	24	2T-C28-24	2EC484824_ _	\$1,204	\$1,100

VICTORY



VICTORY



ELECTRIC

The Victory Electric table base boasts adjustable crossbars for easy installation and modification. Available in 2 and 3-leg configurations.

- Height range: 24.4" - 49.7"
- Total travel range: 25.3"
- Adjustment speed: 1.4"/second
- Lifting capacity: 220 lbs (2-leg) / 330 lbs (3-leg)
- Adjustable cross channels
- Soft start
- Anti-collision



VICTORY TABLE BASE AND WORK SURFACE OPTIONS

* Work surfaces must be purchased with a table base and are not sold separately.

RECTANGLE 2-LEG

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
36	24	2VT-C36-24	2R3624__	\$1,682	\$344
42	24	2VT-C36-24	2R4224__	\$1,682	\$375
48	24	2VT-C48-24	2R4824__	\$1,761	\$375
60	24	2VT-C48-24	2R6024__	\$1,761	\$473
72	24	2VT-C48-24	2R7224__	\$1,761	\$699
36	30	2VT-C36-30	2R3630__	\$1,703	\$403
42	30	2VT-C36-30	2R4230__	\$1,703	\$404
48	30	2VT-C48-30	2R4830__	\$1,782	\$404
60	30	2VT-C48-30	2R6030__	\$1,782	\$528
72	30	2VT-C48-30	2R7230__	\$1,782	\$728

PENINSULA 2-LEG

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
60	30	2VT-C48-30	P6030__	\$1,782	\$1,065
72	30	2VT-C48-30	P7230__	\$1,782	\$1,085

SMALL EQUAL CORNER 2-LEG

WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
42	42	24	2VT-C36-24	2EC424224__	\$1,682	\$1,065
48	48	24	2VT-C36-24	2EC484824__	\$1,682	\$1,100

LARGE EQUAL CORNER 3-LEG

WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
60	60	24	3VT-C4848-24	3EC606024__	\$2,176	\$1,005
72	72	24	3VT-C4848-24	3EC727224__	\$2,176	\$1,050
60	60	30	3VT-C4848-30	3EC606030__	\$2,201	\$1,005
72	72	30	3VT-C4848-30	3EC727230__	\$2,201	\$1,050

OFFSET CORNER LEFT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
60	48	24	3VT-C4836-24	3OCL604824__	\$2,154	\$1,065
72	48	24	3VT-C4836-24	3OCL724824__	\$2,154	\$1,070
72	60	24	3VT-C4848-24	3OCL726024__	\$2,176	\$1,075
60	48	30	3VT-C4836-30	3OCL604830__	\$2,198	\$1,065
72	48	30	3VT-C4836-30	3OCL724830__	\$2,198	\$1,070
72	60	30	3VT-C4848-30	3OCL726030__	\$2,201	\$1,075

OFFSET CORNER RIGHT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
48	60	24	3VT-C4836-24	3OCR486024__	\$2,154	\$1,065
48	72	24	3VT-C4836-24	3OCR487224__	\$2,154	\$1,070
60	72	24	3VT-C4848-24	3OCR607224__	\$2,176	\$1,075
48	60	30	3VT-C4836-30	3OCR486030__	\$2,198	\$1,065
48	72	30	3VT-C4836-30	3OCR487230__	\$2,198	\$1,070
60	72	30	3VT-C4848-30	3OCR607230__	\$2,201	\$1,075

PENINSULA LEFT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
72	48	30	3VT-C4836-30	3PL724830__	\$2,198	\$1,000
72	60	30	3VT-C4848-30	3PL726030__	\$2,201	\$1,050

PENINSULA RIGHT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
48	72	30	3VT-C4836-30	3PR487230__	\$2,198	\$1,000
60	72	30	3VT-C4848-30	3PR607230__	\$2,201	\$1,050

PREMIUM



PREMIUM

ELECTRIC

Exceptional height range, smooth and quiet operation, concealed crossbar design. Meets the stringent BIFMA G1-2014 and HFES 100-2007 specifications.

- Height range: 21" - 47"
- Total travel range: 26"
- Adjustment speed: 1.5"/second
- Lifting capacity: 220 lbs (2-leg) / 300 lbs (3-leg)
- Soft start
- Anti-collision



PREMIUM TABLE BASE AND WORK SURFACE OPTIONS

* Work surfaces must be purchased with a table base and are not sold separately.

RECTANGLE 2-LEG

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
36	24	2E-C36-24	2R3624__	\$2,359	\$344
42	24	2E-C36-24	2R4224__	\$2,359	\$375
48	24	2E-C48-24	2R4824__	\$2,368	\$375
60	24	2E-C60-24	2R6024__	\$2,378	\$473
72	24	2E-C72-24	2R7224__	\$2,398	\$699
36	30	2E-C36-30	2R3630__	\$2,361	\$403
42	30	2E-C36-30	2R4230__	\$2,361	\$404
48	30	2E-C48-30	2R4830__	\$2,370	\$404
60	30	2E-C60-30	2R6030__	\$2,380	\$528
72	30	2E-C72-30	2R7230__	\$2,400	\$728

PENINSULA 2-LEG

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
60	30	2E-C60-30	P6030__	\$2,380	\$1,065
72	30	2E-C72-30	P7230__	\$2,400	\$1,085

LARGE EQUAL CORNER 3-LEG

WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
60	60	24	3E90-C6060-24	3EC606024__	\$3,619	\$1,005
72	72	24	3E90-C7272-24	3EC727224__	\$3,660	\$1,050
60	60	30	3E90-C6060-30	3EC606030__	\$3,621	\$1,005
72	72	30	3E90-C7272-30	3EC727230__	\$3,662	\$1,050

OFFSET CORNER LEFT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
60	48	24	3E90-C4860-24	3OCL604824__	\$3,609	\$1,065
72	48	24	3E90-C4872-24	3OCL724824__	\$3,630	\$1,070
72	60	24	3E90-C6072-24	3OCL726024__	\$3,639	\$1,075
60	48	30	3E90-C4860-30	3OCL604830__	\$3,611	\$1,065
72	48	30	3E90-C4872-30	3OCL724830__	\$3,632	\$1,070
72	60	30	3E90-C6072-30	3OCL726030__	\$3,641	\$1,075

OFFSET CORNER RIGHT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
48	60	24	3E90-C4860-24	3OCR486024__	\$3,609	\$1,065
48	72	24	3E90-C4872-24	3OCR487224__	\$3,630	\$1,070
60	72	24	3E90-C6072-24	3OCR607224__	\$3,639	\$1,075
48	60	30	3E90-C4860-30	3OCR486030__	\$3,611	\$1,065
48	72	30	3E90-C4872-30	3OCR487230__	\$3,632	\$1,070
60	72	30	3E90-C6072-30	3OCR607230__	\$3,641	\$1,075

PENINSULA LEFT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
72	48	30	3E90-C4872-30	3PL724830__	\$3,632	\$1,000
72	60	30	3E90-C6072-30	3PL726030__	\$3,641	\$1,050

PENINSULA RIGHT 3-LEG



WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
WL	WR	D				
48	72	30	3E90-C4872-30	3PR487230__	\$3,632	\$1,000
60	72	30	3E90-C6072-30	3PR607230__	\$3,641	\$1,050

Q CRANK TABLE BASE AND WORK SURFACE OPTIONS



Q CRANK



HAND CRANK

Quick, quality, and quiet adjustability, the Q Crank table base is available in a 2-leg configuration. The handle retracts under work surface.

- Height range: 25" - 42.5"
- Total travel range: 17.5"
- Adjustment speed: 1" per 2 cranks
- Lifting capacity: 220 lbs
- Adjustable cross channels

RECTANGLE

* Work surfaces must be purchased with a table base and are not sold separately.

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
36	24	Q CRANK-24S	2R3624_ _	\$1,050	\$344
42	24	Q CRANK-24S	2R4224_ _	\$1,050	\$375
48	24	Q CRANK-24S	2R4824_ _	\$1,050	\$375
60	24	Q CRANK-24L	2R6024_ _	\$1,082	\$473
72	24	Q CRANK-24L	2R7224_ _	\$1,082	\$699
36	30	Q CRANK-30S	2R3630_ _	\$1,065	\$403
42	30	Q CRANK-30S	2R4230_ _	\$1,065	\$404
48	30	Q CRANK-30S	2R4830_ _	\$1,065	\$404
60	30	Q CRANK-30L	2R6030_ _	\$1,097	\$528
72	30	Q CRANK-30L	2R7230_ _	\$1,097	\$728

PENINSULA

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
60	30	Q CRANK-30L	P6030_ _	\$1,097	\$1,065
72	30	Q CRANK-30L	P7230_ _	\$1,097	\$1,085

PNEUMATIC TABLE BASE AND WORK SURFACE OPTIONS



PNEUMATIC



GAS CYLINDER

Trigger-style pull prevents accidental engagement. Counterbalanced columns provide synchronized height adjustment.

- Height range: 26" - 46"
- Total travel range: 20"
- Lifting capacity:
 - Standard 400N cylinder = 85 - 100lbs
- Call Customer Service for additional cylinder options and pricing

RECTANGLE

* Work surfaces must be purchased with a table base and are not sold separately.

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
36	24	2G-C36-24	2R3624_ _	\$1,792	\$344
42	24	2G-C36-24	2R4224_ _	\$1,792	\$375
48	24	2G-C48-24	2R4824_ _	\$1,807	\$375
60	24	2G-C60-24	2R6024_ _	\$1,818	\$473
72	24	2G-C72-24	2R7224_ _	\$1,849	\$699
36	30	2G-C36-30	2R3630_ _	\$1,807	\$403
42	30	2G-C36-30	2R4230_ _	\$1,807	\$404
48	30	2G-C48-30	2R4830_ _	\$1,822	\$404
60	30	2G-C60-30	2R6030_ _	\$1,832	\$528
72	30	2G-C72-30	2R7230_ _	\$1,864	\$728

PENINSULA

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE PART # SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
60	30	2G-C60-30	P6030_ _	\$1,832	\$1,065
72	30	2G-C72-30	P7230_ _	\$1,864	\$1,085

QUAD AND CORE TABLE BASES AND WORK SURFACE OPTIONS

QUAD



ELECTRIC

This adjustable table base is perfect for conference rooms, teaming/collaboration areas and media configurations.

- Height range: 26" - 45.9"
- Total travel range: 19.9"
- Adjustment speed: 1.2"/second
- Lifting capacity: 220 lbs



RECTANGLE

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
72	36	4Q-LE	2R7236_ _	\$1,976	\$955
84	36	4Q-LE	2R8436_ _	\$1,976	\$1,050
72	48	4Q-LE	2R7248_ _	\$1,976	\$1,050
84	48	4Q-LE	2R8448_ _	\$1,976	\$1,065

* Work surfaces must be purchased with a table base and are not sold separately.

CORE



ELECTRIC

The Core offers a smooth, quiet operation with an exceptional height range. Boasting a single column, the Core is a great choice for corner workstations.

- Height range: 25.7" - 44.6"
- Total travel range: 18.9"
- Adjustment speed: 1.4"/sec
- Lifting capacity: 132 lbs
- Also available as a Wall Mount table. Call Customer Service for details.



RECTANGLE

WORK SURFACE DIMENSIONS		BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D				
36	24	CORE	2R3624_ _	\$1,250	\$344
42	24	CORE	2R4224_ _	\$1,250	\$375
36	30	CORE	2R3630_ _	\$1,250	\$403
42	30	CORE	2R4230_ _	\$1,250	\$404

SMALL EQUAL CORNER

WORK SURFACE DIMENSIONS			BASE PART #	WORK SURFACE SEE PAGE 21 FOR LAMINATE CODES	BASE ONLY LIST	ADD-ON WORK SURFACE LIST
W	D1	D2				
42	42	24	CORE	2EC424224_ _	\$1,250	\$1,065
48	48	24	CORE	2EC484824_ _	\$1,250	\$1,100

* Work surfaces must be purchased with a table base and are not sold separately.

WORK SURFACE OPTIONS AND LAMINATE GUIDE

STANDARD WORK SURFACES

Work surfaces must be purchased with a table base and are not sold separately. Typical lead time is 10-14 business days for production of work surfaces. Please indicate laminate choice by adding the 2-letter code at the end of the Work Surface Part Number.

Example: **2R4830KM** = 48" x 30" Rectangle Work Surface in *Kensington Maple*

LAMINATE GUIDE

Work surfaces are available in 38 standard laminate colors. Standard laminates ship with matching 3MM edge banding. Additional laminate colors may be available. Call Customer Service for more information.

* Note: Due to printing limitations, colors are not guaranteed to be accurately reproduced.



WILSONART
WILD CHERRY




WILSONART
BRIGHTON WALNUT



WILSONART
KENSINGTON MAPLE



WILSONART
WHITE NEBULA



WILSONART
GRAPHITE NEBULA



WILSONART
WHITE TIGRIS



WILSONART
NICKEL EV




WILSONART
TUNGSTEN EV



WILSONART
CANYON ZEPHYR




WILSONART
CLOUD ZEPHYR



WILSONART
GREY MESH



WILSONART
PEWTER MESH



WILSONART
DESIGNER WHITE



WILSONART
PEPPERDUST



WILSONART
DOVE GREY

STANDARD LAMINATE		
WOOD GRAINS	BE	BEIGEWOOD
	BW	BRIGHTON WALNUT
	CO	CASTLE OAK
	FM	FUSION MAPLE
	KM	KENSINGTON MAPLE
	MM	MONTICELLO MAPLE
	SC	SHAKER CHERRY
	SO	SOLAR OAK
	WC	WILD CHERRY
PATTERNS	CZ	CANYON ZEPHYR
	CN	CLOUD NEBULA
	LZ	CLOUD ZEPHYR
	DZ	DESERT ZEPHYR
	RN	GRAPHITE NEBULA
	GM	GREY MESH
	GN	GREY NEBULA
	NZ	LODEN ZEPHYR
	MZ	MISTED ZEPHYR
	OZ	MORRO ZEPHYR
	NK	NICKEL EV
	PM	PEWTER MESH
	SZ	SHADOW ZEPHYR
	SM	SHEER MESH
	SI	SILICON EV
	PZ	SPICED ZEPHYR
	TT	TITANIUM EV
	TG	TUNGSTEN EV
	TZ	TWILIGHT ZEPHYR
	WN	WHITE NEBULA
	WT	WHITE TIGRIS
SOLIDS	AW	ANTIQUE WHITE
	BK	BLACK
	DW	DESIGNER WHITE
	DG	DOVE GREY
	FW	FROSTY WHITE
	NS	NORTH SEA
	PE	PEPPERDUST
	WS	WHITE SAND

TABLE ACCESSORIES

TABLE ACCESSORIES CHART

PART#	DESCRIPTION	TRIUMPH	VICTORY	PREMIUM	Q CRANK	PNEUMATIC	QUAD	CORE	LIST PRICE
DGTLKPD-PE	Digital programmable switch with 3 memory settings			•					\$136
DGTLKPD-VE2	Digital programmable switch with 3 memory settings		•				•	•	\$121
CASTER-OV2	Set of four casters for 2-leg table bases Increases height range by 2"			•		•			\$62
CASTER-OV3	Set of five casters for 3-leg table bases Increases height range by 2"			•					\$102
CASTER-SP2	Set of four casters for 2-leg table bases Increases height range by 2"	•	•		•				\$62
CASTER-SP3	Set of five casters for 3-leg table bases Increases height range by 2"		•						\$102
SOLUTION C-LEG	AA330 articulating arm and PL003-27N notched platform	•	•	•	•	•			\$378

DIGITAL KEYPAD PREMIUM ELECTRIC



- Digital programmable switch with 3 memory settings
- Low Standby Power Consumption
- Upgrade for the Premium Electric Table

PART #	LIST PRICE
DGTLKPD-PE	\$136

DIGITAL KEYPAD VICTORY, QUAD, AND CORE ELECTRIC



- Digital programmable switch with 3 memory settings
- Low Standby Power Consumption
- Upgrade for the Victory, Quad, and Core Electric Tables

PART #	LIST PRICE
DGTLKPD-VE2	\$121

CASTERS



- Set of casters for 2 and 3-leg table bases
- Increases height range by 2"

PART #	LIST PRICE
CASTER-OV2 (FOUR)	\$62
CASTER-OV3 (FIVE)	\$102
CASTER-SP2 (FOUR)	\$62
CASTER-SP3 (FIVE)	\$102

SOLUTION C-LEG COMBO SOLUTION

NOTCHED KEYBOARD PLATFORM

- 27" platform with notched cutout

ARTICULATING ARM

- 17.75" glide track
- 7" Lift and Lock height adjustment (2.5" above to 4.5" below track)

PART #	LIST PRICE
SOLUTION C-LEG	\$378





FACTORY & SHOWROOM
4030 EAST QUENTON DRIVE
MESA, ARIZONA 85215

CHICAGO SHOWROOM
MERCHANDISE MART
SHOWROOM 10-100
CHICAGO, ILLINOIS 60654

P: 800.833.3746
info@esiergo.com
esiergo.com



WOMAN-OWNED
Small Business

© 2015 ESI Ergonomic Solutions
All rights reserved.