



# Crank

Crank height adjustable table base

# Crank

Crank height adjustable table base

esi



hand crank  
no electricity needed



locking casters

## Product specs

---

- Crank height adjustment
- 300 lb. base lifting capacity
- 1.0" per six cranks adjustment speed
- 18.3" height adjustment range
  - 26.0"—44.3" (low/high) (excluding worksurface)
- Locking casters are available
- Two stage adjustable legs
- C-leg
- Complete tables available (base and top)
- Warranty: 15 yr. (structural)/7 yr. (mechanical)



## Available base finishes

---

- ⓁⓉ Silver -SLV
- ⓁⓉ Black -BLK
- ⓁⓉ White -WHT

LT=CALL FOR ON HAND AVAILABILITY

## Caster Kit

---


- Set of four casters for table base
- Increases height by 2.0"
- Locking casters for security

MODEL # CASTERKIT-2C

# Crank



## Crank height adjustable table base

Table bases		Available worksurfaces				
Table base model	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium
			Quick ship	Standard ship	Standard ship	Standard ship
2C-C36-24-___	 W D Rectangle	36"w x 24"d	–	2R3624-TFL-__	2R3624-HPL-__	2R3624-PHPL-__
2C-C42-24-___		42"w x 24"d	–	2R4224-TFL-__	2R4224-HPL-__	2R4224-PHPL-__
2C-C48-24-___		48"w x 24"d	–	2R4824-TFL-__	2R4824-HPL-__	2R4824-PHPL-__
2C-C60-24-___		60"w x 24"d	–	2R6024-TFL-__	2R6024-HPL-__	2R6024-PHPL-__
2C-C72-24-___		72"w x 24"d	–	2R7224-TFL-__	2R7224-HPL-__	2R7224-PHPL-__
2C-C36-30-___		36"w x 30"d	–	2R3630-TFL-__	2R3630-HPL-__	2R3630-PHPL-__
2C-C42-30-___		42"w x 30"d	–	2R4230-TFL-__	2R4230-HPL-__	2R4230-PHPL-__
2C-C48-30-___		48"w x 30"d	–	2R4830-TFL-__	2R4830-HPL-__	2R4830-PHPL-__
2C-C60-30-___		60"w x 30"d	–	2R6030-TFL-__	2R6030-HPL-__	2R6030-PHPL-__
2C-C72-30-___		72"w x 30"d	–	2R7230-TFL-__	2R7230-HPL-__	2R7230-PHPL-__

### Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, TFL standard and HPL standard/premium worksurfaces ship within three weeks. Lead time may vary depending on quantities ordered and their availability.


*Table bases and worksurfaces can be purchased independently or as a combination.  
 ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.*

# Crank

Crank height adjustable table base



CRANK-24C



CRANK-24C

