

# Premium 2-Leg

Electric table base



## **Product specs**

- Electric height adjustment
- 220 lbs. base lifting capacity
- 1.5"/sec adjustment speed
- 26.0" height adjustment range
  - 21.0"-47.0" (low/high)(excluding worksurface)
- Three stage adjustable legs
- · Adjustable width frame
- Two motors
- Soft start
- Anti-collision
- · Locking casters are available
- · Low standby power consumption
- · Digital programmable keypad with three memory settings
- Meets the stringent BIFMA G1-2014 and HFES 100-2007 guidelines
- Warranty: 15 yr. (structural) / 7 yr. (mechanical)





locking casters

### Caster Kit

- · Set of casters for table bases
- Increases height by 2.0"
- · Locking casters for security

MODEL # CASTERKIT-2E

### Available base finishes

LT Silver -SLV

Black -BLK

(IT) White -WHT

LT=CALL FOR ON HAND AVAILABILITY

# Premium 2-Leg Electric table base

## Table bases

## Available worksurfaces

Table base model	Worksurface shape	Worksurface dimension	TFL Quick ship	TFL Standard	HPL Standard
2E-C36-24	W Rectangle	36"w x 24"d	-	•	•
		42"w x 24"d	-	•	•
2E-C48-24		48'w x 24'd	•	•	•
2E-C60-24		60"w x 24"d	-	•	•
2E-C72-24		72"w x24"d	-	•	•
2E-C84-24		84"w x 24"d	-	•	•
2E-C36-30		36"w x 30"d	-	•	•
		42"w x 30"d	_	•	•
2E-C48-30		48"w x 30"d	-	•	•
2E-C60-30		60"w x 30"d	•	•	•
2E-C72-30		72"w x 30"d	_	•	•
		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••		

### Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL Quick ship worksurfaces are shipped out in 48 hours, TFL and HPL Standard worksurfaces ship in 2–3 weeks.

Table bases and worksurfaces can be purchased independently or as a combination. ESI table bases and worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



800.833.3746 esiergo.com