



Q Crank

crank height adjustable table base

Product specs

- Crank height adjustment
- 220 lbs. base lifting capacity
- 1.0" per two cranks adjustment speed
- 17.7" height adjustment range
 - 24.8"–42.5" (Low/High)
(excluding worksurface)
- Two stage adjustable legs
- Adjustable width frame
- Optional casters are available
- Warranty: 15yrs. (structural); 7yrs. (mechanical)



hand crank
no electricity needed



optional casters

Rectangle

	Dimensions	Base model	Surface model
	36"w x 24"d	QCRANK-24S-___	2R3624__
	42"w x 24"d	QCRANK-24S-___	2R4224__
	48"w x 24"d	QCRANK-24S-___	2R4824__
	60"w x 24"d	QCRANK-24L-___	2R6024__
	72"w x 24"d	QCRANK-24L-___	2R7224__
	36"w x 30"d	QCRANK-30S-___	2R3630__
	42"w x 30"d	QCRANK-30S-___	2R4230__
	48"w x 30"d	QCRANK-30S-___	2R4830__
	60"w x 30"d	QCRANK-30L-___	2R6030__
	72"w x 30"d	QCRANK-30L-___	2R7230__

D-top

	Dimensions	Base model	Surface model
	60"w x 30"d	QCRANK-30L-___	D6030__
	72"w x 30"d	QCRANK-30L-___	D7230__

Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See our worksurface ordering guide for details. ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Caster Kit

- Set of caster wheels for table bases
- Increases height by 2.0"
- Locking wheels for security

MODEL # CASTERKIT-QCRANK

Available base finishes

 Silver -SLV

 Black -BLK

LT=CALL FOR ON HAND AVAILABILITY

Worksurface shapes - LT

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.

Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available at an additional cost.




Q Crank

crank height adjustable table base


Q CRANK-24S

adjustable width frame
31.2"–47.5"




Q CRANK-30S

adjustable width frame
31.2"–47.5"




Q CRANK-24L

adjustable width frame
42.7"–71.0"



Q CRANK-30L

adjustable width frame
42.7"–71.0"



The base dimensions as shown are actual.

esi

800.833.3746
esiergo.com

© 2019 Fellowes, Inc.