






# Sena™EX2-F

Dual fixed monitor arm

### Sena™EX2-F

### Dual fixed monitor arm







#### **Product specs**

- Manual Height Adjustment
- Recommended for worksurfaces 36" deep or less
- 12.93" arm extension
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. 19.8lb weight capacity (per arm)
- 16" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 270° / 135° arm rotation with 180° lock out
- · Desk clamp and grommet mount included
- · 25.98" max monitor width
  - Bezel measured left to right
- Meets or exceeds BIFMA x5.5 and CSA CAN/ CGSB44.227 guidelines
- · Warranty: 15 yr

#### Model #

SENAEX2-F-SLV

SENAEX2-F-BLK

SENAEX2-F-WHT

#### SenaEX monitor arm key

#### Available mounting options

F - Fixed monitor arm

DC - Desk clamp

M - Motion monitor arm

GM - Grommet mount

S - Slider mount

#### SenaEX for every need

As workstation needs change, so can the SenaEX configurations. Additional components sold separately

Call our Customer Service Department for pricing for custom configurations.

### Sena™EX2-F

## esi

Dual fixed monitor arm

