

esi | work gear




Kata2™

dual monitor arm

Kata2

dual monitor arm



cable management



tension adjustment



integrated tool storage



grommet mount



clamp mount

Product Specs

- Designed by ESI and Roger Webb Associates of London, England
- Finger touch dynamic height adjustment
- Recommended for worksurfaces 24.0–36.0" deep
- 14.0" height adjustment range
7.0"–21.0" (low/high)
- 21.0" arm extension
- 5.5" arm retraction
- +90°/-25° monitor tilt
- ±90° VESA rotation
- 4.0lb.–20.0lb. weight capacity (*per arm*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Includes a grommet mount or a desk clamp mount
- 29.0" max. monitor width
(*bezel measured left to right*)
- Tension adjustment indicator for precision installation
- Capable of portrait and landscape orientation
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder within the VESA plate keeping hex keys accessible
- Warranty: 15 yr.

Model


- ☐ KATA2-DC- SLV
- ☒ KATA2-DC- BLK
- ☐ KATA2-DC- WHT
- ☐ KATA2-GM- SLV
- ☒ KATA2-GM- BLK
- ☐ KATA2-GM- WHT

esi


800.833.3746
esiergo.com

Kata2


dual monitor arm




aerial view




Base
(bottom view)




Base Clamp
(profile view)



VESA Plate



VESA
(profile view)



esi

800.833.3746
esiergo.com