



Kata™ EX2-FM

Dual fixed + motion monitor arm

Kata™ EX2-FM

Dual fixed + motion monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

Product specs

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 24.0"–36.0" deep or corner applications
- 23.9" arm extension
- 3.0" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height
- 4 lb–20 lb weight capacity (*per arm*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Includes a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Exceeds ANSI/BIFMA x5.5 requirements
- 32.0" max. monitor width
*Bezel measured left to right,
Max width is contingent on weight capacity*
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

Model #	List price
<input type="radio"/> KATAEX2-DC-FM-SLV	\$819
<input checked="" type="radio"/> KATAEX2-DC-FM-BLK	\$819
<input type="radio"/> KATAEX2-DC-FM-WHT	\$819
<input type="radio"/> KATAEX2-GM-FM-SLV	\$819
<input checked="" type="radio"/> KATAEX2-GM-FM-BLK	\$819
<input type="radio"/> KATAEX2-GM-FM-WHT	\$819

KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

esi


800.833.3746

esiergo.com

© 2019 Fellowes, Inc. V32 catalog pricing.

Kata™ EX2-FM

Dual fixed + motion monitor arm



esi

800.833.3746
esiergo.com