




Q Crank

hand crank table base

Product Specs

- Height adjustment range: 17.7"
 - Low: 24.8" | High: 42.5" (excluding worksurface)
- Adjustment speed: 1.5" per two cranks
- Base lifting capacity: 220 lbs.
- Adjustable cross channels
- Optional casters are available
- Warranty:
 - 15 yrs. structural
 - 7 yrs. mechanical
- Not available on GSA contract **NON GSA**



hand crank
no electricity needed



optional casters

Q Crank

hand crank table base

Rectangle



Dimensions

36"w x 24"d
42"w x 24"d
48"w x 24"d
60"w x 24"d
72"w x 24"d
36"w x 30"d
42"w x 30"d
48"w x 30"d
60"w x 30"d
72"w x 30"d

Base model

Q CRANK-24S-____
Q CRANK-24S-____
Q CRANK-24S-____
Q CRANK-24L-____
Q CRANK-24L-____
Q CRANK-30S-____
Q CRANK-30S-____
Q CRANK-30S-____
Q CRANK-30L-____
Q CRANK-30L-____

Surface model

2R3624__
2R4224__
2R4824__
2R6024__
2R7224__
2R3630__
2R4230__
2R4830__
2R6030__
2R7230__

D-top



Dimensions

60"w x 30"d
72"w x 30"d

Base model

Q CRANK-30L-____
Q CRANK-30L-____

Surface model

D6030__
D7230__

Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See laminate guide worksurface for details.

Caster Kit

Set of caster wheels for table bases
Increases height by 2.0"
Locking wheels for security

Model # CASTERKIT-QCRANK

Available base finishes

● Silver -SLV

Worksurface Choices

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.

Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available.



esi

800.833. 3746
esiergo.com


© 2018 Fellowes, Inc.

Q Crank

hand crank table base


Q CRANK-24S

adjustable width frame
31.2"–47.5"




Q CRANK-30S

adjustable width frame
31.2"–47.5"




Q CRANK-24L

adjustable width frame
42.7"–71.0"



Q CRANK-30L

adjustable width frame
42.7"–71.0"



esi

800.833. 3746
esiergo.com