


$\mathsf{Brisa}^{\scriptscriptstyle\mathsf{TM}}$

electric table base



quick frame and column assembly

top view



Product specs

- · Designed by Gecco Vision
- · Designer look and feel
- Highly customizable with 36 different color combinations for columns, shrouds and feet
- Frame and column connect and lock for quick and easy assembly
- · Electric height adjustment
- 220 lbs. base lifting capacity
- 1.4"/sec adjustment speed
- 26.1" height adjustment range 21.6"-47.7" (low/high) (excluding worksurface)
- Three stage adjustable legs
- Adjustable width frame: 43.3"-70.9"
- Two motors
- · Soft start
- · Gyro sensor anti-collision
- · Steel frame and aluminum foot construction
- Low standby power consumption
- Cable management included
- · Simplistic and stylized digital keypad
- Warranty: 15 yr. (structural) / 7 yr. (mechanical)




digital keypad

Table bases

Available worksurfaces

Table base model	Worksurface shape	Worksurface dimension	TFL Quick ship	TFL Standard	HPL Standard
2B-C48	D	48"w x 24"d	2R4824-QS-TFL	2R4824-TFL	2R4824-HPL
	W Rectangle	48"w x 30"d	2R6030-QS-TFL	2R6030-TFL	2R6030-HPL
Table base model	Worksurface shape	Worksurface dimension	TFL Quick ship	TFL Standard	HPL Standard
2B-C48	W_W	48"w x 24"d	-	120-4824-TFL	120-4824-HPL

Part number breakdown



Worksurface Program

Multiple worksurface shapes and laminates are available. TFL Quickship worksurfaces are shipped out in 48 hours, TFL and HPL Standard worksurfaces ship in 2–3 weeks.

Table bases and worksurfaces can be purchased independently or as a combination.

ESI table bases and worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Brisa Freight & Shipping Program

Polished aluminum -A (feet only)

5+ Brisa table bases: Free freight for orders of 5 Brisa table bases or more.

Four or less Brisa table bases: \$125 charge for four or less Brisa table bases.

For Brisa orders including worksurfaces, there will be no additional freight charge other than the charges listed above.




Brisa


Retracted top view

electric table base

minimum width 21.0" minimum width 34.3" minimum width 43.3"



Expanded top view



The base dimensions as shown are actual.

