



Kata™ EX1-M

Single motion monitor arm

Kata™ EX1-M

Single motion monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

Product specs

- Finger touch dynamic height adjustment
- Recommended for shallow worksurfaces 24.0" deep or less
- 17.9" arm extension
- 7.0" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height
- 4 lb–20 lb weight capacity
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Includes a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Exceeds ANSI/BIFMA x5.5 requirements
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

Model #	List price
☐ KATAEX1-DC-M-SLV	\$437
☒ KATAEX1-DC-M-BLK	\$437
☐ KATAEX1-DC-M-WHT	\$437
☐ KATAEX1-GM-M-SLV	\$437
☒ KATAEX1-GM-M-BLK	\$437
☐ KATAEX1-GM-M-WHT	\$437

KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm







S - Slider mount

esi

800.833.3746
esiergo.com

Kata™ EX1-M

Single motion monitor arm



esi

800.833.3746
esiergo.com