## esi | work gear



## All-Flex® 3-leg + Conceal

electric table base



### All-Flex 3-leg + Conceal

#### electric table base

# top support at 19.3" top support at 23.3" foot at 28.0"



notched cross channel

## esi adjustable cross channel


#### All-Flex® 3-leg specs


- · Electric height adjustment
- 330 lbs. base lifting capacity
- 1.5"/sec adjustment speed
- One part number for all 3-leg sizes
- · 26.0" height adjustment range
  - 23.2"-49.2" (low/high) (excluding worksurface)
- Three-stage adjustable legs
- Provides adjustable cross channels, top support, and feet making it one of the most adjustable table bases on the market.
- Foot is adjustable to 22.0" or 28.0" (patented design)
- Adjustable width frame to fit worksurfaces 36.0"–84.0" wide
- Adjustable depth top support expands to accommodate worksurfaces 24.0"–36.0" deep
- Notched cross channel offers ample space for keyboard tray glide tracks
- · 86.0" power cord
- · Digital keypad with four memory settings
- · Anti-collision safety feature
- Quick start
- Crossbar includes guide markings to assist in setting width
- · Folding frame design for quick assembly
- · Integrated control unit shelf
- Integrated storage for foot extension plate when not in use
- · Integrated cable management
- · Quiet adjustment
- · Steel construction
- · Low standby power consumption
- · Lead free
- · Three motors
- ADA compliant
- · Locking casters are available
- Warranty: 15 yrs. structural / 7 yrs. mechanical

#### **Conceal specs**

- Total height: 53.5"
- Total # of links: 23
- Links are detachable
- Weighted bottom
- · Attaches to bottom of worksurface
- · Warranty: 15 yrs.


#### Model #







## All-Flex 3-leg + Conceal


#### electric table base







Link profile view





The base dimensions as shown are actual.