

# Kata<sup>™</sup>EX1-F

Single monitor arm

### KataEX1-F

#### Single monitor arm











integrated tool storage



grommet mount



desk clamp



connection sleeve

#### Product specs

- Manual height adjustment
- Recommended for worksurfaces 30.0" deep or less
- 21.4" arm extension
- · 5.6" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- · Up to 20.0 lb. weight capacity
- 16.0" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- · Specify a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- · Partially assembled for quick installation
- · Integrated cord management
- Integrated tool holder
- · Meets or exceeds ANSI/BIFMA x5.5 guidelines
- Designed for ESI by Roger Webb Associates of London
- Warranty: 15 yr.

Model #	List price
KATAEX1-DC-F-SLV	\$366
KATAEX1-DC-F-BLK	\$366
KATAEX1-DC-F-WHT	\$366
○ KATAEX1-GM-F-SLV	\$366
■ KATAEX1-GM-F-BLK	\$366
○ KATAEX1-GM-F-WHT	\$366

### KataEX monitor arm keyAvailable mounting optionsF - Fixed monitor armDC - Desk clamp

M - Motion monitor arm GM - Grommet mount

S - Slider mount

#### KataEX for every need

- As workstation needs change, so can the KataEX configurations. Additional components sold separately
- Benching system mount(s) available

Call our Customer Service Department for compatibility and pricing for custom configurations.



## KataEX1-F

## esi

Single monitor arm











