



# Kata™ EX4-FMS

Quad fixed + motion + slider monitor arm

# Kata™ EX4-FMS

Quad fixed + motion + slider monitor arm



tension adjustment




integrated tool storage



grommet mount



desk clamp



slider mount



connection sleeve

## Product specs

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 33.4" arm extension
- 6.6" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 28.0" pole height (*includes base*)
- 2.5 lb.–18.5 lb. weight capacity (*per arm*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp mount only
- Slider provide 9.5" of additional horizontal adjustability
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- 32.0" max. monitor width  
*Bezel measured left to right.*  
*Max. width is contingent on weight capacity.*  
*Note: monitor height/weight might limit size*
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

## Model #

- ☐ KATAEX4-DC-FMS-SLV
- ☒ KATAEX4-DC-FMS-BLK
- ☐ KATAEX4-DC-FMS-WHT

## KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm


S - Slider mount

esi

800.833.3746  
esiergo.com

# Kata™ EX4-FMS

Quad fixed + motion + slider monitor arm



esi

800.833.3746  
esiergo.com