



Weight Adjustable Espree™

pneumatic table base









Product Specs

- · Height adjustment range: 20.0"
 - Low: 26.0" | High: 46.0" (excluding worksurface)
- Base lifting capacity:
 - 2ESP-WA-C48: 44-143 lbs.
 - 2ESP-WA-C60: 52-163 lbs.
- Adjustable feet: 22.0" or 28.0" long (patented design)
- Table bases accommodate worksurfaces measuring 48.0" and 60.0" in width
- · Fixed width frame
- Two-stage adjustable legs
- Base includes weight resistance setting gauge
- The user has the ability to change the weight resistance in the base for easy height adjustment
- Counter-balanced columns provide smooth, synchronized height adjustment
- The weight adjustment cylinder includes preventative hard stop
- Optional casters are available
- Warranty: 15 yrs. structural / 7 yrs. mechanical
- · Available on GSA contract



optional casters

esi

Weight Adjustable Espree

pneumatic table base

Rectangle			
	Dimensions	Base model	Surface model
	48"w x 24"d	2ESP-WA-C48	2R4824
	48"w x 30"d	2ESP-WA-C48	2R4830
	60"w x 24"d	2ESP-WA-C60	2R6024
	60"w x 30"d	2ESP-WA-C60	2R6030
D-top			
	Dimensions	Base model	Surface model
	60"w x 30"d	2ESP-WA-C60	D6030

Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be $purchased\ with\ a\ table\ base.\ See\ laminate\ guide\ worksurface\ for\ details.$

Caster Kit

Set of caster wheels for table bases Increases height by 2.0" Locking wheels for security

Model # CASTERKIT-2ESP-WA

Available base finishes



Silver -SLV



Black -BLK



(LT) White -WHT

LT=CALL FOR ON HAND AVAILABILITY

Worksurface Choices

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.


Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available.





fixed width 56.0"



2ESP-WA-C48

fixed width 44.0"

