





Sena™EX2-M

Dual motion monitor arm

Sena™EX2-M

Dual motion monitor arm





Product specs

- · Finger touch dynamic height adjustment
- Recommended for worksurfaces 30" deep or less
- 30.4" height adjustment range
 - 0.0"-30.4" (low/high)
- 18.2" arm extension
- 2.9" arm retraction
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. 19.8lb weight capacity (per arm)
- 20.1" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 270° / 135° arm rotation with 180° lock out
- 30.6" max monitor width
 - Bezel measured left to right
 - Max width is contingent on weight capacity
- · Desk clamp and grommet mount included
- Meets or exceeds BIFMA x5.5 and CSA CAN/ CGSB44.227 guidelines
- · Warranty: 15 yr

| Model # | List price |
|---------------|------------|
| SENAEX2-M-SLV | \$530 |
| SENAEX2-M-BLK | \$530 |
| SENAEX2-M-WHT | \$530 |

SenaEX monitor arm key Available mounting options

F - Fixed monitor arm DC - Desk clamp
M - Motion monitor arm GM - Grommet mount

S - Slider mount

SenaEX for every need


 As workstation needs change, so can the SenaEX configurations. Additional components sold separately

Call our Customer Service Department for pricing for custom configurations.

Sena™EX2-M

esi

Dual motion monitor arm



746mm[29.4in] as shown 778mm [30.6in] Max