



Kata™ EX2-M

Dual motion monitor arm

Kata™EX2-M

Dual motion monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

Product specs

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 30.0" deep or less
- 21.4" arm extension
- 5.6" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height (*includes base*)
- 4.0 lb.–20.0 lb. weight capacity (*per arm*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- 27.5" max. monitor width
*Bezel measured left to right,
Max width is contingent on weight capacity*
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

Model #	List price
☐ KATAEX2-DC-M-SLV	\$738
☒ KATAEX2-DC-M-BLK	\$738
☐ KATAEX2-DC-M-WHT	\$738
☐ KATAEX2-GM-M-SLV	\$738
☒ KATAEX2-GM-M-BLK	\$738
☐ KATAEX2-GM-M-WHT	\$738

KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

esi


800.833.3746

esiergo.com

© 2020 Fellowes, Inc. V32 catalog pricing.

Kata™ EX2-M

Dual motion monitor arm



esi

800.833.3746
esiergo.com