




S2S

sit-to-stand workstation

# S2S

## sit-to-stand workstation



lowered



aerial view

### Product Specs

- Pneumatic height adjustment
- Weight adjustable counterbalance pneumatic lift capability; built-in tension adjustment
- 35 lbs. platform weight capacity
- 16.0" height adjustment range
  - Retracted height: 6.0"
  - Extension height: 22.0"
- 35.5"w x 21.0"d top platform
- 26.8"w x 10.5"d keyboard platform
- 1.8" keyboard platform depth adjustment range upon installation
- 24.0" min. worksurface depth
- 49 lbs. unit weight
- Sits atop worksurface
- Integrated cable management
- Precision positioning moves all of the workstation essentials in one fluid motion, stopping at any point along the way
- One-handed operation
- Arrives fully assembled
- Arrives with weight tension pre-set to lift 22 lbs.
- Ratchet wrench included for easy weight tension adjustment with integrated tool storage
- Worksurface and keyboard platform move simultaneously
- Straight vertical travel increases stability and security of work gear and technology
- Large worksurface and keyboard platform for enhanced user comfort
- Compatible with any Edge®, Evolve, or Eppa™ single or dual monitor arm  
(monitor arms sold separately)
- Warranty: 5 yr.

### Model #

● S2S-BLK


esi

800.833.3746  
esiergo.com


# S2S

sit-to-stand workstation



**Aerial View**



**Bottom View**



**Rear View**



esi

800.833.3746  
esiergo.com