esi | work gear



Espree™ + Worksurface

pneumatic table

Fellowes Brands. FAMILY BUSINESS SINCE 1917

Espree + Worksurface

pneumatic table

Rectangle

Dimensions	Base model
48"w x 24"d	2R4824-_ _-2ESP-C48-ADJ-SLV
60"w x 24"d	2R6024-_ _-2ESP-C60-ADJ-SLV
48"w x 30"d	2R4830-_ _-2ESP-C48-ADJ-SLV
60"w x 30"d	2R6030-_ _-2ESP-C60-ADJ-SLV

Specify laminate code. See laminate guide for details.

Casters Model # CASTERKIT-2ESP



Optional casters

Product Specs

- Height adjustment range: 19.6"
  - Low: 26.2" | High: 45.8" (excluding worksurface)
- Adjustable feet: 22.0"or 28.0" long (patented design)
- Base lifting capacity:
  - 2ESP-C48-ADJ: 38 lbs.–83 lbs.
  - 2ESP-C60-ADJ: 49 lbs.–94 lbs.
- Table bases accommodate worksurfaces measuring 48.0" and 60.0" in width
- Counterbalanced columns provide smooth, synchronized height adjustment
- Fixed width frame
- Optional casters are available
- Warranty Espree: 15 yrs. structural | 7 yrs. mechanical
- Available on GSA contract


Espee Features

Foot at 28.0"



Foot at 22.0"





esi

800.833. 3746
esiergo.com


© 2018 Fellowes, Inc.

Espree + Worksurface

pneumatic table


2ESP-C48-ADJ


fixed width
43.3"




2ESP-C60-ADJ

fixed width
51.2"







esi

800.833. 3746
esiergo.com

© 2018 Fellowes, Inc.