

esi



Climbi2

Dual monitor arm desktop sit-to-stand workstation

# Climb2



# esi

## Dual monitor arm desktop sit-to-stand workstation



lowered



raised


### Product specs

- Pneumatic height adjustment
- Clamp mount to worksurface  
*(6.0" clearance needed underneath worksurface)*
- 14.5" pole height adjustment range
- 16.2" motion arm height range
- Flexible positioning along the vertical column and horizontally on with the articulating arm
- 17.2" column height adjustment range
- 25lb. platform weight capacity
- 27.0"w x 10.3"d top platform
- 27.0"w x 10.6"d keyboard platform
- 30.0" max. worksurface depth
- Top platform includes grommet hole for cable management
- Keyboard platform includes palm rest
- Palm rest can be positioned on left or right side of keyboard platform
- Partial assembly required
- Dual monitor arm integration:
  - 10.4" monitor mount height range
  - 13.8" motion arm height range
  - 20lb. max. monitor weight  
*(combined weight of both monitors)*
  - 21.8" max. monitor width  
*Bezel measured left to right. Max. width is contingent on weight capacity.*
  - Monitor can be rotated for portrait or landscape orientation
- Conversion grommet mount sold separately
- Warranty: 3yr.


Model #	List price
CLIMB2-SLV	\$1,038
CLIMB-GM-SLV	Grommet Mount \$40

# Climb2

Dual monitor arm desktop sit-to-stand workstation



top grommet mount plate



bottom grommet mount plate

