



Kata™ EX2-FF

Dual fixed + fixed monitor arm

V36 - Pricing effective 1/1/2022

KataEX2-FF

Dual fixed + fixed monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

Product specs

- Manual height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 31.7" arm extension
- 7.1" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- Up to 20.0lb. weight capacity (*per arm*)
- 16.0" pole height (*includes base*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- 32.0" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
- Designed for ESI by Roger Webb Associates of London
- Warranty: 15 yr.

| Model # | List price |
|--|------------|
| <input type="radio"/> KATAEX2-DC-FF-SLV | \$769 |
| <input checked="" type="radio"/> KATAEX2-DC-FF-BLK | \$769 |
| <input type="radio"/> KATAEX2-DC-FF-WHT | \$769 |
| <input type="radio"/> KATAEX2-GM-FF-SLV | \$769 |
| <input checked="" type="radio"/> KATAEX2-GM-FF-BLK | \$769 |
| <input type="radio"/> KATAEX2-GM-FF-WHT | \$769 |

| KataEX monitor arm key | Available mounting options |
|------------------------|----------------------------|
| F - Fixed monitor arm | DC - Desk clamp |
| M - Motion monitor arm | GM - Grommet mount |
| S - Slider mount | |

KataEX for every need

- As workstation needs change, so can the KataEX configurations. Additional components sold separately
- Benching system mount(s) available

Call our Customer Service Department for compatibility and pricing for custom configurations.

KataEX2-FF

Dual fixed + fixed monitor arm

