

esi



# Premium 3-leg

Electric height adjustable table base



# Premium 3-leg

Electric height adjustable table base

esi



height adjustable

## Product specs

- Electric height adjustment
- 330 lb. base lifting capacity
- 1.5"/sec adjustment speed
- 26.0" height adjustment range
  - 21.0"–47.0" (low/high) (excluding worksurface)
- Three stage adjustable legs
- C-leg
- Adjustable width frame accommodates worksurfaces 48.0"–72.0"
- Two motors
- Soft start and stop
- Anti-collision safety features
- Locking casters are available
- Low standby power consumption
- Meets or exceeds BIFMA G1-2014 and HFES 100-2007 guidelines
- Digital keypad with four memory settings
- Complete tables available (base and top)
- Warranty: 15 yr. (structural)/7 yr. (mechanical)

GSA



locking casters

## Caster Kit

- Set of four casters for table base
- Increases height by 2.0"
- Locking casters for security

MODEL # CASTERKIT-3E -SLV

MODEL # CASTERKIT-3E -BLK

MODEL # CASTERKIT-3E -WHT

## Available base finishes

- LT Silver -SLV
- LT Black -BLK
- LT White -WHT

LT=CALL FOR ON HAND AVAILABILITY

# Premium 3-leg

Electric height adjustable table base



Table bases		Available worksurfaces					
Table base model	Worksurface shape	Worksurface dimension	TFL standard		HPL standard		HPL premium
			Quick ship	Standard ship	Standard ship	Standard ship	
3E90-C6060-24-___		60"wl x 60"wr x 24"d	-	3EC606024-TFL-__	3EC606024-HPL-__	3EC606024-PHPL-__	
3E90-C7272-24-___		72"wl x 72"wr x 24"d	-	-	3EC727224-HPL-__	3EC727224-PHPL-__	
3E90-C6060-30-___	Large Equal Corner	60"wl x 60"wr x 30"d	-	3EC606030-TFL-__	3EC606030-HPL-__	3EC606030-PHPL-__	
3E90-C7272-30-___		72"wl x 72"wr x 30"d	-	-	3EC727230-HPL-__	3EC727230-PHPL-__	
<hr/>							
3E90-C4860-24-___		60"wr x 48"wl x 24"d	-	3OCL604824-TFL-__	3OCL604824-HPL-__	3OCL604824-PHPL-__	
3E90-C4872-24-___		72"wl x 48"wr x 24"d	-	3OCL724824-TFL-__	3OCL724824-HPL-__	3OCL724824-PHPL-__	
3E90-C6072-24-___		72"wl x 60"wr x 24"d	-	3OCL726024-TFL-__	3OCL726024-HPL-__	3OCL726024-PHPL-__	
3E90-C4860-30-___		60"wl x 48"wr x 30"d	-	3OCL604830-TFL-__	3OCL604830-HPL-__	3OCL604830-PHPL-__	
3E90-C4872-30-___		72"wl x 48"wr x 30"d	-	3OCL724830-TFL-__	3OCL724830-HPL-__	3OCL724830-PHPL-__	
3E90-C6072-30-___		72"wl x 60"wr x 30"d	-	3OCL726030-TFL-__	3OCL726030-HPL-__	3OCL726030-PHPL-__	
<hr/>							
3E90-C4860-24-___		48"wl x 60"wr x 24"d	-	3OCR486024-TFL-__	3OCR486024-HPL-__	3OCR486024-PHPL-__	
3E90-C4872-24-___		48"wl x 72"wr x 24"d	-	3OCR487224-TFL-__	3OCR487224-HPL-__	3OCR487224-PHPL-__	
3E90-C6072-24-___		60"wl x 72"wr x 24"d	-	3OCR607224-TFL-__	3OCR607224-HPL-__	3OCR607224-PHPL-__	
3E90-C4860-30-___		48"wl x 60"wr x 30"d	-	3OCR486030-TFL-__	3OCR486030-HPL-__	3OCR486030-PHPL-__	
3E90-C4872-30-___		48"wl x 72"wr x 30"d	-	3OCR487230-TFL-__	3OCR487230-HPL-__	3OCR487230-PHPL-__	
3E90-C6072-30-___		60"wl x 72"wr x 30"d	-	3OCR607230-TFL-__	3OCR607230-HPL-__	3OCR607230-PHPL-__	

## Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, TFL standard and HPL standard/premium worksurfaces ship within three weeks. Lead time may vary depending on quantities ordered and their availability

Table bases and worksurfaces can be purchased independently or as a combination.  
 ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.