

Fellowes[®]

The background features two large, abstract, overlapping geometric shapes that resemble stylized 'L' or 'Z' forms. One shape is positioned in the upper left, and the other is in the lower right. They are rendered in a light gray color with a slight transparency, allowing the dark gray background to show through. The shapes are composed of several rectangular segments connected at right angles, creating a sense of depth and movement.

Workspace Catalog

Workspace

Furniture

Modular Walls

Air Quality Management

MAY | 2023

Who We Are

More than a name. A Legacy.

For over 100 years, Fellowes has delivered powerful innovations that shape the way people work. And we're just getting started.

Committed to Quality

We build products that last! Our workspace products are designed, engineered and produced to the highest standards and backed by an industry leading lifetime warranty.

Comprehensive services for our customers

Whether you are a dealer, architect, or end user, when you partner with Fellowes, you are supported by fully-integrated services and sales teams – all working together to deliver an extraordinary final result.

Our locations

Mesa office & showroom

1314 N Recker Rd.
Mesa, AZ 85205

Fellowes Brands® headquarters

1789 Norwood Avenue
Itasca, IL 60143

Chicago design & experience center

800 W Fulton Market
Suite 950
Chicago, IL 60607

Quincy manufacturing & showroom

13467 Quincy Street
Holland, MI 49424

Online

Toll Free: 800.833.3746
fellowes.com

Table of Contents

Intro 2

Monitor Arms 18

 Monitor arm considerations..... 20

 Motion arm movement 21

 Rising™ Series 22

 RisingEX1..... 23

 RisingEX2..... 25

 RisingEX3..... 28

 Rising..... 29

 Rising2..... 29

 Kata™ Series 30

 KataEX1..... 31

 KataEX2 35

 KataEX3..... 39

 KataEX4..... 41

 KataEX6 43

 Kata..... 45

 Kata2 46

 Kata2-MS..... 47

 Evolve Series 48

 Evolve1..... 49

 Evolve2 53

 Evolve3 57

 Evolve4 59

 Evolve6 61

 Evolve2Combo* 63

 Evolve3Combo* 64

 Edge® Series..... 65

 Edge..... 66

 Edge2..... 67

 Edge2-MS 68

 Edge2-Max 69

 Edge-Max 70

 Edge-Max-Dual..... 71

 Edge-Wall 72

 Edge-Slat..... 73

 Edge2Combo* 74

 Sena™ Series 75

 SenaEX1 76

 SenaEX2..... 78

 SenaEX3..... 82

 Sena..... 84

 Sena2..... 85

 Eppa™ Series 86

 Eppa..... 87

 Eppa2..... 88

 Eppa2-Max 89

 Monitor Arm Accessories..... 90

 LTH-Edge..... 91

Height Adjustable Tables..... 93

 All-Flex® 2-leg..... 95

 All-Flex 3-leg..... 100

 Victory™LX 2-leg 103

 VictoryLX 3-leg..... 107

 Triumph™LX 111

 Trada™..... 115

 Trada 3-Leg..... 118

 Weight Adjustable Espree™ 122

 Q Crank..... 126

 Casters 129

 Motific™ Height Adjustable 130

 Worksurfaces..... 133

Table Enhancements 140

 Organization..... 140

 Rising Loft 141

 Privacy Screens..... 146

 Centro 146

 Wire Management..... 147

 Trough-18..... 147

 Trough-DLX 147

 Conceal..... 147

 CPU Holders & Carts..... 148

 CPU01 148

 CPU05..... 148

 CPU-MINI..... 148

 CPUCART..... 148

 Supply & Technology Accessories..... 149

 AA903..... 149

 ACDP01..... 149

 Tech Dock 150

 Hana Laptop Riser..... 151

 Hana Monitor Riser 151

 Hana Foot Support 152

Storage Solutions 153

 MP Series..... 154

Sit to Stand..... 156

 Lotus™ RT1..... 157

 Lotus RT2..... 158

Power Solutions 159

 Railway™..... 160

 FlexCharge™ Power Hub..... 164

 FlexCharge4CX 168

 FlexCharge4C 169

 FlexCharge4..... 170

 FlexCharge3C 171

 FlexCharge3..... 171

Keyboard Managers..... 172

 Combo Solutions 173

 Keyboard Platforms 177

 Articulating Arms 179

 Keyboard Accessories..... 182

Lighting 183

 Amble™ Series..... 184

 Lustre..... 186

 Lily™ Series..... 187

 Lucera Series..... 190

Measurement Standards 191

Terms and Conditions 199

Committed to our Customers

01

Customer service & orders

Toll Free: 800.833.3746

Please e-mail orders to ci-orders@fellowes.com.

Fellowes' customer obsessive, award-winning team is on-call to assist with any workspace needs. We are ready to answer questions or recommend products that help customers achieve their best at work.

Fellowes honors a no restocking fee for our customers, if the return is approved in advance.

02

48 hours

Fellowes can fulfill orders in as little as 48 hours based on product on-hand availability. We do this by maintaining high inventory levels of the most popular products so our customer can meet ambitious deadlines and schedules. Fellowes' exceptional fulfillment service ensures you get the products you want, when you want them. Unless otherwise specified, most of Fellowes' products ship within two business days after the order is placed and acknowledged.

03

Specifying libraries

Fellowes' products are available in the following furniture specification software programs:

**CET Designer | Configura
2020 CAP
Project Matrix
ICE Edge
KISP
HEDBERG**

Fellowes also utilizes My Resource Library (MRL), a virtual library for all our digital cutsheets and catalogs.

04

Lead time designations

The **LT** product marker indicates that the lead time may vary depending on quantities ordered and their availability. Please contact our Customer Service Department for on-hand availability when placing orders for products marked with LT. Purchase Orders that include LT designated products will be shipped based on the lead time of those products. Split shipments are available for orders that include both LT and non-LT products.

05

Reserved inventory

Fellowes' team is focused on helping our customers execute large projects on time. A Reserved Inventory Program is offered for projects totaling at least \$15,000 net. Find out how this program can help make your projects a success by contacting our Customer Service Department.

06

Lifetime warranty

Fellowes' workspace accessories are backed by an industry-leading lifetime product warranty – giving you confidence to take on your work, your way. Ask us about our labor warranty reimbursement program. View the full warranty policy at **fellowes.com** or contact our Customer Service Department for more information.

07

General information

All prices in the catalog are effective May 1, 2023, and are list price in U.S. dollars. Visit Fellowes' website **fellowes.com** for additional specs, dimensional drawings, alternative images and more resources for all of Fellowes' products.



Form meets function meets sophistication

Unparalleled sophistication are buzz words for our ever-expanding product line. Fellowes' in-house industrial design team focuses on developing contemporary aesthetics, modern design and innovative products to the office environment, helping businesses turn heads as they turn profits.

New Product Spotlight

1. Rising™ and RisingEX™

These designer series monitor arms boast never before seen in-trend finishes and ultimate flexibility with SnapKinect and RotationStop design innovations.

See pages 22–29 for more details

2. Rising Loft™ Coming Soon!

Designed to optimize productivity by reducing clutter, elevating comfort, and adapting to changing needs throughout the day.

See pages 141–144 for more details

3. FlexCharge 3C

FlexCharge series brings power close at hand for any collaborative area or individual workspace.

See page 171 for more details

1.



2.



3.



For all of us. For our future.

What works for us also works for our planet. As a company, we're committed to providing solutions that foster sustainability and a focused attention on maintaining good environmental practices. That means selecting products that reflect this commitment. Adopting procedures that promote sustainability. Creating recycling programs. Reviewing and enhancing our operations. Because for us, it's the right thing to do.

Healthier Hospitals Initiative

The Healthier Hospitals Initiative (HHI) is a national campaign to implement a completely new approach to improving environmental health and sustainability in the health care sector. Eleven of the largest, most influential U.S. health systems, comprising over 500 hospitals with more than \$20 billion in purchasing power, worked with Health Care Without Harm (HCWH), the Center for Health Design and Practice Greenhealth to create HHI as a guide for hospitals to improve sustainability in six key areas: engaged leadership, healthier foods, leaner energy, less waste, safer chemicals, and smarter purchasing. Fellowes offers several products that meet these criteria.

Source: <https://noharm-uscanada.org/content/us-canada/list-furniture-and-materials-meet-healthy-interiors-criteria>



Spare Parts Recycling

Fellowes' Rising, RisingEX, Evolve, Edge, Sena, SenaEX and Eppa series of monitor arms are shipped with both a desk clamp and grommet mount included—making them simple to order and install. After the installation is complete, the unused desk clamp or grommet mount can be sent back to Fellowes at no cost to you. Fellowes will then recycle the parts as appropriate. Our Spare Parts Recycling Program prevents leftover parts from taking up space in your facility or in a landfill. Contact our Customer Service Department to participate.

LEVEL Certification

LEVEL was created to deliver the most open and transparent means of evaluating and communicating the environmental and social impacts of furniture products in the built environment. To put it simply, LEVEL is to commercial furniture as LEED is to buildings. Also like LEED, LEVEL is comprehensive. It addresses criteria across corporate, facility and product impacts in a way that few other certifications do. If you see a LEVEL certified product, you can be assured that every part of the process from manufacturing to delivery has been tested to ensure that you are getting quality products made safely and ethically, with a minimal environmental footprint.

Source: <http://www.levelcertified.org/learn-about-level/>
See page 15 for a complete list of Fellowes' LEVEL certified products.



LEVEL Certified Products

Monitor arms

PRODUCT NAME	LEVEL	PAGE
Edge® Series	2	65-74
Evolve Series	2	48-64
Kata™ Series	2	30-47
Sena™ Series	2	75-85
Rising™ Series	2	22-29

Monitor arm accessories

PRODUCT NAME	LEVEL	PAGE
VESA	2	90
Weighted VESA	2	90
Tech Dock	2	150

Height adjustable tables & accessories

PRODUCT NAME	LEVEL	PAGE
All-Flex Series	2	95
Triumph Series	2	111
Victory Series	2	103
Trada Series	2	115
Conceal	2	147
CPU Mini	2	148
CPU05	2	148
Pencil Drawer	2	149

Articulating arms

PRODUCT NAME	LEVEL	PAGE
AA330	2	179
AA360	2	179
AA100-PTLO	2	189
AA370	2	181
AA750DAT	2	180
AA780DAT	2	181

Mobile work gear

PRODUCT NAME	LEVEL	PAGE
CPU Cart	2	148



「Designing Great Workspaces」

Fellowes is derived from a fourth generation family business, committed to creating superior workplace environments with quality furnishings, productive workspace tools and finishing touch accessories. Because your best begins with where you work, we'll help you design a great workspace.

Fellowes

Vertical Market Solutions

Providing federal agencies, state and local government, higher education, healthcare, and non-profit organizations with the tools to create high performance work environments. As a leader in ergonomic workspace accessories, our products help you to enhance productivity and wellness in every area of your facility.

Known for our award-winning customer service and high quality products, we make it easy for agencies to get what they need to improve ergonomics and support technology through all areas of the workspace. Partnering with resellers across the U.S. and internationally, we can meet any socio-economic goal your agency needs. We stand ready to help facilitate contracting objectives for your projects quickly and efficiently.

Contracts

Due to federal circumstances, these contracts will remain under "ESI" until they can be transitioned to Fellowes.

GSA Contract:

GS-28F-0028Y



NAICS Codes:

337214; 339999; 423210; 423450; 424120

UEI:

K8NWH19KR1N1

33721:

Office Furniture

OLM:

Order-Level Materials

Tax ID Number (TIN):

36-0770670

Socio-economic partners

8a

Native American

Alaskan Native

HubZone

SDVOSB

EDWOSB

WOSB

MBE

MWBE

Veteran owned

State Contracts*

Alabama

University of Alabama

Arkansas

California (CMAS)

ESCNJ

Florida

Massachusetts Higher Education (MHEC)

Mississippi

New Mexico

New York

North Carolina

Pennsylvania

South Carolina

South Dakota

University of Wisconsin

Cooperative purchasing agreements*:



Contract Number: 07-87

NCPA (National Cooperative Purchasing Alliance) is a leading national government purchasing cooperative working to reduce the cost of goods and services by leveraging the purchasing power of public agencies in all 50 states. NCPA utilizes state of the art procurement resources and solutions that result in cooperative purchasing contracts. This ensures that NCPA members are receiving products and services of the highest quality at the best prices. National Cooperative Purchasing Alliance is dedicated to providing its members with competitive pricing and aggressive discounts on a broad range of 95 hardware, software, peripherals, and service offerings.



Contract Number: R180401

OMNIA Partners, Public Sector is the nation's largest and most experienced cooperative purchasing organization dedicated to public sector procurement.



Contract Number: 200301

TIPS provides a contract vehicle for education, state and local agencies, and non-profits to purchase our complete product offering equally, regardless of size.

**Terms and conditions vary by contract. Please visit fellowes.com for the most updated information.*

Group purchasing organizations



Contract Number: RFSO #20-15

Kinetic GPO is a cooperative purchasing organization established for Broader Public Sector, non-profits, and MASH entities across Canada, with the specific purpose of reducing procurement cost by leveraging the purchasing power of group buying and saving our members time by simplifying steps to procure. Kinetic GPO conducts procurement in a fair, open, and transparent manner compliant with the International and Regional Trade Agreements, as well as the Ontario Broader Public Sector ("BPS") Procurement Directive. Membership is free, with no volume commitments.



Contracted Supplier

Premier Contract - Contract # PP-FA-879

Premier is a leading healthcare improvement company, uniting an alliance of approximately 4,100 U.S. hospitals and 200,000 other providers to transform healthcare. With integrated data and analytics, collaboratives, supply chain solutions and advisory and other services, Premier enables better care and outcomes at a lower cost.



Contract Number: 667-22

The BuyBoard National Purchasing Cooperative is a cooperative formed between the National School Boards Association (NSBA) and several state school boards associations to streamline the buying process for schools, municipalities, and other public entities. Developed to comply with state laws that require governmental entities to make purchases from an approved list of vendors who have gone through a competitive procurement process, BuyBoard gives members the advantage of leveraging the Cooperative's ability to obtain bulk discounts, combined with the ease of online, web-based shopping.

Monitor Arms

As Flexible as you are

Make the most of your desk space and make the most of your day, with flexible monitor arms that move with you, boosting productivity and providing you with clearer sight lines. You can easily adjust up to six monitors, maximizing and transforming a mere desk into a true command center.



What to Consider When Selecting a Monitor Arm

Number of monitors

Fellowes offers solutions for as few as one to as many as six monitors. Should the needs of the user change, the Evolve, RisingEX and KataEX series can all be easily modified in the field to accommodate additional monitors and changing work environments.

Height adjustment

Monitor arms offer various types of height adjustability. The most user-friendly option is dynamic height adjustment which allows the user to adjust the monitor height quickly and easily with just the touch of a finger.

Weight of monitor(s)

Fellowes' standard monitor arms in the Eppa, Edge, and Evolve series support the average monitor weights between 6 to 17 pounds. Kata and KataEX support 4 to 20 pounds, Sena and SenaEX support 2.2-19.8 pounds, while Rising and RisingEX support 3.5-28 pounds. For heavier monitors, the Edge-Max will support 17-42 pounds. The weight of the monitor arms should also include any additional monitor accessories (i.e. cables or locks).

Size of monitor(s)

Most users prefer to have their monitors side-by-side as close as possible with no gaps between them. The versatility of Fellowes monitor arms allow multiple wide monitors to fit side-by-side. Max width is contingent on the monitor meeting the weight capacity of the arms. Configurations that include a slider will provide additional horizontal adjustability, allowing monitors of varying sizes to fit together seamlessly.

Size and shape of the worksurface


Shallow worksurface depths of 24 inches or less, are best suited for monitor arm configurations with fewer limbs. For applications that require extended reach, Fellowes recommends a RisingEx, Evolve, SenaEX or KataEX configuration with multiple limbs. When positioning two or more monitors side-by-side in a 90° corner, the maximum monitor size will be reduced. Please contact our Customer Service Department to discuss your specific applications and requirements.

If you need further assistance in specifying the correct monitor arms or would like to take advantage of our demo program, please contact our Customer Service Department.


Monitor Arm Movement

Within the Fellowes monitor arm collection, there are many common movements.

Extension/retraction




Rotation



Landscape


Portrait

Tilt



VESA mounts tilt forward and backward, providing a flat writing surface for touch screen monitors.

Height adjustment



Fixed arms:


The arms can be mounted at any height along the pole.

Dynamic motion arms:

Motion arms can move up and down with finger touch adjustment.

The arms can be mounted at any height along the pole.

Slider



Sliders move your monitor left and right while retaining monitor tilt and VESA mount ±90° monitor rotation.

Monitor Arms

Rising™ Series

Rising motion arms

Rising configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

Rising fixed arms

Rising configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible growth

Because Rising is pole mounted, arms can be added as needed to support additional monitors.

Quality testing

Meets or exceeds BIFMA x5.5

Slider mount

Position virtually any monitor side-by-side with a slider. The slider (S) offers eight and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Product shown: Rising
Monitor Arm in Black/
Bronze finish

Rising™EX1



RisingEX1-F

Monitor arm

Standard Finishes: \$369

Premium Finishes: \$449

In-Trend Finishes: \$424

Features

Manual height adjustment

Recommended for worksurfaces
30" deep or less

21.9" height adjustment range
- 8.4"-21.9" (low-high)

15.0" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

60.0lb. weight capacity

16" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

* Minimum Order Quantity: 200
* Lead Time: 10 Weeks



RisingEX1-FF

Monitor arm

Standard Finishes: \$475

Premium Finishes: \$577

In-Trend Finishes: \$546

Features

Manual height adjustment

Recommended for worksurfaces
36" deep or less

13.5" height adjustment range
- 26.3"-12.8" (low-high)

25.3" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

60.0lb. weight capacity

16.0" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

* Minimum Order Quantity: 200
* Lead Time: 10 Weeks



RisingEX1-FM

Monitor arm

Standard Finishes: \$549

Premium Finishes: \$731

In-Trend Finishes: \$631

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

25.3" height adjustment range
- 6.6"-31.9" (low-high)

15.0" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28lb. weight capacity

16.0" pole height (includes base)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:


- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

* Minimum Order Quantity: 200
* Lead Time: 10 Weeks

Rising™EX1



RisingEX1-M

Monitor arm

Standard Finishes: \$449

Premium Finishes: \$602

In-Trend Finishes: \$516

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30" deep or less

24" height adjustment range
- 3.5"-27.5" (low-high)

15.5" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28.0lb. weight capacity

16.0" pole height *(includes base)*

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

RisingEX1-MS

Monitor arm

Standard Finishes: \$499

Premium Finishes: \$668

In-Trend Finishes: \$574

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30" deep or less

24" height adjustment range
- 3.6"-27.6" (low-high)

17.8" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

3.5lb.-28.0lb. weight capacity

16.0" pole height *(includes base)*

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:


- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

Rising™EX2



RisingEX2-F

Monitor arm

Standard Finishes: \$599

Premium Finishes: \$729

In-Trend Finishes: \$689

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30" deep or less

13.5" height adjustment range
- 8.4"-21.9" (low-high)

13.05" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

60.0lb. weight capacity

Max monitor width *(bezel measured
from left to right): 26.5"*

16.0" pole height *(includes base)*

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

RisingEX2-FF

Monitor arm

Standard Finishes: \$819

Premium Finishes: \$999

In-Trend Finishes: \$942

Features

Manual height adjustment

Recommended for worksurfaces
36" deep or less

13.5" height adjustment range
- 12.8"-26.3" (low-high)

23.3" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

60.0lb. weight capacity

Max monitor width *(bezel measured
from left to right): 48.0"*

16.0" pole height *(includes base)*

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

RisingEX2-FM

Monitor arm

Standard Finishes: \$969

Premium Finishes: \$1299

In-Trend Finishes: \$1114

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

25.2" height adjustment range
- 6.6"-31.8" (low-high)

23.8" arm extension

3.5" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28.0lb. weight capacity *(per arm,
not to exceed a total of 60lb.)*

Max monitor width *(bezel measured
from left to right): 47.0"*

16.0" pole height *(includes base)*

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:


- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

Rising™EX2



RisingEX2-FMS

Monitor arm

Standard Finishes: **\$1065**

Premium Finishes: **\$1399**

In-Trend Finishes: **\$1225**

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

25.2" height adjustment range
- 6.8"–32.0" (low–high)

23.8" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

3.5lb.-27.0lb. weight capacity (*per arm, not to exceed a total of 60lb.*)

Max monitor width (*bezel measured from left to right*): 56.7"

16.0" pole height (*includes base*)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/ Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

RisingEX2-FS

Monitor arm

Standard Finishes: **\$699**

Premium Finishes: **\$829**

In-Trend Finishes: **\$804**

Features

Manual height adjustment

Recommended for worksurfaces
30" deep or less

13.5" height adjustment range
- 8.5"–22.0" (low–high)

15.36" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

60.0lb. weight capacity

Max monitor width (*bezel measured from left to right*): 35.3"

16.0" pole height (*includes base*)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/ Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

Rising™EX2



RisingEX2-M

Monitor arm

Standard Finishes: **\$759**

Premium Finishes: **\$1033**

In-Trend Finishes: **\$873**

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30" deep or less

23.9" height adjustment range
- 3.5"–27.4" (low–high)

13.5" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.-28.0lb. weight capacity (*per arm, not to exceed a total of 60lb.*)

Max monitor width (*bezel measured from left to right*): 27.4"

16.0" pole height (*includes base*)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/ Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

RisingEX2-MS

Monitor arm

Standard Finishes: **\$849**

Premium Finishes: **\$1099**

In-Trend Finishes: **\$976**

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30" deep or less

24" height adjustment range
- 3.6"–27.6" (low–high)

15.8" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

3.5lb.-27.0lb. weight capacity (*per arm, not to exceed a total of 60lb.*)

Max monitor width (*bezel measured from left to right*): 36.3"

16.0" pole height (*includes base*)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/ Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

Rising™EX3



RisingEX3-FF

Monitor arm

Standard Finishes: **\$819**

Premium Finishes: **\$974**

In-Trend Finishes: **\$942**

Features

Manual height adjustment

Recommended for worksurfaces
30" deep or less

4.7" height adjustment range
- 12.8"-17.5" (low–high)

23.3" arm extension

3.6" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

60lb. weight capacity

Max monitor width (*bezel measured
from left to right*): 23.4"

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

RisingEX3-FMS

Monitor arm

Standard Finishes: **\$1189**

Premium Finishes: **\$1499**

In-Trend Finishes: **\$1367**

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

10.7" height adjustment range
- 6.8"-17.5" (low–high)

26.1" arm extension

5.8" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

Up to 20.0lb. weight capacity (*center arm*)

3.5lb.-27.0lb. weight capacity (*per outside
arms, not to exceed a total of 60lb.*)

Max monitor width (*bezel measured
from left to right*): 28.4"

16.0" pole height (*includes base*)

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

All prices are in U.S. dollars

Rising™



Rising

Monitor arm

Standard Finishes: **\$489**

Premium Finishes: **\$649**

In-Trend Finishes: **\$562**

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

11.7" height adjustment range
- 8.2"-19.9" (low–high)

22.4" arm extension

3.5" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.–28.0lb. weight capacity

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

Rising™2



Rising2

Monitor arm

Standard Finishes: **\$909**

Premium Finishes: **\$1199**

In-Trend Finishes: **\$1045**

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

11.7" height adjustment range
- 8.2"-19.9" (low–high)

22.4" arm extension

3.5" arm retraction

+45°/-30° monitor tilt

+/-90° VESA rotation

4.5lb.–28.0lb. weight capacity
(per arm)

Max monitor width (*bezel measured
from left to right*): 42.3"

VESA 75mm/100mm quick release

RotationStop lock-out feature
(14 distinct locations)

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Standard Finishes:

- RSNG-PLT: Platinum
- RSNG-BLK: Black
- RSNG-DWT: Designer White

Premium Finishes:

- RSNG-BRZ: Bronze/Black
- RSNG-POL: Polished Aluminum/
Designer White

In-Trend Finishes (LT):

- RSNG-AZR: Azure
- RSNG-SGE: Sage
- RSNG-STR: Stardust
- RSNG-SLT: Slate

** Minimum Order Quantity: 200
* Lead Time: 10 Weeks*

All prices are in U.S. dollars



Proprietary design
Kata has been uniquely designed for Fellowes.

Connection sleeve
The unique design of the connection sleeve accommodates up to three monitor arms depending on the configuration. Allows arms to be mounted at 90°, 120° or 180°.

Tension adjustment indicator
A clear gauge on the back of the motion arm allows users to see tension levels while adjusting the arm for various weight levels.

KataEX motion arms
KataEX configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

KataEX fixed arms
KataEX configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible growth
Because the KataEX is pole mounted, arms can be added as needed to support additional monitors.

Quality testing
Meets or exceeds ANSI/BIFMA x5.5 guidelines.

Slider mount
Position virtually any monitor side-by-side with a slider. The slider (S) offers nine and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Monitor Arms

Kata™ Series

Kata™EX1



KataEX-Stem
Single short fixed monitor arm
\$358
MODEL # KATAEX1-DC-ST-___
MODEL # KATAEX1-GM-ST-___

- Features**
- Manual height adjustment
 - Recommended for worksurfaces 24.0" deep or less
 - 8.52" arm extension
 - 4.27" arm retraction
 - +90°/-45° monitor tilt
 - ±90° VESA rotation
 - Up to 20.0lb. weight capacity
 - 15.99" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - Specify a grommet mount or a desk clamp mount
 - Warranty: Lifetime



KataEX1-F
Single fixed monitor arm
\$419
MODEL # KATAEX1-DC-F-___
MODEL # KATAEX1-GM-F-___

- Features**
- Manual height adjustment
 - Recommended for worksurfaces 30.0" deep or less
 - 18.78" arm extension
 - 4.27" arm retraction
 - +90°/-45° monitor tilt
 - ±90° VESA rotation
 - Up to 20.0lb. weight capacity
 - 15.99" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Specify a grommet mount or a desk clamp mount
 - Warranty: Lifetime

Kata™EX1



KataEX1-FF

Single fixed + fixed monitor arm

\$493

MODEL # KATAEX1-DC-FF-___
MODEL # KATAEX1-GM-FF-___

Features

- Manual height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 33.28" arm extension
- 4.27" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- Up to 20.0lb. weight capacity
- 15.99" pole height *(includes base)*
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Warranty: Lifetime



KataEX1-FM

Single fixed + motion monitor arm

\$605

MODEL # KATAEX1-DC-FM-___
MODEL # KATAEX1-GM-FM-___

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 29.52" arm extension
- 2.89" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 4.0lb.–20.0lb. weight capacity
- 15.99" pole height *(includes base)*
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Warranty: Lifetime

Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available mounting options

- DC - Desk clamp
- GM - Grommet mount

Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Customize the KataEX

- As workstation needs change, so can the KataEX configurations. Additional components are sold separately:
- Motion arms
 - Fixed arms
 - Stem arms
 - 25.99" pole *(height includes base)*
 - Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Kata™EX1



KataEX1-M

Single motion monitor arm

\$531

MODEL # KATAEX1-DC-M-___
MODEL # KATAEX1-GM-M-___

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 30.0" deep or less
- 19.26" arm extension
- 2.89" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 4.0lb.–20.0lb. weight capacity
- 15.99" pole height *(includes base)*
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Warranty: Lifetime

Kata™EX1



KataEX1-MS

Single motion + slider monitor arm

\$603

MODEL # KATAEX1-DC-MS-_-_-

MODEL # KATAEX1-GM-MS-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

20.33" arm extension

3.95" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.-18.5lb. weight capacity

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

Motion arms

Fixed arms

Stem arms

25.99" pole *(height includes base)*

Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

KataEX conversion kit - 1MS2MS

Converts an existing KataEX1-MS single monitor arm to a KataEX2-MS dual arm.

Kit includes:

One slider

One motion arm

One arm stem

\$460

MODEL # KATAEXKIT-1MS2MS-_-_-

Available in silver, black and white

Kata™EX2



KataEX2-F

Dual fixed monitor arm

\$674

MODEL # KATAEX2-DC-F-_-_-

MODEL # KATAEX2-GM-F-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

14.52" arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

29.04" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime



KataEX2-FF

Dual fixed + fixed monitor arm

\$823

MODEL # KATAEX2-DC-FF-_-_-

MODEL # KATAEX2-GM-FF-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
36.0" deep or less

24.77" arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

49.54" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

Kata™EX2



KataEX2-FS

Dual fixed + slider monitor arm

\$840

MODEL # KATAEX2-DC-FS-___

MODEL # KATAEX2-GM-FS-___

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

15.58" arm extension

6.18" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

38.55" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

KataEX2-FM

Dual fixed + motion monitor arm

\$995

MODEL # KATAEX2-DC-FM-___

MODEL # KATAEX2-GM-FM-___

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

25.26" arm extension

3.49" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

4.0lb.–20.0lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

53.22" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

○ Silver -SLV

● Black -BLK

○ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

Motion arms

Fixed arms

Stem arms

25.99" pole *(height includes base)*

Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Kata™EX2



KataEX2-FMS

Dual fixed + motion + slider monitor arm

\$1,210

MODEL # KATAEX2-DC-FMS-___

MODEL # KATAEX2-GM-FMS-___

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

26.32" arm extension

4.91" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.–18.5lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

62.79" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

KataEX2-M

Dual motion monitor arm

\$897

MODEL # KATAEX2-DC-M-___

MODEL # KATAEX2-GM-M-___

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

15.01" arm extension

3.39" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

4.0lb.–20.0lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

32.72" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

Kata™EX2



KATAEX2-DC-MS

KataEX2-MS

Dual motion + slider monitor arm

\$1,063

MODEL # KATAEX2-DC-MS-_-_-

MODEL # KATAEX2-GM-MS-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

16.07" arm extension

5.86" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.-18.5lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

42.29" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX
configurations. Additional components are sold
separately:

Motion arms

Fixed arms

Stem arms

25.99" pole *(height includes base)*

Slider mounts

Contact our Customer Service Department for compatibility
and pricing for custom configurations.

Kata™EX3



KATAEX3-DC-FF

KataEX3-FF

Triple fixed + fixed monitor arm

\$1,005

MODEL # KATAEX3-DC-FF-_-_-

MODEL # KATAEX3-GM-FF-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

24.77" outside arm extension

8.52" center arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

26.14" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

Kata™EX3



KataEX3-FMS

Triple fixed + motion + slider monitor arm

\$1,391

MODEL # KATAEX3-DC-FMS-___

MODEL # KATAEX3-GM-FMS-___

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

26.32" outside arm extension

8.52" center arm extension

4.91" arm retraction

+90°/-45° monitor tilt *(slider & standard mount)*

±90° VESA rotation

Up to 20.0lb. weight capacity *(center arm)*
2.5lb.–18.5lb. weight capacity *(per outside arm)*

15.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

26.63" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

Motion arms

Fixed arms

Stem arms

25.99" pole *(height includes base)*

Slider mounts

*Contact our Customer Service Department for compatibility
and pricing for custom configurations.*

Kata™EX4



KataEX4-FF

Quad fixed + fixed monitor arm

\$1,496

MODEL # KATAEX4-DC-FF-___

Grommet mount not available for this configuration.

Features

Manual height adjustment

Recommended for worksurfaces
36.0" deep or less

24.77" arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

49.54" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.*

Warranty: Lifetime



KataEX4-FM

Quad fixed + motion monitor arm

\$1,939

MODEL # KATAEX4-DC-FM-___

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

25.26" arm extension

3.49" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

4.0–20.0lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

53.22" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.*

Warranty: Lifetime

Kata™EX4



KATAEX4-DC-FMS

KataEX4-FMS

Quad fixed + motion + slider monitor arm

\$2,271

MODEL # KATAEX4-DC-FMS- _ _ _

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

25.26" arm extension

3.49" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.-18.5lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

53.22" max. monitor width

*Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.*

Warranty: Lifetime

KataEX4-MS

Quad motion + slider monitor arm

\$1,973

MODEL # KATAEX4-DC-MS- _ _ _

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

16.07" arm extension

5.86" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

2.5lb.-18.5lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

42.29" max. monitor width

*Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.*

Warranty: Lifetime

Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available mounting options

DC - Desk clamp

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 15.99" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Kata™EX6



KATAEX6-DC-FF

KataEX6-FF

Six fixed + fixed monitor arm

\$1,858

MODEL # KATAEX6-DC-FF- _ _ _

Grommet mount not available for this configuration.

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

24.77" outside arm extension

8.52" center arm extension

5.12" arm retraction

+90°/-45° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

25.99" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

26.14" max. monitor width

*Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.*

Warranty: Lifetime

Kata™EX6



KATAEX6-DC-FMS

KataEX6-FMS

Six fixed + motion + slider monitor arm

\$2,632

MODEL # KATAEX6-DC-FMS- _ _ _

Grommet mount not available for this configuration.

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

26.32" outside arm extension

8.52" center arm extension

4.91" arm retraction

+90°/-45° monitor tilt (slider & standard mounts)

±90° VESA rotation

Up to 20.0lb. weight capacity (per center arm)
2.5lb.-18.5lb. weight capacity (per outside arm)

25.99" pole height (includes base)

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp mount only

26.63" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.

Warranty: Lifetime

Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available mounting options

DC - Desk clamp

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the KataEX

As workstation needs change, so can the KataEX configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 15.99" pole (height includes base)
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Kata™



KATA-DC

Kata

Single monitor arm

\$486

MODEL # KATA-DC- _ _ _

MODEL # KATA-GM- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

13.72" height adjustment range
7.79"-21.51" (low/high)

22.40" arm extension

3.46" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

4.0lb.-20.0lb. weight capacity

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk clamp mount

Tension adjustment indicator for precision installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

Warranty: Lifetime

Available mounting options

DC - Desk clamp

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Kata2 conversion kit

Converts an existing Kata single monitor arm to a Kata2 dual arm.

Kit includes:

- One static arm
- One motion arm
- One dual base (specify a grommet mount or a desk clamp mount)

\$428

MODEL # KATA2KIT-DC- _ _ _

MODEL # KATA2KIT-GM- _ _ _

Available in silver, black and white

Kata™2



KATA2-DC

Kata2

Dual monitor arm

\$914

MODEL # KATA2-DC- _ _ _

MODEL # KATA2-GM- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

13.72" height adjustment range
7.79-21.47" (low/high)

22.41" arm extension

3.44" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

4.0lb.–20.0lb. weight capacity *(per arm)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

Tension adjustment indicator for precision
installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

42.04" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Kata™2-MS



KATA2-MS-DC

Kata2-MS

Dual monitor arm

\$914

MODEL # KATA2-MS-DC- _ _ _

MODEL # KATA2-MS-GM- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

13.72" height adjustment range
3.53"–17.24" (low/high)

16.05" arm extension

6.36" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

2.5lb.–18.5lb. weight capacity *(per arm)*

VESA 75mm/100mm quick release

180° lock-out feature

Specify a grommet mount or a desk
clamp mount

Tension adjustment indicator for precision
installation

Partially assembled for quick installation

Integrated cord management

Integrated tool holder

36.43" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT



Evolve motion arms

Evolve configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

Evolve fixed arms

Evolve configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible growth

Because the Evolve is pole mounted, arms can be added as needed to support additional monitors.

Quality testing

Meets or exceeds BIFMA x5.5

Slider mount

Position virtually any monitor side-by-side with a slider. The slider (S) offers eight and a half inches of horizontal adjustability, so even monitors of varying sizes can be positioned flush.

Monitor Arms

Evolve Series

Evolve1



Evolve Stubby

Single short fixed monitor arm

\$323

MODEL # EVOLVE-STUBBY-__

Features

Manual height adjustment

Recommended for worksurfaces
24.0" deep or less

8.0" arm extension

8.0" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity

18.0" pole height *(includes base)*

VESA 75mm/100mm quick release

Desk clamp and grommet mount included

Warranty: Lifetime



Evolve1-F

Single fixed monitor arm

\$393

MODEL # EVOLVE1-F-__

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

12.82" arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

Warranty: Lifetime





Evolve1-FF
Single fixed + fixed monitor arm
\$462
MODEL # EVOLVE1-FF-_-_-

- Features**
- Manual height adjustment
 - Recommended for worksurfaces 36.0" deep or less
 - 23.10" arm extension
 - 2.55" arm retraction
 - +90°/-25° monitor tilt
 - ±90° VESA rotation
 - Up to 20.0lb. weight capacity
 - 19.70" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - Warranty: Lifetime



Evolve1-FM
Single fixed + motion monitor arm
\$566
MODEL # EVOLVE1-FM-_-_-

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 36.0" deep or less
 - 23.17" arm extension
 - 2.55" arm retraction
 - +90°/-25° monitor tilt
 - ±90° VESA rotation
 - 6.5lb.-17.6lb. weight capacity
 - 19.70" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - Warranty: Lifetime



- Monitor arm key**
- F - Fixed monitor arm
 - M - Motion monitor arm
 - S - Slider mount

- Available arm finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK
 - ☐ White -WHT

- Customize the Evolve**
- As workstation needs change, so can the Evolve configurations. Additional components are sold separately:
- Motion arms
 - Fixed arms
 - Stem arms
 - 29.70" pole *(height includes base)*
 - Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.




Evolve1-M
Single motion monitor arm
\$495
MODEL # EVOLVE1-M-_-_-

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 30.0" deep or less
 - 12.89" arm extension
 - 2.55" arm retraction
 - +90°/-25° monitor tilt
 - ±90° VESA rotation
 - 6.5lb.-17.6lb. weight capacity
 - 19.70" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - Warranty: Lifetime



Evolve1



Evolve1-MS

Single motion + slider monitor arm

\$565

MODEL # EVOLVE1-MS-___

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

15.41" arm extension

5.07" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

Warranty: Lifetime

Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 29.70" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Evolve conversion kit - 1MS2MS


Converts an existing Evolve1-MS single monitor arm to an Evolve2-MS dual arm.

- Kit includes:
- One slider
 - One motion arm
 - One arm stem

\$428

MODEL # EVOLVEKIT-1MS2MS-___
Available in silver, black and white

Evolve2



Evolve2-F

Dual fixed monitor arm

\$632

MODEL # EVOLVE2-F-___

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

18.2" arm extension

4.1" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

18.0" pole height *(includes base)*


VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.0" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2-FF

Dual fixed + fixed monitor arm

\$771

MODEL # EVOLVE2-FF-___

Features

Manual height adjustment

Recommended for worksurfaces
36.0" deep or less

23.10" arm extension

3.40" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

48.98" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2



EVOLVE2-FS



EVOLVE2-FM

Evolve2-FS

Dual fixed + slider monitor arm

\$786

MODEL # EVOLVE2-FS-__

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

15.35" arm extension

5.74" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

Up to 18.5lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.01" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2-FM

Dual fixed + motion monitor arm

\$932

MODEL # EVOLVE2-FM-__

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

23.17" arm extension

3.22" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

49.11" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 29.70" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Evolve2



EVOLVE2-FMS



EVOLVE2-M

Evolve2-FMS

Dual fixed + motion + slider monitor arm

\$1,133

MODEL # EVOLVE2-FMS-__

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

25.69" arm extension

5.74" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.69" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2-M

Dual motion monitor arm

\$839

MODEL # EVOLVE2-M-__

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

18.4" arm extension

4.1" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(per arm)*

18.0" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.0" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve2



EVOLVE2-MS

Evolve2-MS

Dual motion + slider monitor arm

\$995

MODEL # EVOLVE2-MS- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

15.41" arm extension

5.74" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.14" max. monitor width

*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Monitor arm key

- F - Fixed monitor arm
- M - Motion monitor arm
- S - Slider mount

Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 29.70" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Evolve3



EVOLVE3-FF

Evolve3-FF

Triple fixed + fixed monitor arm

\$939

MODEL # EVOLVE3-FF- _ _ _

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

23.10" outside arm extension

6.48" center arm extension

3.40" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

24.11" max. monitor width

*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Evolve3



EVOLVE3-FMS

Evolve3-FMS

Triple fixed + motion + slider monitor arm

\$1,303

MODEL # EVOLVE3-FMS- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

25.69" outside arm extension

6.48" center arm extension

5.74" arm retraction

+80°/-60° monitor tilt *(slider mount)*
+90°/-25° monitor tilt *(center mount)*

±90° VESA rotation

Up to 20.0lb. weight capacity *(center arm)*
4.4lb.-15.4lb. weight capacity *(per outside arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.80" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion arms

Fixed arms

Stem arms

29.70" pole *(height includes base)*

Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.



Evolve4



EVOLVE4-FF

Evolve4-FF

Quad fixed + fixed monitor arm

\$1,402

MODEL # EVOLVE4-FF- _ _ _

Features

Manual height adjustment

Recommended for worksurfaces
36.0" deep or less

23.10" arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*


VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

48.98" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.

Warranty: Lifetime



EVOLVE4-FM

Evolve4-FM

Quad fixed + motion monitor arm

\$1,815

MODEL # EVOLVE4-FM- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

23.17" arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

49.11" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.

Warranty: Lifetime



Evolve4



EVOLVE4-FMS



EVOLVE4-MS

Evolve4-FMS

Quad fixed + motion + slider monitor arm

\$2,126

MODEL # EVOLVE4-FMS-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

25.69" arm extension

5.07" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.61" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.

Warranty: Lifetime



Evolve4-MS

Quad motion + slider monitor arm

\$1,847

MODEL # EVOLVE4-MS-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

15.41" arm extension

5.07" arm retraction

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

37.06" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.

Warranty: Lifetime



Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S- Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the Evolve

As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

Motion arms

Fixed arms


Stem arms

19.70" pole *(height includes base)*

Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.

Evolve6



EVOLVE6-FF

Evolve6-FF

Six fixed + fixed monitor arm

\$1, 739

MODEL # EVOLVE6-FF-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
30.0" deep or less

23.10" outside arm extension

6.48" center arm extension

2.55" arm retraction

+90°/-25° monitor tilt

±90° VESA rotation

Up to 20.0lb. weight capacity *(per arm)*

29.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

24.49" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.

Warranty: Lifetime



Evolve6



EVOLVE6-FMS

Evolve6-FMS
Six fixed + motion + slider monitor arm

\$2,465
MODEL # EVOLVE6-FMS-_-_-

Features
Finger touch dynamic height adjustment

Recommended for worksurfaces
30.0" deep or less

25.69" outside arm extension

6.48" center arm extension

5.07" arm retraction

+80°/-60° monitor tilt *(slider mount)*
+90°/-25° monitor tilt *(center mount)*

±90° VESA rotation

Up to 20.0lb. weight capacity *(per center arm)*
4.4lb.-15.4lb. weight capacity *(per outside arm)*

9.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

28.81" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.
Note: monitor height/weight might limit size.*

Warranty: Lifetime

Monitor arm key
F- Fixed monitor arm
M- Motion monitor arm
S- Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Customize the Evolve
As workstation needs change, so can the Evolve configurations. Additional components are sold separately:

- Motion arms
- Fixed arms
- Stem arms
- 19.70" pole *(height includes base)*
- Slider mounts

Contact our Customer Service Department for compatibility and pricing for custom configurations.



Evolve2Combo



EVOLVE2COMBO-SLV

Evolve2Combo
Evolve2-FMS + LTH-Edge

\$1,369
MODEL # EVOLVE2COMBO-SLV

Features
Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

25.69" arm extension

+80°/-60° monitor tilt

±90° VESA rotation

4.4lb.-15.4lb. weight capacity *(monitor supporting arm)*

Up to 10.0lb. weight capacity *(laptop supporting arm)*

19.70" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

57.69" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime

Available arm finishes

☐ Silver -SLV



Evolve3Combo



EVOLVE3COMBO-SLV

Evolve3Combo

Evolve3-FMS + LTH-Edge

\$1,539

MODEL # EVOLVE3COMBO-SLV

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 30.0" deep or less
- 25.69" outside arm extension
- 6.48" center arm extension
- +80°/-60° monitor tilt (slider mount)
- +90°/-25° monitor tilt (center mount)
- ±90° VESA rotation
- 4.4lb.-15.4lb. weight capacity (outside monitor supporting arm)
- Up to 20.0lb. weight capacity (middle monitor supporting arm)
- Up to 10.0lb. weight capacity (laptop supporting arm)
- 19.70" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 28.80" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV



Monitor arms
Edge® Series

- 180° lock-out**
Prevents the arm from getting pushed back too far and bumping into a rear cubicle, wall, or glass.
- VESA quick release**
Quickly install and swap monitors with the quick release VESA plate.
- Conversion**
Reuse most of the parts in your single Edge arm when you convert up to the dual Edge2 with our simple kit. Conversion kit sold separately.
- Quality testing**
Meets or exceeds BIFMA x5.5 and CSA CAN/CGSB44.227 guidelines.

Product shown: Edge2-MS,
Designer White worksurface

Edge®



Edge

Single monitor arm

\$455

MODEL # EDGE- _ _ _

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 12.09" height adjustment range 7.68"-19.78" (low/high)
- 21.55" arm extension
- 3.22" arm retraction
- ±90° monitor tilt
- ±90° VESA rotation
- 6.5lb.-17.6lb. weight capacity
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Edge2 conversion kit

- Converts an existing Edge single monitor arm to an Edge2 dual arm
- Kit includes:
- One fixed arm
- One motion arm
- One dual base
- One clamp mount
- One grommet mount

\$463

MODEL # EDGE2KIT- _ _ _

Available in silver, black and white

Edge® 2



Edge2

Dual monitor arm

\$856

MODEL # EDGE2- _ _ _

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 12.09" height adjustment range 7.68"-19.00" (low/high)
- 21.55" arm extension
- 3.22" arm retraction
- ±90° monitor tilt
- ±90° VESA rotation
- 6.5lb.-17.6lb. weight capacity *(per arm)*
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- 41.08" max. monitor width
*Bezel measured left to right.
Max width is contingent on weight capacity.*
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Edge2[®]-MS



Edge2-MS
Dual monitor arm
\$856
MODEL # EDGE2-MS-___

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 30.0" deep or less
 - 10.58" height adjustment range 3.76"–14.34" (low/high)
 - 15.41" arm extension
 - 5.74" arm retraction
 - +80°/-60° monitor tilt
 - ±90° VESA rotation
 - 4.4 lb.–15.4 lb. weight capacity *(per arm)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - 28.00" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*
 - Warranty: Lifetime



- Available arm finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK
 - ☐ White -WHT

Edge2[®]-Max



Edge2-Max
Dual monitor arm
\$878
MODEL #EDGE2-MAX-___

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 36.0" deep or less
 - 14.14" height adjustment range 9.52"–22.80" (low/high)
 - 28.51" arm extension
 - 7.50" arm retraction
 - ±55° monitor tilt
 - ±90° VESA rotation
 - 12.0 lb.–38.5 lb. weight capacity
(combined weight of both monitors)
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - 25.18" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*
 - Warranty: Lifetime



- Available arm finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK

Edge®-Max



EDGE-MAX

Edge-Max

Heavy duty single monitor arm

\$689

MODEL # EDGE-MAX-_-_-

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- Recommended for heavy monitors and all-in-one computers
- 14.04" height adjustment range 9.20"–23.30" (low/high)
- 25.19" arm extension
- 4.15" arm retraction
- +85°/-35° monitor tilt
- ±90° VESA rotation
- 176 lb.–42.0 lb. weight capacity
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included
- Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV
- ☒ Black -BLK

Edge-Max Dual conversion kit

Converts an existing Edge-Max single monitor arm to an Edge-Max-Dual arm.

Kit includes:

- One fixed arm
- One motion arm
- One dual base
- One clamp mount
- One grommet mount


\$690

MODEL # EDGE-MAX-DUAL-KIT

Available finishes:

- ☐ Silver -SLV
- ☒ Black -BLK

Edge®-Max Dual



EDGE-MAX-DUAL

Edge-Max-Dual

Heavy duty dual monitor arm

\$1,377

MODEL # EDGE-MAX-DUAL-SLV

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- Recommended for heavy monitors and all-in-one computers
- 14.16" height adjustment range 9.89"–24.05" (low/high)
- 25.18" arm extension
- 4.14" arm retraction
- +85°/-35° monitor tilt
- ±90° VESA rotation
- 176 lb.–42.0 lb. weight capacity (per arm)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Desk clamp and grommet mount included

51.18" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Available arm finishes

- ☐ Silver -SLV

Edge®-Wall



Edge-Wall
Wall-mounted single monitor arm
\$455
MODEL # EDGE-WALL-SLV

- Features**
- Finger touch dynamic height adjustment
 - For wall mount applications
 - 12.0" height adjustment range
 - 22.0" arm extension
 - 2.6" arm retraction
 - +90°/-25° monitor tilt
 - ±90° VESA rotation
 - 6.5lb.-176lb. weight capacity
 - VESA 75mm/100mm quick release
 - Warranty: Lifetime



Available arm finishes

☐ Silver -SLV

Edge®-Slat



Edge-Slat
Slat-mounted single monitor arm
\$461
MODEL # EDGE-SLAT-SLV

- Features**
- Finger touch dynamic height adjustment
 - For slat wall applications 0.8"–2.8" wide
 - 12.0" height adjustment range
 - 13.0" arm extension
 - 2.6" arm retraction
 - +90°/-25° monitor tilt
 - ±90° VESA rotation
 - 6.5lb.-176lb. weight capacity
 - VESA 75mm/100mm quick release
 - Warranty: Lifetime



Available arm finishes

☐ Silver -SLV

Edge2Combo



EDGE2-COMBO

Edge2Combo

Edge2 + LTH-Edge

\$1,092

MODEL # EDGE2-COMBO-SLV

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36.0" deep or less

12.09" height adjustment range
7.68"-19.00" (low/high)

21.55" arm extension

±90°/-25 monitor tilt

±90° VESA rotation

6.5lb.-17.6lb. weight capacity *(monitor supporting arm)*

11lb.-12.2lb. weight capacity *(laptop supporting arm)*

VESA 75mm/100mm quick release

180° lock-out feature

Desk clamp and grommet mount included

41.08" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Warranty: Lifetime



Available arm finishes

○ Silver -SLV



Proprietary design

Sena has been uniquely designed by the Fellowes Design Team

SenaEX motion arms

SenaEX configurations that include a motion arm (M) offer finger touch dynamic height adjustment. That means the monitor can reposition up and down with ease.

SenaEX fixed arms

SenaEX configurations using fixed arms (F) have manual height adjustment. They rotate left and right along the pole, offering flexibility with lateral adjustments.

Flexible growth

Because the SenaEX is pole mounted, arms can be added as needed to support additional monitors.

Quality testing

Meets or exceeds ANSI/BIFMA x5.5 guidelines.

Monitor Arms
Sena™ Series

Product shown: SenaEX3-FMS,
Victory-LX 3-Leg, FlexCharge 4

Sena™EX1



SenaEX1-F

Single fixed monitor arm

\$296

MODEL # SENAEX1-F-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
30" deep or less

12.93" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



SenaEX1-FF

Single fixed + fixed monitor arm

\$376

MODEL # SENAEX1-FF-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
36" deep or less

22.97" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Sena™EX1



SenaEX1-FM

Single fixed + motion monitor arm

\$448

MODEL # SENAEX1-FM-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

12.68" height adjustment range

12.93" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime



SenaEX1-M

Single motion monitor arm

\$381

MODEL # SENAEX1-M-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
30" deep or less

12.68" height adjustment range

15.26" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

360° rotation at three points

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Sena™EX2



SENAEX2-F

SenaEX2-F

Dual fixed monitor arm

\$479

MODEL # SENAEX2-F-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
36" deep or less

12.93" arm extension

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

Desk clamp and grommet mount included

25.98" max. monitor width

Bezel measured left to right.

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.



SENAEX2-FF

SenaEX2-FF

Dual fixed + fixed monitor arm

\$618

MODEL # SENAEX2-FF-_-_-

Features

Manual height adjustment

Recommended for worksurfaces
36" deep or less

22.97" arm extension

+75° / -35° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

Desk clamp and grommet mount included

46.06" max. monitor width

Bezel measured left to right.

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.

Sena™EX2



SENAEX2-FM

SenaEX2-FM

Dual fixed + motion monitor arm

\$781

MODEL # SENAEX2-FM-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

12.68" height adjustment range

25.30" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

+/-90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

50.7" max. monitor width

Bezel measured left to right.

Max. width is contingent on weight capacity.

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.



SENAEX2-FMS

SenaEX2-FMS

Dual fixed + motion + slider monitor arm

\$891

MODEL # SENAEX2-FMS-_-_-

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

12.68" height adjustment range

27.15" arm extension

4.7" arm retraction

+/-60° monitor tilt

±90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

16" pole height *(includes base)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock-out

56.22" max. monitor width

Bezel measured left to right.

Max. width is contingent on weight capacity.

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime.

Monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Sena™EX2



SenaEX2-FS
Dual fixed + slider monitor arm

\$589
MODEL # SENAEX2-FS-__ _

- Features**
- Manual height adjustment
 - Recommended for worksurfaces 30" deep or less
 - 14.78" arm extension
 - 4.7" arm retraction
 - +/-60° monitor tilt
 - ±90° VESA rotation
 - 2.2lb. - 19.8lb weight capacity *(per arm)*
 - 16" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 270° / 135° arm rotation with 180° lock-out
 - Desk clamp and grommet mount included
 - 31.50" max. monitor width
Bezel measured left to right.
 - Meets or exceeds BIFMA x5.5 guidelines
 - Warranty: Lifetime



SenaEX2-M
Dual motion monitor arm

\$643
MODEL # SENAEX2-M-__ _

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 30" deep or less
 - 12.68" height adjustment range
 - 15.26" arm extension
 - 2.89" arm retraction
 - +75° / -35° monitor tilt
 - +/-90° VESA rotation
 - 180° lock-out feature
 - 2.2lb. - 19.8lb weight capacity *(per arm)*
 - 16" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 270° / 135° arm rotation with 180° lock-out
 - 30.63" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
 - Desk clamp and grommet mount included
 - Meets or exceeds BIFMA x5.5 guidelines
 - Warranty: Lifetime

Sena™EX2



SenaEX2-MS
Dual motion + slider monitor arm

\$752
MODEL # SENAEX2-MS-__ _

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 30" deep or less
 - 12.68" height adjustment range
 - 17.11" arm extension
 - 4.74" arm retraction
 - +/-60° monitor tilt
 - +/-90° VESA rotation
 - 180° lock-out feature
 - 2.2lb. - 19.8lb weight capacity *(per arm)*
 - 7.87" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 270° / 135° arm rotation with 180° lock-out
 - 36.14" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
 - Desk clamp and grommet mount included
 - Meets or exceeds BIFMA x5.5 guidelines
 - Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm
M - Motion monitor arm
S - Slider mount

- Available arm finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK
 - ☐ White -WHT

Sena™EX3



SENAEX3-FF

SenaEX3-FF
Triple fixed + fixed monitor arm
\$728
MODEL # SENAEX3-FF- _ _ _

- Features**
- Manual height adjustment
 - Recommended for worksurfaces 30" deep or less
 - 22.97" arm extension
 - 4.65" center arm extension
 - 2.89" arm retraction
 - +75° / -35° monitor tilt
 - ±90° VESA rotation
 - 2.2lb. - 19.8lb weight capacity *(per arm)*
 - 16" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - Integrated cord management
 - 270° / 135° arm rotation with 180° lock-out
 - 23.03" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
 - Meets or exceeds ANSI/BIFMA x5.5 guidelines
 - Warranty: Lifetime

Sena™EX3



SENAEX3-FMS

SenaEX3-FMS
Triple fixed + motion + slider monitor arm
\$995
MODEL # SENAEX3-FMS- _ _ _

- Features**
- Finger touch dynamic height adjustment
 - Recommended for worksurfaces 30" deep or less
 - 12.68" height adjustment range
 - 27.15" arm extension
 - 4.65" center arm extension
 - 4.74" arm retraction
 - +75° / -35° monitor tilt
 - +/-90° VESA rotation
 - 2.2lb. - 19.8lb weight capacity *(per arm)*
 - 16" pole height *(includes base)*
 - VESA 75mm/100mm quick release
 - 180° lock-out feature
 - Desk clamp and grommet mount included
 - Integrated cord management
 - 270° / 135° arm rotation with 180° lock-out
 - 28.11" max. monitor width
Bezel measured left to right.
Max. width is contingent on weight capacity.
 - Meets or exceeds ANSI/BIFMA x5.5 guidelines
 - Warranty: Lifetime

Monitor arm key

F - Fixed monitor arm
M - Motion monitor arm
S - Slider mount

- Available arm finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK
 - ☐ White -WHT

Sena™



Sena

Single monitor arm

\$339

MODEL # SENA- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

12.68" height adjustment range
7.01"-19.69" (low-high)

24.37" arm extension

2.89" arm retraction

+75° / -35° monitor tilt

+/-90° VESA rotation

2.2lb. - 19.8lb weight capacity *(per arm)*

VESA 75mm/100mm quick release

180° lock-out feature

360° / 180° arm rotation with 180° lock-out

Desk clamp and grommet mount included

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Sena™2



Sena2

Dual monitor arm

\$628

MODEL # SENA2- _ _ _

Features

Finger touch dynamic height adjustment

Recommended for worksurfaces
36" deep or less

12.68" height adjustment range
7.01"-19.69" (low-high)

24.37" arm extension

2.89" arm retraction

+75°/-35° monitor tilt

±90° VESA rotation

2.2lb.-19.8lb. weight capacity *(per arm)*

VESA 75mm/100mm quick release

180° lock-out feature

270° / 135° arm rotation with 180° lock

Desk clamp and grommet mount included

45.72" max monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*

Meets or exceeds BIFMA x5.5 guidelines

Warranty: Lifetime

Available mounting options

DC - Desk clamp

GM - Grommet mount

Available arm finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Height adjustment

Beneath the Eppa’s minimal design is a reliable and smooth finger touch gas spring adjustment control that supports a 10.5 inch dynamic height adjustment range.

Retraction

Retracting to a four inch depth and extending 20 inches, Eppa offers a comfortable viewing distance no matter the size of the workstation.

Conversion

Reuse most of the parts in your single Eppa arm when you convert up to the dual Eppa2 with our simple kit. Conversion kit sold separately.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.



Product shown: Eppa2. Designer White worksurface

Monitor Arms
Eppa™ Series

Eppa™



Eppa

Single monitor arm

\$274

MODEL # EPPA-SLV

Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 11.10" height adjustment range 5.23"-16.33" (low/high)
- 21.14" arm extension
- 3.32" arm retraction
- ±90° monitor tilt
- ±360° VESA rotation
- 2.2lb.-17.6lb. weight capacity
- VESA 75mm/100mm quick mount
- Desk clamp and grommet mount included
- Warranty: Lifetime

Available arm finishes

○ Silver -SLV


Eppa conversion kit

Converts an existing Eppa single monitor arm to an Eppa2 dual arm.
Kit includes:
One single arm
One dual base
One clamp mount
One grommet mount

\$340

MODEL # EPPA2KIT-SLV
Available in silver

Eppa™2



Eppa2

Dual monitor arm

\$516

MODEL # EPPA2-SLV


Features

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 11.10" height adjustment range
5.23"–16.33" (low/high)
- 21.14" arm extension
- 3.34" arm retraction
- ±90° monitor tilt
- ±360° VESA rotation
- 2.2lb.–17.6lb. weight capacity *(per arm)*
- VESA 75mm/100mm quick mount
- Desk clamp and grommet mount included
- 38.97" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*
- Warranty: Lifetime

Available arm finishes

-  Silver -SLV

Eppa™2-Max



Eppa2-MAX

Dual Monitor Arm with Crossbar

\$589

EPPA2-MAX-SLV

Features

- Gas Spring mechanism for smooth and effortless adjustments
- Recommended for worksurfaces 24.0" - 36.0" deep or less
- Crossbar handle provides an easy grip for moving monitors
- 180° lock-out feature
- 32.72" total width of crossbar
- 13.75" height adjustment range
9.90"–23.65" (low/high)
- 24.78" arm extension
- 4.99" arm retraction
- ±10° monitor tilt
- ±90° VESA rotation
- Total weight capacity: 35.2 lbs.
- Desk clamp and grommet mount included
- 30.00" max. monitor width
*Bezel measured left to right.
Max. width is contingent on weight capacity.*
- Capable to swivel between portrait and landscape orientation
- Meets or exceeds BIFMA x5.5 guidelines

- Aluminum and steel design
- Partially assembled for quick installation
- Integrated cord management
- Grommet hole integrated in base to easily route cables
- Clip-on tool holder attaches to base bracket keeping hex keys accessible
- Warranty: Lifetime


Available arm finishes

-  Silver -SLV

Monitor Arm Accessories

Rising Slider Mount

VESA Slider



MODEL # STANDARD FINISH: **\$139**

MODEL # PREMIUM FINISH: **\$147**

MODEL # IN-TREND FINISH: **\$160**

Features

- 9" adjustment from left to right
- Retrofits with the Rising and RisingEX series
- Not compatible with the Eppa, Edge, Evolve, Edge-Max, or Kata Series
- Adds an additional 1.2lbs.
- Patented design for exclusive Fellowes use
- Warranty: Lifetime

Available arm finishes

- Standard Finishes:
- RSNP-PLT: Platinum
 - RSNP-BLK: Black
 - RSNP-DWT: Designer White
- Premium Finishes:
- RSNP-BRZ: Bronze/Black
 - RSNP-POL: Polished Aluminum/Designer White
- In-Trend Finishes (LT):
- RSNP-AZR: Azure
 - RSNP-SGE: Sage
 - RSNP-STR: Stardust
 - RSNP-SLT: Slate
- * Minimum Order Quantity: 500
* Lead Time: 10 Weeks

Kata slider mount

VESA slider



\$195

- MODEL # KATA-SLD-SLV
- MODEL # KATA-SLD-BLK
- MODEL # KATA-SLD-WHT

Features

- 9.5" adjustment from left to right
- Retrofits with the Kata and KataEX series
- Not compatible with any other monitor arm series
- Adds an additional 1.2lbs.
- Patented design for exclusive Fellowes use
- Warranty: Lifetime

Sena slider mount

VESA slider



\$96

- MODEL # SENA-SLD-SLV
- MODEL # SENA-SLD-BLK
- MODEL # SENA-SLD-WHT

Features

- 11" adjustment from left to right
- Works with all SENA and SENAEX
- Not compatible with any other monitor arm series
- Adds an additional 1.2 lbs.
- Patent Pending Design - Dual Track Slider
- Warranty: Lifetime

Edge/Evolve slider mount

VESA slider



\$184

- MODEL # EDV-SLD-SLV
- MODEL # EDV-SLD-BLK
- MODEL # EDV-SLD-WHT

Features

- 8.5" adjustment from left to right
- Retrofits with the Edge and Evolve series
- Not compatible with any other monitor arm series
- Adds an additional 2.2lbs.
- Patented design for exclusive Fellowes use
- Warranty: Lifetime



Monitor Arm Accessories

LTH-Edge

Adjustable laptop tray



\$236

MODEL # LTH-EDGE-SLV

Features

- 10.3" laptop tray width
- 12.0"-18.3" adjustable depth
- Monitor arm sold separately
- Compatible with the following monitor arms: KataEX, Kata, Evolve, Sena, SenaEX, Edge, Eppa
- Weight capacity (based on supporting arm)
 - KataEX: up to 14.6 lb.
 - Kata: up to 14.6 lb.
 - Evolve: 1.2-12.2 lb.
 - Edge: 1.2-12.2 lb.
 - Eppa: up to 12.2 lb.
- Warranty: Lifetime



Available arm finishes

Silver -SLV

Weighted VESA mount

Universal VESA bracket



\$62

MODEL # VESA-HVY-SLV

Features

- For use when monitor weight does not meet minimum weight requirement for monitor arm
- Adds an additional 2.4 lbs.
- Warranty: Lifetime



Thin Client CPU

Monitor arm CPU holder



\$314

MODEL # CPU-TC

Features

- Mounts between the monitor arm and monitor
- Adjustable width: 1.4"-2.3"
- Mounts to VESA 75mm/100mm
- Adjustment knobs are vibration resistant
- Adds an additional 3.0 lbs.
- Warranty: Lifetime



Monitor arm sold separately

VESA 100x200 conversion mount

VESA conversion plates



\$39

MODEL # VESA 100X200-SLV

Features

- Converts a 75mm or 100mm VESA mount to attach to a 100mm x 200mm VESA display
- Warranty: Lifetime





Height Adjustable Tables

Change your perspective to win the day

Customize the fit of your workspace with height adjustable tables. Sit. Stand. Or sit and stand throughout your day, for the ultimate in finely tuned comfort. Our tables can be used for any environment, offering you flexibility in your office layouts and workflow; options include electric, pneumatic, and crank bases, with two or three-leg configurations.





Product shown: Motific, SenaEX2-FM, FlexCharge 4, Solution 2, VictoryLX 2-Leg, Conceal, Railway

All-Flex® 2-leg Complete Table



Complete quick ship table model # breakdown:

2F_-R4824-QS-T_-_-
| | | | | | | | |
a b c d e f g h i

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color



48.0" x 24.0" quick ship complete table

All-Flex 2-leg table base with a 48.0"w x 24.0"d rectangle TFL worksurface

MODEL # 2F -R4824-QS-T  **\$2,303**

60.0" x 30.0" quick ship complete table

All-Flex 2-leg table base with a 60.0"w x 30.0"d rectangle TFL worksurface

MODEL # 2F -R6030-QS-T  **\$2,424**

 base finish notation  laminate color notation

Available base finishes

☐ Silver -S

☒ Black -B

☐ White -W

Available TFL quick ship laminates

☐ Beigewood - BG

☐ Phantom Charcoal -PC

☐ Shadow Oak -SO

☐ Designer White -DW

☐ Grey -GR

☐ Dove Grey -DV

All-Flex 2-leg table

Quick ship complete table options include: silver, black, or white table bases; 48.0"w x 24.0"d or 60.0"w x 30.0"d rectangle worksurfaces; all six TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 133-139 or worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com.



Product shown: All-Flex 2-leg, Performance
White worksurface, Edge2-MS, Tech Dock, Amble
Designer, Conceal, FlexCharge3

All-Flex® 2-leg



All-Flex 2-leg

Electric height adjustable table base

\$1,998

MODEL # FLEX2-_-_-

Two motors

Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Versatility and flexibility

Provides adjustable cross channel, top support and feet making it one of the most adjustable table bases on the market.

Model part number

All-Flex uses only one model number for all 2-leg sizes and configurations.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Features

Electric height adjustment

265 lb. base lifting capacity

1.5" / sec. adjustment speed

26.0" height adjustment range

23.3"–49.3" (low/high)
(excluding worksurface)

Three stage adjustable legs

C-Leg

Foot is adjustable to 22.0" or 28.0"
(patented design)

Leg columns fold out for easy assembly

Adjustable width frame accommodates
worksurfaces 36.0"–72.0"

Digital keypad with four memory settings

Soft start and stop

Anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Available base finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Caster kit

Set of four casters for table base

Increases height by 2.0"

Locking casters for security

\$85


MODEL # CASTERKIT-FLEX2

Table bases		Available worksurfaces					
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium
				Quick ship	Standard ship	Standard ship	Standard ship
FLEX2-___	\$1,998	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	36" w x 24" d	—	•	•	•
			42" w x 24" d	—	•	•	•
			48" w x 24" d	•	•	•	•
			60" w x 24" d	—	•	•	•
			72" w x 24" d	—	•	•	•
			36" w x 30" d	—	•	•	•
			42" w x 30" d	—	•	•	•
			48" w x 30" d	—	•	•	•
			60" w x 30" d	•	•	•	•
			72" w x 30" d	—	•	•	•

Worksurface program

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.



Product shown: All-Flex 3-leg, Designer White worksurface, Evolve2-MS, Lustre, CPU-05, FlexCharge4, Conceal, and Solution Ultra

All-Flex® 3-leg



All-Flex 3-leg

Electric height adjustable table base

\$3,021

MODEL # FLEX3- _ _ _

Three motors

Includes three motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Versatility and flexibility

Provides adjustable cross channels, top supports and feet making it one of the most adjustable table bases on the market.

One model number

All-Flex uses only one model number for all 3-leg sizes and configurations.

Configurations

Can be configured for 90° or 120° with the universal bracket.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Features

Electric height adjustment

330 lb. base lifting capacity

1.5" / sec. adjustment speed

26.0" height adjustment range

23.3"–49.3" (low/high)
(excluding worksurface)

Three stage adjustable legs

C-Leg

Foot is adjustable to 22.0" or 28.0"
(patented design)

Leg columns fold out for easy assembly

Adjustable width frame accommodates
worksurfaces 48.0"–84.0"

Digital keypad with four memory settings

Soft start and stop

Anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime



Available base finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Caster kit





Set of five casters for table base

Increases height by 2.0"

Locking casters for security

\$108

MODEL # CASTERKIT-FLEX3

Table bases			Available worksurfaces				
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard	HPL standard		HPL premium
				Quick ship	Standard ship	Standard ship	Standard ship
FLEX3- _ _ _	\$3,021		60"wl x 60"wr x 24"d	—	•	•	•
			72"wl x 72"wr x 24"d*	—	•	•	•
			60"wl x 60"wr x 30"d	—	•	•	•
			72"wl x 72"wr x 30"d*	—	•	•	•
FLEX3- _ _ _	\$3,021		48"w x 24"d	—	•	•	•
			60"w x 24"d	—	—	•	•
			72"w x 24"d*	—	—	•	•
			48"w x 30"d	—	—	•	•
			60"w x 30"d	—	—	•	•
			72"w x 30"d*	—	—	•	•
FLEX3- _ _ _	\$3,021		60"wl x 48"wr x 24"d	—	•	•	•
			72"wl x 48"wr x 24"d	—	•	•	•
			72"wl x 60"wr x 24"d	—	•	•	•
			84"wl x 48"wr x 24"d	—	•	•	•
			84"wl x 60"wr x 24"d	—	—	•	•
			60"wl x 48"wr x 30"d	—	•	•	•
			72"wl x 48"wr x 30"d	—	•	•	•
			72"wl x 60"wr x 30"d	—	•	•	•
			84"wl x 48"wr x 30"d	—	—	•	•
84"wl x 60"wr x 30"d	—	—	•	•			
FLEX3- _ _ _	\$3,021		48"wl x 60"wr x 24"d	—	•	•	•
			48"wl x 72"wr x 24"d	—	•	•	•
			60"wl x 72"wr x 24"d	—	•	•	•
			48"wl x 84"wr x 24"d	—	•	•	•
			60"wl x 84"wr x 24"d	—	—	•	•
			48"wl x 60"wr x 30"d	—	•	•	•
			48"wl x 72"wr x 30"d	—	•	•	•
			60"wl x 72"wr x 30"d	—	•	•	•
			48"wl x 84"wr x 30"d	—	—	•	•
60"wl x 84"wr x 30"d	—	—	•	•			


Worksurface program

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

*Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

All-Flex® 3-leg



The base dimensions as shown are actual.

Victory™LX 2-leg Complete Table

Complete quick ship table model # breakdown:

2VT_-R4824-QS-T_-_
| | | | | | | | |
a b c d e f g h i

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color

48.0" x 24.0" quick ship complete table
VictoryLX 2-leg table base with a 48.0"w x 24.0"d rectangle TFL worksurface

MODEL # 2VT_-R4824-QS-T_-_ \$1,659

60.0" x 30.0" quick ship complete table
VictoryLX 2-leg table base with a 60.0"w x 30.0"d rectangle TFL worksurface

MODEL # 2VT_-R6030-QS-T_-_ \$1,780

base finish notation laminate color notation

Available base finishes

Silver -S

Black -B

White -W

Available TFL quick ship laminates

Beigewood - BG

Phantom Charcoal -PC

Shadow Oak -SO

Designer White -DW

Grey -GR

Dove Grey -DV

VictoryLX 2-leg table

Quick ship complete table options include: silver, black, or white table bases; 48.0"w x 24.0"d or 60.0"w x 30.0"d rectangle worksurfaces; all six TFL laminates. Quick ship worksurfaces will be pre-drilled to accommodate the VictoryLX 2-leg table base. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com



Product shown: VictoryLX 2-leg,
Designer White worksurface,
Railway, FlexCharge4CX

Victory™ LX 2-leg



VictoryLX 2-leg

Electric height adjustable table base

\$1,354

MODEL # 2VT-LX-C _ _ - _ _ - _ _

Quick assembly

Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Gyro sensor anti-collision

The sensor provides superior safety and customizable sensitivity settings.

Two motors

Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross channels

With adjustable cross channels, the table base can adapt over time with the changing technology and accessory needs of the user.

Quality materials

Steel frame and foot construction offers outstanding stability.

Quality testing

Meets or exceeds BIFMA x5.5, GI and CSA CAN/CGSB44.227 guidelines.

Features

Electric height adjustment

250 lb. base lifting capacity

1.4" / sec. adjustment speed

26.0" height adjustment range

21.5"–47.5" (low/high)
(excluding worksurface)

Three stage adjustable legs

C-Leg

Frame and column connect and lock for quick and easy assembly

Adjustable width frame accommodates worksurfaces 36.0"–72.0"

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime

Available base finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Caster kit

Set of four casters for table base

Increases height by 2.0"

Locking casters for security

\$63


MODEL # CASTERKIT-LX-2LEG

Table bases		Available worksurfaces						
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium	
				Quick ship	Standard ship	Standard ship	Standard ship	
2VT-LX-C36-24-___	\$1,354	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	36" w x 24" d	—	•	•	•	
			42" w x 24" d	—	•	•	•	
			48" w x 24" d	•	•	•	•	
2VT-LX-C48-24-___	\$1,354		60" w x 24" d	—	•	•	•	
			72" w x 24" d	—	•	•	•	
			36" w x 30" d	—	•	•	•	
2VT-LX-C36-30-___	\$1,354		42" w x 30" d	—	•	•	•	
			48" w x 30" d	—	•	•	•	
			60" w x 30" d	•	•	•	•	
2VT-LX-C48-30-___	\$1,354		72" w x 30" d	—	•	•	•	

Worksurface program


Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Victory™LX 3-leg



VictoryLX 3-leg

Electric height adjustable table base

\$1,954

MODEL # 3VT-LX-C-_-_-_-_-_-_-_-_-_-_-

Quick assembly

Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Three motors

Includes three motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross channels

With adjustable cross channels, the table base can adapt over time with the changing technology and accessory needs of the user.

Quality materials

Steel frame and foot construction offers outstanding stability.

Height range

Low to high adjustment range meets needs of the largest variety of users. Works with peds and storage with maximum 20 inches in height.

Configurations

Can be configured for 90° or 120° with the universal bracket.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Features

- Electric height adjustment
- 360 lb. base lifting capacity
- 14" / sec. adjustment speed
- 26.0" height adjustment range
21.5"–47.5" (low/high)
(excluding worksurface)
- Three stage adjustable legs
- C-Leg
- Adjustable width frame accommodates worksurfaces 48.0"–84.0"
- Digital keypad with three memory settings
- Soft start and stop
- Anti-collision
- Table base is UL962 listed
- Locking casters available
- Warranty: Lifetime

Available base finishes





- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

Caster kit

- Set of six casters for table base
- Includes third foot for caster installation
- Increases height by 2.0"
- Locking casters for security

\$125

- MODEL # CASTERKIT-LX-3LEG-SLV
- MODEL # CASTERKIT-LX-3LEG-BLK
- MODEL # CASTERKIT-LX-3LEG-WHT


Table bases			Available worksurfaces					
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium	
				Quick ship	Standard ship	Standard ship	Standard ship	
3VT-LX-C4848-24-___	\$1,954		60"wl x 60"wr x 24"d	—	•	•	•	
			72"wl x 72"wr x 24"d*	—	•	•	•	
3VT-LX-C4848-30-___	\$1,954		D Equal corner	60"wl x 60"wr x 30"d	—	•	•	•
			72"wl x 72"wr x 30"d*	—	•	•	•	
3VT-LX-C3636-24-___	\$1,954		48"w x 24"d	—	•	•	•	
3VT-LX-C4848-24-___	\$1,954		60"w x 24"d	—	—	•	•	
			72"w x 24"d*	—	—	•	•	
3VT-LX-C3636-30-___	\$1,954		48"w x 30"d	—	—	•	•	
3VT-LX-C4848-30-___	\$1,954		60"w x 30"d	—	—	•	•	
			72"w x 30"d*	—	—	•	•	
3VT-LX-C4836-24-___	\$1,954		60"wl x 48"wr x 24"d	—	•	•	•	
			72"wl x 48"wr x 24"d	—	•	•	•	
			72"wl x 60"wr x 24"d	—	•	•	•	
3VT-LX-C4848-24-___	\$1,954		84"wl x 48"wr x 24"d	—	•	•	•	
			84"wl x 60"wr x 24"d	—	—	•	•	
			60"wl x 48"wr x 30"d	—	•	•	•	
3VT-LX-C4836-30-___	\$1,954		Offset corner left	72"wl x 48"wr x 30"d	—	•	•	•
			72"wl x 60"wr x 30"d	—	•	•	•	
3VT-LX-C4848-30-___	\$1,954		84"wl x 48"wr x 30"d	—	—	•	•	
			84"wl x 60"wr x 30"d	—	—	•	•	
3VT-LX-C4836-24-___	\$1,954		48"wl x 60"wr x 24"d	—	•	•	•	
			48"wl x 72"wr x 24"d	—	•	•	•	
			48"wl x 84"wr x 24"d	—	•	•	•	
3VT-LX-C4848-24-___	\$1,954		60"wl x 72"wr x 24"d	—	•	•	•	
			60"wl x 84"wr x 24"d	—	—	•	•	
			48"wl x 60"wr x 30"d	—	•	•	•	
3VT-LX-C4836-30-___	\$1,954		Offset corner right	48"wl x 72"wr x 30"d	—	•	•	•
			48"wl x 84"wr x 30"d	—	•	•	•	
3VT-LX-C4848-30-___	\$1,954		60"wl x 72"wr x 30"d	—	—	•	•	
			60"wl x 84"wr x 30"d	—	—	•	•	
3VT-LX-C3636-2430-___	\$1,954		>24.0" and 24.0"/30.0".' data-bbox="305 912 365 977"/>	Please contact our Customer Service Department to specify the dimensions and laminates for this style of worksurface				
3VT-LX-C4848-2430-___	\$1,954							
3VT-LX-C4836-2430-___	\$1,954							

Worksurface program

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.
*Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces. 120-degree worksurfaces measuring 72x24 and 72x24 will ship in 3 pieces and include joining brackets.

Victory™LX 3-leg






Product shown: VictoryLX 3-leg,
Designer White worksurfaces,
Evolve2-FMS, Evolve3-FMS,
FlexCharge4, Railway, Centro,
Solution 1

Triumph™ LX Complete Table


Complete quick ship table model # breakdown:

2T_-R4824-QS-T_-_
| | | | | | | | |
a b c d e f g h i

- a: number of legs
- b: type of table base
- c: finish of base
- d: worksurface shape
- e: worksurface width
- f: worksurface depth
- g: quick ship indicator
- h: laminate material
- i: laminate color

48.0" x 24.0" quick ship complete table
TriumphLX 2-leg table base with a
48.0"w x 24.0"d rectangle TFL worksurface
MODEL # 2T_-R4824-QS-T-  **\$1,451**

60.0" x 30.0" quick ship complete table
TriumphLX 2-leg table base with a
60.0"w x 30.0"d rectangle TFL worksurface

MODEL # 2T_-R6030-QS-T-  **\$1,572**

 base finish notation  laminate color notation

Available base finishes

 Silver -S

 Black -B

 White -W

Available TFL quick ship laminates

 Beigewood - BG

 Phantom Charcoal -PC

 Shadow Oak -SO

 Designer White -DW

 Grey -GR

 Dove Grey -DV

TriumphLX table

Quick ship complete table options include: silver, black, or white table bases; 48.0"w x 24.0"d or 60.0"w x 30.0"d rectangle worksurfaces; all six TFL laminates. Quick ship worksurfaces will be pre-drilled to accommodate the TriumphLX table base. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com



Triumph™ LX



TriumphLX

Electric height adjustable table base

\$1,146

MODEL # 2T-LX-C_ _ _ _ _

Quick assembly

Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Gyro sensor anti-collision

The sensor provides superior safety and customizable sensitivity settings.

Two motors

Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross channels

With adjustable cross channels, the table base can adapt over time with the changing technology and work gear needs of the user.

Quality materials

Steel frame and foot construction offers outstanding stability.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Features

Electric height adjustment

250 lb. base lifting capacity

1.4" / sec. adjustment speed

170" height adjustment range

26.5"–43.5" (low/high)
(excluding worksurface)

Two stage adjustable legs

C-Leg

Frame and column connect and lock for quick and easy assembly

Adjustable width frame accommodates worksurfaces 36.0"–72.0"

Digital keypad with three memory settings

Soft start and stop

Gyro sensor anti-collision

Table base is UL962 listed

Locking casters available

Warranty: Lifetime

Available base finishes

☐ Silver -SLV

☒ Black -BLK

☐ White -WHT

Caster kit

Set of four casters for table base

Increases height by 2.0"

Locking casters for security

\$63


MODEL # CASTERKIT-LX-2LEG

Table bases		Available worksurfaces						
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium	
				Quick ship	Standard ship	Standard ship	Standard ship	
2T-LX-C36-24-___	\$1,146	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	36" w x 24" d	–	•	•	•	
			42" w x 24" d	–	•	•	•	
			48" w x 24" d	•	•	•	•	
2T-LX-C48-24-___	\$1,146		60" w x 24" d	–	•	•	•	
			72" w x 24" d	–	•	•	•	
2T-LX-C36-30-___	\$1,146		36" w x 30" d	–	•	•	•	
			42" w x 30" d	–	•	•	•	
			48" w x 30" d	–	•	•	•	
2T-LX-C48-30-___	\$1,146		60" w x 30" d	•	•	•	•	
			72" w x 30" d	–	•	•	•	

Worksurface program

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Trada™ Complete Table

Complete quick ship table model # breakdown:

2TD__-R4824-QS-T__
| | | | | | | | | |
a b d e f g h i j

2TDM__-R4824-QS-T__
| | | | | | | | | |
a b c d e f g h i j

48.0" x 24.0" quick ship complete table

Trada table base with a 48.0" w x 24.0" d rectangle
TFL worksurface with standard keypad

MODEL # 2TD__-R4824-QS-T__ \$1,512

Trada table base with a 48.0" w x 24.0" d
rectangle TFL worksurface with digital keypad

MODEL # 2TDM__-R4824-QS-T__ \$1,585

60.0" x 30.0" quick ship complete table

Trada table base with a 60.0" w x 30.0" d rectangle
TFL worksurface with standard keypad

MODEL # 2TD__-R6030-QS-T__ \$1,633

Trada table base with a 60.0" w x 30.0" d rectangle
TFL worksurface with digital keypad

MODEL # 2TDM__-R6030-QS-T__ \$1,706

base finish notation laminate color notation

- a: number of legs
- b: type of table base
- c: 4-memory digital keypad
- d: finish of base
- e: worksurface shape
- f: worksurface width
- g: worksurface depth
- h: quick ship indicator
- i: laminate material
- j: laminate color

Available base finishes

- Silver -S
- Black -B
- White -W

Available TFL quick ship laminates

- Beigewood - BG
- Phantom Charcoal -PC
- Shadow Oak -SO
- Designer White -DW
- Grey -GR
- Dove Grey -DV

Trada table

Quick ship complete table options include: silver, black, or white table bases; 48.0"x24.0" or 60.0"x30.0" rectangle worksurfaces; all six TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See Complete Table and Worksurface Guide for worksurface details including laminate colors.



Trada
Electric height adjustable table base

\$1,207
MODEL # 2TD-C48-24-___

Quick assembly
Frame and column connect and lock for quick and efficient assembly requiring minimal tools.

Two motors
Includes two motors allowing smooth height adjustment while supporting a broad range of worksurface weights.

Cross channels
With adjustable cross channels, the table base can adapt over time with the changing technology and work gear needs of the user.

Quality materials
Steel frame and foot construction offers outstanding stability.

Quality testing
Meets or exceeds BIFMA x5.5, GI and CSA C22.2 #68 guidelines.

- Features**
- Electric height adjustment
 - 265 lb. base lifting capacity
 - 1.5" / sec. adjustment speed
 - 25.5" height adjustment range 24.5"–50.0" (low/high) *(excluding worksurface)*
 - Anti-collision
 - Three stage adjustable legs
 - C-Leg
 - Adjustable width frame accommodates worksurfaces 48.0"–72.0"
 - Standard keypad with up and down buttons or digital 4-memory keypad available
 - Soft start and stop
 - Table base is UL962 listed
 - Low standby power consumption
 - Complete tables available *(base and top)*
 - Warranty: Lifetime



- Available base finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK
 - ☐ White -WHT
- Digital 4 Memory Keypad**
Digital Programmable Keypad with 4 memory settings
- Includes up and down buttons, a digital read out, 4 memory presets and a programmable upper and lower limit
- Sleep Mode to decrease power consumption
- \$73**
MODEL # 2TDM-DGTLKPD
- Caster kit**
Set of four casters for table base
- Increases height by 2.0"
- Locking casters for security




\$33
MODEL # CASTERKIT-2TD

Table bases			Available worksurfaces			
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard
				Quick ship	Standard ship	HPL premium
2TD-C48-24-___ 2TDM-C48-24-___	\$1,207 \$1,280	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	48"w x 24"d	.	.	.
			60"w x 24"d	–	.	.
			72"w x 24"d	–	.	.
			48"w x 30"d	–	.	.
			60"w x 30"d	.	.	.
			72"w x 30"d	–	.	.




Worksurface program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.



Trada™ 3-leg



Trada 3-Leg

Electric height adjustable table base

\$1,869

3TD-C4848-24-___

3TD-C4848-30-___

\$1,942

3TDM-C4848-24-___

3TDM-C4848-30-___



- Features**
- Electric height adjustment
 - 397lb. base lifting capacity
 - 1.5"/sec adjustment speed
 - 25.5" height adjustment range
 - 24.5"–50.0" (low/high) (excluding worksurface)
 - Anti-collision safety feature
 - Three stage adjustable legs
 - C-leg
 - Adjustable width frame accommodates worksurfaces 48.0"–72.0"
 - Soft start and stop
 - Locking casters available
 - Three motors
 - ADA compliant
 - 9' power cord
 - Table base is UL962 listed
 - Meets or exceeds BIFMA x5.5, and CSA C22.2 #68 guidelines
 - Works with peds or storage with 22.0" max. height
 - Low standby power consumption
 - Steel frame and foot construction
 - Standard keypad with up and down buttons or digital 4-memory keypad available
 - Complete tables available (base and top)
 - Warranty: Lifetime

- Available base finishes**
- ☐ Silver -SLV
 - ☒ Black -BLK
 - ☐ White -WHT
- Digital 4 Memory Keypad**
- Digital Programmable Keypad with 4 memory settings
- Includes up and down buttons, a digital read out, 4 memory presets and a programmable upper and lower limit
- Sleep Mode to decrease power consumption
- \$73**
- MODEL # 2TDM-DGTLKPD
- Caster kit**
- Set of casters for table base
- Increases height by 2.0"
- Locking casters for security

\$41

MODEL # CASTERKIT-3TD



Table bases			Available worksurfaces			
Table base model	Worksurface shape	Worksurface dimension	TFL standard	HPL standard	HPL premium	
			Quick ship	Standard ship	Standard ship	Standard ship
3TD-C4848-24-___		60"wl x 60"wr x 24"d	–	3EC606024-TFL-__	3EC606024-HPL-__	3EC606024-PHPL-__
3TDM-C4848-24-___		72"wl x 72"wr x 24"d	–	3EC727224-TFL-__*	3EC727224-HPL-__*	3EC727224-PHPL-__*
3TD-C4848-30-___		60"wl x 60"wr x 30"d	–	3EC606024-TFL-__*	3EC606030-HPL-__*	3EC606030-PHPL-__*
3TDM-C4848-30-___		72"wl x 72"wr x 30"d	–	3EC727230-TFL-__	3EC727230-HPL-__	3EC727230-PHPL-__
3TD-C4848-24-___		48"w x 24"d	–	120-4824-TFL-__	120-4824-HPL-__	120-4824-PHPL-__
3TDM-C4848-24-___		60"w x 24"d	–	–	120-6024-HPL-__	120-6024-PHPL-__
3TD-C4848-24-___		72"w x 24"d	–	–	120-7224-HPL-__	120-7224-PHPL-__
3TDM-C4848-24-___		48"w x 30"d	–	–	120-4830-HPL-__	120-4830-PHPL-__
3TD-C4848-30-___		60"w x 30"d	–	–	120-6030-HPL-__	120-6030-PHPL-__
3TDM-C4848-30-___		72"w x 30"d	–	–	120-7230-HPL-__*	120-7230-PHPL-__*

Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.




Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Table bases		Available worksurfaces				
Table base model	Worksurface shape	Worksurface dimension	TFL standard	HPL standard	HPL premium	
			Quick ship	Standard ship	Standard ship	Standard ship
3TD-C4848-24-____ 3TDM-C4848-24-____		60"wr x 48"wl x 24"d	—	3OCL604824-TFL-__	3OCL604824-HPL-__ 3OCL604824-PHPL-__	
		72"wl x 48"wr x 24"d	—	3OCL724824-TFL-__	3OCL724824-HPL-__ 3OCL724824-PHPL-__	
		72"wl x 60"wr x 24"d	—	3OCL726024-TFL-__	3OCL726024-HPL-__ 3OCL726024-PHPL-__	
3TD-C4848-24-____ 3TDM-C4848-24-____	Offset Corner Leftt	84"wl x 48"wr x 24"d	—	3OCL844824-TFL-__	3OCL844824-HPL-__ 3OCL844824-PHPL-__	
		84"wl x 60"wr x 24"d	—	—	3OCL846024-HPL-__ 3OCL846024-PHPL-__	
3TD-C4848-30-____ 3TDM-C4848-30-____		60"wl x 48"wr x 30"d	—	3OCL604830-TFL-__	3OCL604830-HPL-__ 3OCL604830-PHPL-__	
		72"wl x 48"wr x 30"d	—	3OCL724830-TFL-__	3OCL724830-HPL-__ 3OCL724830-PHPL-__	
		72"wl x 60"wr x 30"d	—	3OCL726030-TFL-__	3OCL726030-HPL-__ 3OCL726030-PHPL-__	
3TD-C4848-30-____ 3TDM-C4848-30-____		84"wl x 48"wr x 30"d	—	—	3OCL844830-HPL-__ 3OCL844830-PHPL-__	
		84"wl x 60"wr x 30"d	—	—	3OCL846030-HPL-__ 3OCL846030-PHPL-__	
3TD-C4848-24-____ 3TDM-C4848-24-____		48"wl x 60"wr x 24"d	—	3OCR486024-TFL-__	3OCR486024-HPL-__ 3OCR486024-PHPL-__	
		48"wl x 72"wr x 24"d	—	3OCR487224-TFL-__	3OCR487224-HPL-__ 3OCR487224-PHPL-__	
		60"wl x 72"wr x 24"d	—	3OCR607224-TFL-__	3OCR607224-HPL-__ 3OCR607224-PHPL-__	
3TD-C4848-24-____ 3TDM-C4848-24-____	Offset Corner Right	48"wl x 84"wr x 24"d	—	3OCR488424-TFL-__	3OCR488424-HPL-__ 3OCR488424-PHPL-__	
		60"wl x 84"wr x 24"d	—	—	3OCR608424-HPL-__ 3OCR608424-PHPL-__	
3TD-C4848-30-____ 3TDM-C4848-30-____		48"wl x 60"wr x 30"d	—	3OCR486030-TFL-__	3OCR486030-HPL-__ 3OCR486030-PHPL-__	
		48"wl x 72"wr x 30"d	—	3OCR487230-TFL-__	3OCR487230-HPL-__ 3OCR487230-PHPL-__	
		48"wl x 84"wr x 30"d	—	3OCR607230-TFL-__	3OCR607230-HPL-__ 3OCR607230-PHPL-__	
3TD-C4848-30-____ 3TDM-C4848-30-____		60"wl x 72"wr x 30"d	—	—	3OCR488430-HPL-__ 3OCR488430-PHPL-__	
		60"wl x 84"wr x 30"d	—	—	3OCR608430-HPL-__ 3OCR608430-PHPL-__	

Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Weight Adjustable Espree™ Complete Table

Complete quick ship table model # breakdown:

2ESPWA-R4824-QS-T

a

b

c

d

e

f

g

h

i

a: number of legs

b: type of table base

c: finish of base

d: worksurface shape

e: worksurface width

f: worksurface depth

g: quick ship indicator

h: laminate material

i: laminate color

48.0" x 24.0" quick ship complete table
Weight Adjustable Espree 2-leg table base with a 48.0"w x 24.0"d rectangle TFL worksurface
MODEL # 2ESPWA-R4824-QS-T **\$2,863**

60.0" x 30.0" quick ship complete table
Weight Adjustable Espree 2-leg table base with a 60.0"w x 30.0"d rectangle TFL worksurface
Model # 2ESPWA-R6030-QS-T **\$3,085**

base finish notation laminate color notation

- Available base finishes
- Silver -S

Black -B

White -W
- Available TFL quick ship laminates
- Beigewood -BG

Phantom Charcoal -PC

Shadow Oak -SO

Designer White -DW

Grey -LG

Dove Grey -DV

Weight Adjustable Espree table
Quick ship complete table options include: silver, black or white table base; 48.0"w x 24.0"d or 60.0"w x 30.0"d rectangle worksurfaces; all six TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.
Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including laminate colors.
For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com



Product shown: Weight Adjustable Espree, Designer White worksurfaces, Eppa, Centro, Railway, FlexCharge3

Weight Adjustable Espree™



Weight Adjustable Espree

Pneumatic height adjustable table base

\$2,558

MODEL # 2ESP-WA-C48- _ _ _

\$2,659

MODEL # 2ESP-WA-C60- _ _ _

Environmentally friendly

With no power needed, it is both environmentally friendly and easy to retrofit any space with power limitations.

Adjustable feet

Feet adjust to 22 or 28 inches long with a removable plate which accommodates worksurfaces 24 through 36 inches deep.

Weight resistance gauge

The user has the ability to change the weight resistance in the base for easy height adjustment.

Quality testing

Meets or exceeds BIFMA x5.5 guidelines.

Features

Pneumatic height adjustment

44 lb.–143 lb. base lifting capacity
(2ESP-WA-C48)

52 lb.–163 lb. base lifting capacity
(2ESP-WA-C60)

19.5" height adjustment range
26.3"–45.8" (low/high)
(excluding worksurface)

Three stage adjustable legs

C-Leg

Foot is adjustable to 22.0" or 28.0"
(patented design)

Fixed width frame

Weight adjustable with adjustment gauge

Includes adjustment tools

Locking casters available

Warranty: Lifetime



Available base finishes

☐ Silver -SLV

☒ Black -BLK LT

☐ White -WHT LT

Caster kit

Set of four casters for table base

Increases height by 2.0"

Locking casters for security

\$85

MODEL # CASTERKIT-ESP-WA


Table bases			Available worksurfaces					
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium	
				Quick ship	Standard ship	Standard ship	Standard ship	
2ESP-WA-C48- _ _ _	\$2,558	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	48" w x 24" d	
			48" w x 30" d	–	.	.	.	
2ESP-WA-C60- _ _ _	\$2,659		60" w x 24" d	–	.	.	.	
			60" w x 30" d	

Worksurface program


Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times TFL standard and HPL standard/ premium worksurfaces.

Table bases and worksurfaces can be purchased independently or as a combination.

Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.




The base dimensions as shown are actual.



Weight resistance gauge is easily adjustable according to the weight of the worksurface.

Q Crank Complete Table

Complete quick ship table model # breakdown:



- a: number of legs
b: type of table base
c: finish of base
d: worksurface shape
e: worksurface width
f: worksurface depth
g: quick ship indicator
h: laminate material
i: laminate color

48.0" x 24.0" quick ship complete table

Q Crank 2-leg table base with a 48.0"w x 24.0"d rectangle TFL worksurface

MODEL # 2QC-R4824-QS-T \$1,425

60.0" x 30.0" quick ship complete table

Q Crank 2-leg table base with a 60.0"w x 30.0"d rectangle TFL worksurface

MODEL # 2QC-R6030-QS-T \$1,546

base finish notation laminate color notation

Available base finishes

- Silver -S
Black -B

Available TFL quick ship laminates

- Beigewood - BG
Phantom Charcoal -PC
Shadow Oak -SO
Designer White -DW
Grey -GR
Dove Grey -DV

Q Crank table

Quick ship complete table options include: silver and black table base; 48.0"w x 24.0"d or 60.0"w x 30.0"d rectangle worksurfaces; all six TFL laminates. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including laminate colors.

For all other complete table options reference the Complete Table and Worksurface Guide at fellowes.com

Q Crank



Q Crank

Crank height adjustable table base

\$1,120

MODEL # QCRANK-24S-_-_-

MODEL # QCRANK-24L-_-_-

MODEL # QCRANK-30S-_-_-

MODEL # QCRANK-30L-_-_-

Environmentally friendly

With no power needed, it is both environmentally friendly and easy to retrofit any space with power limitations.

Hand crank

Fold the hand crank under the worksurface when not in use.

Features

Crank height adjustment

220lb. base lifting capacity

1.0" per two cranks adjustment speed

175" height adjustment range
24.8"-42.3" (low/high)
(excluding worksurface)

Two stage adjustable legs

C-Leg

Adjustable width frame accommodates
worksurfaces 36.0"-72.0"

Locking casters available

Warranty: Lifetime

Available base finishes

- Silver -SLV
Black -BLK

Caster kit

Set of four casters for table base

Increases height by 2.0"

Locking casters for security

\$85


MODEL # CASTERKIT-QCRANK

Table bases		Available worksurfaces					
Table base model	List price	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium
				Quick ship	Standard ship	Standard ship	Standard ship
QCRANK-24S-___	\$1,120	<div><div></div><div>D</div><div>W</div><div>Rectangle</div></div>	36" w x 24" d	—	•	•	•
			42" w x 24" d	—	•	•	•
			48" w x 24" d	•	•	•	•
QCRANK-24L-___	\$1,120		60" w x 24" d	—	•	•	•
			72" w x 24" d	—	•	•	•
QCRANK-30S-___	\$1,120		36" w x 30" d	—	•	•	•
			42" w x 30" d	—	•	•	•
			48" w x 30" d	—	•	•	•
QCRANK-30L-___	\$1,120		60" w x 30" d	•	•	•	•
			72" w x 30" d	—	•	•	•

Worksurface program

Multiple worksurface shapes and laminates are available. See pages 133-139 for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, contact Customer Service for current lead times for TFL standard and HPL standard/premium worksurfaces..

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.



The base dimensions as shown are actual.

Casters

Casters

For height adjustable bases



Sets of castor wheels for table bases

Increases height by 2.0"

Locking casters for security

VictoryLX 3-leg kits include a third foot for caster installation

Warranty: Lifetime

Fits table base	Model #	List price	GSA
All-Flex 2-leg	CASTERKIT-FLEX2	\$85	
All-Flex 3-leg	CASTERKIT-FLEX3	\$108	
TriumphLX/ VictoryLX 2-leg	CASTERKIT-LX-2LEG	\$63	-
VictoryLX 3-leg	CASTERKIT-LX-3LEG-BLK	\$125	-
	CASTERKIT-LX-3LEG-SLV	\$125	-
	CASTERKIT-LX-3LEG-WHT	\$125	-
Weight Adjustable Espree	CASTERKIT-2ESP-WA	\$85	
Q Crank	CASTERKIT-QCRANK	\$85	-
Trada 2-Leg	CASTERKIT-2TD	\$33	
Trada 3-Leg	CASTERKIT-3TD	\$41	

Motific™ Height Adjustable



Motific Height Adjustable

Portable tech table

\$930

- MOADJSS-AMPAW
- MOADJSS-AMPDW
- MOADJSS-RNDAW
- MOADJSS-RNDDW

Quick ship complete tables listed

Effortless Height Adjustability

The easy-access lever attached to the table top allows quick and effortless height adjustment for sitting or standing applications.

Features

Laptop or occasional table

Multiple color combinations for unique and elegant design options

Thermofoil formed top

Two available top sizes, 0.75" thick:
Round 22.0" diameter
Amorphic 25.0" width and 22.0" depth

5.5" height adjustment range
22.5"-27.8"(low/high)
(excluding top)

Includes a accessory hook

Non-marring, easy-to-slide glides

25 lb. max weight capacity

Base dimensions:
19.7" depth
23.5" width (widest point)

Warranty: Lifetime

Available base finishes

- Silver -S
- White -W LT
- Black -B LT
- Polished Aluminum -A LT

Available column finishes

- Silver -S
- White -W LT
- Black -B LT


Available tops and colors

- Round -RND
- Amorphic -AMP
- Amati Walnut -AW
- Designer White -DS

Woodgrain pattern runs left to right

The combination of a silver column and silver base with either shape top in Amati Walnut or Designer White is available to ship in 48 hours.

Motific™ Height Adjustable



The base dimensions as shown are actual.



Product shown: VictoryLX 3-leg, Designer White worksurfaces, Edge2-MS, Edge, Lily LEDX, Centro, Solution Ultra

Worksurfaces Overview

How to order:

Worksurfaces have multiple model numbers based on worksurface dimensions.

Fellowes offers Thermally Fused Laminate (TFL) in 6 colors for both quick ship and standard worksurfaces. Additionally we offer High Pressure Laminate (HPL) in 13 standard colors and 6 premium colors. See pages 137-138 for more details on laminates.

Use the worksurface two letter color code to complete your model number.

Worksurface part number breakdown:

2R4824-TFL-DW

a b c d e

- a: worksurface shape
- b: worksurface width
- c: worksurface depth
- d: laminate material
- e: laminate color

This product number represents:
Rectangle shape
48.0" wide and 24.0" deep
TFL standard
Designer White laminate

General information:

Worksurfaces

Worksurfaces can be sold separately or in combination with a table base.

Warranty: Lifetime

Sizing

Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering. TFL worksurfaces are 1.0" thick. HPL worksurfaces are 1.125" thick.

Lead times

For standard colors and sizes the leads times are as follows. Lead time may vary depending on quantities ordered and their availability. For custom sizes and laminates please see below:

- TFL quick ship: 48 hours
- TFL standard: Contact Customer Service for current lead times
- HPL standard: Contact Customer Service for current lead times
- HPL premium: Contact Customer Service for current lead times

Custom options

For more information on alternative worksurface shapes, thicknesses, edge detail, laminate options, and pre-drilling, contact our Customer Service Department. Extended lead times and upcharges will apply on all custom requests. Orders with custom laminates or custom edge detailing will both require a standard solid edge banding.


Worksurface pre-drilled holes

For your convenience, all quick ship worksurfaces will be pre-drilled to accommodate the Victory-LX 2-leg and the Triumph-LX table bases. Pre-drilling for any other height adjustable table base series will require extended lead time and an additional cost.

**Fellowes worksurfaces are specifically designed to work with Fellowes height adjustable table bases. If a different application is going to be used, please contact customer service for more details.*

Edge detail

Worksurfaces ship with standard square edge profile and coordinating 3mm edge band with a 3mm top radius. Alternative edge detail options are available at additional cost.



Laminate materials

Worksurfaces are available in select Wilsonart® laminate options. Fellowes worksurfaces are either Thermally Fused Laminates, High Pressure Laminates or Premium High Pressure Laminates. Please indicate laminate color choice by adding the 2-letter code at the end of the worksurface model number.

Thermally fused laminates (TFL) - quick ship and standard

Worksurfaces consist of a single printed decor paper fused directly by heat and pressure to the core material of MDF or particle board.

TFL benefits: cost efficient, consistent and uniform, water resistant, scratch resistant.

High pressure laminates (HPL) - standard and premium


Worksurfaces consist of a melamine treated printed decor paper fused to multiple sheets of kraft paper. Heat and pressure bond all the sheets together creating a flexible and durable piece of plastic type material which is then adhered to MDF or particle board.

Standard HPL benefits: durable, versatile, stylish, heat resistant, water resistant, scratch resistant, impact resistant, hygienic qualities.

Premium HPL benefits: Same as standard HPL, plus enhanced performance to durability and scratch resistance.

Woodgrain pattern direction:

Please see the diagrams for the direction of the woodgrain pattern on each worksurface shape.




All register marks are property of their respective owners.

TFL Quick Ship Worksurfaces

TFL quick ship worksurfaces ship within 48 hours and are available in six colors. Please see pages 137-138 for the laminate options that are available.


Worksurface pricing:


Rectangle			
	Surface model	List price	Dimensions
	2R4824-QS-TFL-__	\$305	48" w x 24" d
	2R6030-QS-TFL-__	\$426	60" w x 30" d


TFL standard worksurfaces


TFL standard worksurfaces are available in six colors. Please see pages 137-138for the laminate options that are available.


Worksurface pricing:

Rectangle			
	Surface model	List price	Dimensions
	2R3624-TFL-__	\$236	36" w x 24" d
	2R4224-TFL-__	\$268	42" w x 24" d
	2R4824-TFL-__	\$305	48" w x 24" d
	2R6024-TFL-__	\$364	60" w x 24" d
	2R7224-TFL-__	\$456	72" w x 24" d
	2R3630-TFL-__	\$255	36" w x 30" d
	2R4230-TFL-__	\$279	42" w x 30" d
	2R4830-TFL-__	\$333	48" w x 30" d
	2R6030-TFL-__	\$426	60" w x 30" d
	2R7230-TFL-__	\$486	72" w x 30" d

120 degree			
	Surface model	List price	Dimensions
	120-4824-TFL-__	\$989	48" w x 24" d

Equal corner			
	Surface model	List price	Dimensions
	3EC606024-TFL-__	\$1,190	60" wl x 60" wr x 24" d
	3EC727224-TFL-__	\$1,714	72" wl x 72" wr x 24" d
	3EC606030-TFL-__	\$1,214	60" wl x 60" wr x 30" d
	3EC727230-TFL-__	\$1,727	72" wl x 72" wr x 30" d


Offset corner left			
	Surface model	List price	Dimensions
	3OCL604824-TFL-__	\$1,063	60" wl x 48" wr x 24" d
	3OCL724824-TFL-__	\$1,161	72" wl x 48" wr x 24" d
	3OCL726024-TFL-__	\$1,325	72" wl x 60" wr x 24" d
	3OCL844824-TFL-__	\$1,367	84" wl x 48" wr x 24" d
	3OCL604830-TFL-__	\$1,082	60" wl x 48" wr x 30" d
	3OCL724830-TFL-__	\$1,173	72" wl x 48" wr x 30" d
	3OCL726030-TFL-__	\$1,347	72" wl x 60" wr x 30" d
	3OCL844830-TFL-__	\$1,390	84" wl x 48" wr x 30" d


Offset corner right			
	Surface model	List price	Dimensions
	3OCR486024-TFL-__	\$1,063	48" wl x 60" wr x 24" d
	3OCR487224-TFL-__	\$1,161	48" wl x 72" wr x 24" d
	3OCR607224-TFL-__	\$1,325	60" wl x 72" wr x 24" d
	3OCR488424-TFL-__	\$1,367	48" wl x 84" wr x 24" d
	3OCR486030-TFL-__	\$1,082	48" wl x 60" wr x 30" d
	3OCR487230-TFL-__	\$1,173	48" wl x 72" wr x 30" d
	3OCR607230-TFL-__	\$1,347	60" wl x 72" wr x 30" d
	3OCR488430-TFL-__	\$1,390	48" wl x 84" wr x 30" d


HPL Standard Worksurfaces


HPL standard worksurfaces available in 13 colors. Please see pages 137-138 for the laminate options that are available.

Worksurface pricing:

Rectangle			
	Surface model	List price	Dimensions
	2R3624-HPL-__	\$331	36" w x 24" d
	2R4224-HPL-__	\$382	42" w x 24" d
	2R4824-HPL-__	\$426	48" w x 24" d
	2R6024-HPL-__	\$510	60" w x 24" d
	2R7224-HPL-__	\$559	72" w x 24" d
	2R3630-HPL-__	\$364	36" w x 30" d
	2R4230-HPL-__	\$401	42" w x 30" d
	2R4830-HPL-__	\$461	48" w x 30" d
	2R6030-HPL-__	\$535	60" w x 30" d
	2R7230-HPL-__	\$583	72" w x 30" d

120 degree			
	Surface model	List price	Dimensions
	120-4824-HPL-__	\$1,386	48" w x 24" d
	120-6024-HPL-__	\$1,950	60" w x 24" d
	120-7224-HPL-__	\$2,187	72" w x 24" d
	120-4830-HPL-__	\$1,573	48" w x 30" d
	120-6030-HPL-__	\$1,974	60" w x 30" d
	120-7230-HPL-__	\$2,217	72" w x 30" d

Equal corner			
	Surface model	List price	Dimensions
	3EC606024-HPL-__	\$1,309	60" wl x 60" wr x 24" d
	3EC606030-HPL-__	\$1,336	60" wl x 60" wr x 30" d
	3EC727224-HPL-__	\$2,187	72" wl x 72" wr x 24" d
	3EC727230-HPL-__	\$2,612	72" wl x 72" wr x 30" d

Offset corner left			
	Surface model	List price	Dimensions
	3OCL604824-HPL-__	\$1,171	60" wl x 48" wr x 24" d
	3OCL724824-HPL-__	\$1,277	72" wl x 48" wr x 24" d
	3OCL844824-HPL-__	\$1,579	84" wl x 48" wr x 24" d
	3OCL726024-HPL-__	\$1,456	72" wl x 60" wr x 24" d
	3OCL846024-HPL-__	\$1,700	84" wl x 60" wr x 24" d
	3OCL604830-HPL-__	\$1,189	60" wl x 48" wr x 30" d
	3OCL724830-HPL-__	\$1,290	72" wl x 48" wr x 30" d
	3OCL844830-HPL-__	\$1,604	84" wl x 48" wr x 30" d
	3OCL726030-HPL-__	\$1,519	72" wl x 60" wr x 30" d
	3OCL846030-HPL-__	\$1,725	84" wl x 60" wr x 30" d


Offset corner right			
	Surface model	List price	Dimensions
	3OCR486024-HPL-__	\$1,171	48" wl x 60" wr x 24" d
	3OCR487224-HPL-__	\$1,277	48" wl x 72" wr x 24" d
	3OCR488424-HPL-__	\$1,579	48" wl x 84" wr x 24" d
	3OCR607224-HPL-__	\$1,456	60" wl x 72" wr x 24" d
	3OCR608424-HPL-__	\$1,700	60" wl x 84" wr x 24" d
	3OCR486030-HPL-__	\$1,189	48" wl x 60" wr x 30" d
	3OCR487230-HPL-__	\$1,290	48" wl x 72" wr x 30" d
	3OCR488430-HPL-__	\$1,604	48" wl x 84" wr x 30" d
	3OCR607230-HPL-__	\$1,519	60" wl x 72" wr x 30" d
	3OCR608430-HPL-__	\$1,725	60" wl x 84" wr x 30" d

Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.


Table bases and worksurfaces can be purchased independently or as a combination. Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

HPL Premium Worksurfaces

HPL premium worksurfaces ship within three weeks and are available in six colors. Please see pages 137-138 for the laminate options that are available.


Worksurface pricing:

Rectangle




Surface model	List price	Dimensions
2R3624-PHPL-__	\$362	36" w x 24" d
2R4224-PHPL-__	\$416	42" w x 24" d
2R4824-PHPL-__	\$463	48" w x 24" d
2R6024-PHPL-__	\$556	60" w x 24" d
2R7224-PHPL-__	\$608	72" w x 24" d
2R3630-PHPL-__	\$397	36" w x 30" d
2R4230-PHPL-__	\$438	42" w x 30" d
2R4830-PHPL-__	\$503	48" w x 30" d
2R6030-PHPL-__	\$583	60" w x 30" d
2R7230-PHPL-__	\$636	72" w x 30" d

120 degree




Surface model	List price	Dimensions
120-4824-PHPL-__	\$1,510	48" w x 24" d
120-6024-PHPL-__	\$2,124	60" w x 24" d
120-7224-PHPL-__	\$2,384	72" w x 24" d
120-4830-PHPL-__	\$1,715	48" w x 30" d
120-6030-PHPL-__	\$2,152	60" w x 30" d
120-7230-PHPL-__	\$2,416	72" w x 30" d

Equal corner




Surface model	List price	Dimensions
3EC606024-PHPL-__	\$1,426	60" wL x 60" wR x 24" d
3EC606030-PHPL-__	\$1,456	60" wL x 60" wR x 30" d
3EC727224-PHPL-__	\$2,384	72" wL x 72" wR x 24" d
3EC727230-PHPL-__	\$2,846	72" wL x 72" wR x 30" d

Offset corner left



Surface model	List price	Dimensions
3OCL604824-PHPL-__	\$1,275	60" wL x 48" wR x 24" d
3OCL724824-PHPL-__	\$1,391	72" wL x 48" wR x 24" d
3OCL844824-PHPL-__	\$1,722	84" wL x 48" wR x 24" d
3OCL726024-PHPL-__	\$1,587	72" wL x 60" wR x 24" d
3OCL846024-PHPL-__	\$1,853	84" wL x 60" wR x 24" d
3OCL604830-PHPL-__	\$1,296	60" wL x 48" wR x 30" d
3OCL724830-PHPL-__	\$1,407	72" wL x 48" wR x 30" d
3OCL844830-PHPL-__	\$1,747	84" wL x 48" wR x 30" d
3OCL726030-PHPL-__	\$1,655	72" wL x 60" wR x 30" d
3OCL846030-PHPL-__	\$1,880	84" wL x 60" wR x 30" d

Offset corner right



Surface model	List price	Dimensions
3OCR486024-PHPL-__	\$1,275	48" wL x 60" wR x 24" d
3OCR487224-PHPL-__	\$1,391	48" wL x 72" wR x 24" d
3OCR488424-PHPL-__	\$1,722	48" wL x 84" wR x 24" d
3OCR607224-PHPL-__	\$1,587	60" wL x 72" wR x 24" d
3OCR608424-PHPL-__	\$1,853	60" wL x 84" wR x 24" d
3OCR486030-PHPL-__	\$1,296	48" wL x 60" wR x 30" d
3OCR487230-PHPL-__	\$1,407	48" wL x 72" wR x 30" d
3OCR488430-PHPL-__	\$1,747	48" wL x 84" wR x 30" d
3OCR607230-PHPL-__	\$1,655	60" wL x 72" wR x 30" d
3OCR608430-PHPL-__	\$1,880	60" wL x 84" wR x 30" d

Laminates

TFL options: Available for TFL standard worksurfaces and for 48 hour quick ship







Patterns		Solids	
	Color code: BG Color name: Beigewood Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 7850-60		Color code: DW Color name: Designer White Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D354-60
	Color code: PC Color name: Phantom Charcoal Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 8214K-28		Color code: GR Color name: Grey Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 1500-60
	Color code: SO Color name: Shadow Oak Finish: Matte Manufacturer: Uniboard Uniboard Part #: 762		Color code: DV Color name: Dove Grey Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D92

Table bases and worksurfaces can be purchased independently or as a combination.
Fellowes worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Please note: Due to printing limitations, any and all laminate colors are not guaranteed to be accurately reproduced.

HPL standard options: Available for HPL standard worksurfaces

Patterns		Solids	
	Color code: MM Color name: Manitoba Maple Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 7911-60		Color code: DW Color name: Designer White Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D354-60
	Color code: BG Color name: Beigewood Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 7850-60		Color code: LN Color name: Linen Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D427-60
	Color code: BZ Color name: Brazilwood Finish: Fine velvet Manufacturer: Wilsonart Wilsonart Part #: 7946-38		Color code: AQ Color name: Antique White Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 1572-60
	Color code: PW Color name: Pinnacle Walnut Finish: Fine velvet Manufacturer: Wilsonart Wilsonart Part #: 7992-38		Color code: GR Color name: Grey Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 1500-60
			Color code: PL Color name: Platinum Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D315-60
			Color code: KB Color name: Khaki Brown Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D50-60
			Color code: SH Color name: Shadow Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D96-60
			Color code: SL Color name: Slate Gray Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: D91-60
			Color code: BK Color name: Black Finish: Matte Manufacturer: Wilsonart Wilsonart Part #: 1595-60



Product shown: Tech Dock,
FlexCharge3, Edge2-MS, Conceal,
Designer White worksurface

HPL premium options: Available for HPL premium worksurfaces

Patterns			
	Color code: PP Color name: Phantom Pearl Finish: Gloss line finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8211K-28		Color code: WH Color name: Walnut Heights Finish: Soft grain finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 7965K-12
	Color code: PE Color name: Phantom Ecru Finish: Gloss line finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8212K-28		Color code: EM Color name: Empire Mahogany Finish: Fine velvet Manufacturer: Wilsonart Wilsonart Part #: 7122T-38
			Color code: PC Color name: Phantom Charcoal Finish: Gloss line finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 8214K-28
			Color code: AN Color name: Asian Night Finish: Linearity Finish with Aeon Manufacturer: Wilsonart Wilsonart Part #: 7949K-18



Product shown: CPU-05, All-Flex 3-leg,
FlexCharge4, Lustre, Designer White
worksurface



Table Enhancements

Organization Accessories

Organization – Rising Loft™

*Available
in June



Statement of Line

Rail



Laptop Holder



Shelf



Power Module



Utility Cup



Adapter



Rising Monitor Arm



Rising Loft™ – Key Features




Rail
Available in three widths:
24.0" (22" actual), 48.0" (46" actual), and 60.0" (58" actual) (nominal)
Each rail includes back painted magnetic glass in Black (BLK), Platinum (PLT), or Designer White (DWT)
Clamps onto desks/surfaces 0"–3.23" thick
Includes a power module with (1) A/C, (1) USB-A, and (1) USB-C installed on right side of the rail standard. Power module can be moved to the left if needed. Additional power can be ordered and installed on 48" and 60" rails only

Rails can be attached to the support legs at three different positions to achieve desired height from the worksurface (3.01", 3.78", 4.56")
Rubber pads under support legs to ensure a tight fit without marring surface
UL and cUL approved
Weight Capacity:
75lbs. max total weight capacity when using monitor arms and/or laptop holders with 2 support legs
85 lbs. max total weight capacity when using monitor arms and/or laptop holders with 3 support legs (support legs can be ordered separately)

List: \$819
MODEL # LOFT-RAIL-24- _ _ _
List: \$1,079
MODEL # LOFT-RAIL-48- _ _ _
List: \$1,189
MODEL # LOFT-RAIL-60- _ _ _

Available Colors:
● BLK
● GRY
○ WHT



Shelf
Designed to be used for small accessories and personal items
Easily mounts to front of rail – no tools needed
Includes two integrated magnets to help secure the shelf to the front of the rail
Available in Black, Grey, and White
Dimensions: 13.0"L x 3.4"H x 4.9"D

List: \$35
MODEL # LOFT-SHELF- _ _ _

Available Colors:
● BLK
● GRY
○ WHT



Utility Cup
Conveniently holds pens, pencils, markers, and other writing utensils
Easily mounts to front of rail – no tools needed
Available in Black, Grey, and White
Dimensions: 6.0" x 2.5" x 4.25"

List: \$21
MODEL # LOFT-UTCUP- _ _ _
Available Colors:
● BLK
● GRY
○ WHT



Rising™ Monitor Arm + Rail Adapter
Adapter attaches to Rail and allows SnapKinetic™ assembly of monitor arm
Provides ergonomic positioning of monitor(s)
Finger-touch gas spring for easy adjustments
Available in Black or Platinum
Max weight capacity: 28lbs.

List: \$194
MODEL # LOFT-MA-ADP- _ _ _
Available Colors:
● BLK
● GRY
○ WHT



Additional Power Module
Power module includes (1) A/C, (1) USB-C
Only 48" and 60" rails accept an additional power module
9' power cord

List: \$181
MODEL # LOFT-PWR- _ _ _
Available Colors:
● BLK
● GRY
○ WHT



Laptop Holder + Rail Adapter
Adapter attaches to rail and allows SnapKinect™ assembly of laptop holder
12.2" laptop tray width
Designed exclusively for use for Loft (not compatible with other products)
Swivels to position laptop to desired angle
Height can be set at any position along the pole

List: \$260
MODEL # RSNG-LTH-ADP- _ _ _
Available Colors:
● BLK
● GRY

*Available in June

Rising Loft™ – Preconfigured Kits



Kit 1 – Basic
Rail + Utility Cup + Shelf
List: \$875
MODEL # LOFT-KIT1-24- _ _ _
List: \$1,135
MODEL # LOFT-KIT1-48- _ _
List: \$1,245
MODEL # LOFT-KIT1-60- _ _

● BLK
● PLT
○ DWT



Kit 2 – Single Monitor Arm
Rail + Utility Cup + Shelf + Rising Monitor Arm (includes rail adapter)
List: \$1,069
MODEL # LOFT-KIT2-24- _ _ _
List: \$1,329
MODEL # LOFT-KIT2-48- _ _
List: \$1,439
MODEL # LOFT-KIT2-60- _ _

● BLK
● PLT
○ DWT



Kit 3 – Dual Monitor Arm
Rail + Utility Cup + Shelf + Rising Monitor Arm (X2) (includes 2 rail adapters)
List: \$1,523
MODEL # LOFT-KIT3-48- _ _ _
List: \$1,633
MODEL # LOFT-KIT3-60- _ _
(LOFT-KIT3-60 will include a 3rd support leg)

● BLK
● PLT
○ DWT



Kit 4 – Monitor Arm + Laptop Holder
Rail + Utility Cup + Shelf + Rising Monitor Arm + Laptop Holder (includes 2 rail adapters)
List: \$1,589
MODEL # LOFT-KIT4-48- _ _ _
List: \$1,699
MODEL # LOFT-KIT4-60- _ _
(LOFT-KIT4-60 will include a 3rd support leg)

● BLK
● PLT
○ DWT

*Available in June

Rising Loft™ – Preconfigured Kits

**Available in June*



Kit 5 – Complete Workstation

Rail + Utility Cup + Shelf + Rising
Monitor Arm (includes 1 rail adapter)
+ Triumph or Victory Table Base +
60" x 30" Worksurface

List: \$3,205

MODEL # LOFT-KIT5T-60-___-DW

MODEL # LOFT-KIT5T-60-___-BG

List: \$3,413

MODEL # LOFT-KIT5VT-60-___-DW

MODEL # LOFT-KIT5VT-60-___-BG

(LOFT-KIT5T-60 and LOFT-KIT5VT-60 include 3rd support leg)

Rail Kit

BLK

DWT

Worksurface Laminate

DW BG

Order RSNG-SLDR in addition to make positioning monitors easier.

3-in-1 Feature Integration

Cord Management

Organizes & conceals cables and cords above the worksurface for easy accessibility



Power

Comes with integrated desktop power outlet(s) and USB ports for ease of charging electronics.




Glassboard

*Sleek glass façade with magnetic
back painted marker board*



Rising Loft™ – Measurements

**Available in June*



Privacy Screens



Centro

Privacy/modesty screen

\$485

MODEL # CENTRO-22- _ _ _

\$523

MODEL # CENTRO-28- _ _ _

\$561

MODEL # CENTRO-34- _ _ _

\$683

MODEL # CENTRO-46- _ _ _

\$734

MODEL # CENTRO-58- _ _ _

\$913

MODEL # CENTRO-70- _ _ _

Reversible design for privacy or modesty

Universal mounting system allows brackets to be set for privacy or modesty applications.

Eco-friendly

Centro screens are 100% recyclable and have been made from 60% post-consumer recycled plastic water bottles.

Custom options are available

Contact our Customer Service Department for a customized Centro quote. Minimum quantity of four required. Additional costs and lead time may apply.

Features

Available lengths: 22.0", 28.0", 34.0", 46.0", 58.0", and 70.0"
(Screens are actual size, sizes are designed to accommodate nominal worksurfaces)

25.0" height
Privacy application - 18.0" above/6.0" below
Modesty application - 6.0" above/18.0" below

0.8" thickness

22.0", 28.0", 34.0" and 46.0" screens come with two worksurface mounting brackets, 58.0" and 70.0" screens come with three brackets

Mounting brackets designed to accommodate 0.5"-1.8" thick worksurfaces

Lightweight screens

Sound level absorption up to .9 NRC rating


Convenient tackable surface


22.0" and 28.0" lengths are recommended for side applications. Larger sizes are recommended for the rear applications


VOC-Free


Warranty: 5 yr.


Available material colors


 Charcoal -COL
46"/58" ships in 48 hrs.
22"/28"/34"/70" **LT**


 Ash -ASH
46"/58" ships in 48 hrs.
22"/28"/34"/70" **LT**

 Slate -SLT
All sizes **LT**

 Sandstone -SND
All sizes **LT**

 Pear Green -GRN
All sizes **LT**

 Cobalt Blue -BLU
All sizes **LT**

 Iced Grey -ICE
All sizes **LT**

Wire Management

Deluxe Trough Kit

Cable management undermount tray



\$48

MODEL # TROUGH-DLX-KIT-BLK

Elegant, sleek design
Mounts to most flat surfaces
18.0" L x 3" W troughs - set of two
Mounts using heavy duty double sided tape and/or provided screws
The image above shows the set of two pieces
Warranty: Lifetime

Trough

Cable management undermount tray



\$35

MODEL # TROUGH-18-BLK

Mounts to most flat surfaces
18.0" L x 1.9" W troughs - set of two
Mounts using heavy duty double sided tape and/or provided screws
The image above shows one piece of the set
Warranty: Lifetime



Conceal

Cable management spine



\$82

MODEL # CONCEAL-GRY
MODEL # CONCEAL-BLK
MODEL # CONCEAL-WHT

53.5" total height
23 links
Links are detachable
Weighted bottom
Attaches to bottom of worksurface
Warranty: Lifetime



CPU Holders and Carts



CPU01
Simple CPU holder
\$218
MODEL # CPU01-BLK

- Features**
- 125lb. load capacity
 - 360° swivel
 - 17.8" glide track
 - 12.5" min. CPU depth
 - 8.0" min. CPU width
 - 24.0" min. CPU height
 - 60.0" adjustable straps
 - Nylon security bands
 - Warranty: Lifetime



CPU Mini
Small profile CPU holder
\$244
MODEL # CPUMINI-SLV

- Features**
- 55lb. load capacity
 - 360° swivel
 - 13.4" ball bearing glide track
 - 16.0"–22.0" adjustable height
 - Fits CPUs up to 20.0" in height
 - Warranty: Lifetime



CPU05
Heavy duty CPU holder
\$282
MODEL # CPU05

- Features**
- 100lb. load capacity
 - 360° swivel
 - 17.8" glide track
 - 2.5"–8.3" adjustable width
 - 13.0"–21.0" adjustable height
 - Warranty: Lifetime



CPU Cart
Mobile CPU cart
\$196
MODEL # CPUCART-1-BLK

- Features**
- 160 lb. load capacity
 - Fits CPUs ranging from 3.8"–9.0" wide
 - CPU sits in adjustable tray
 - Four swivel caster wheels (2 locking)
 - Easy to assemble; no tools required to make adjustments
 - Warranty: Lifetime



Supply and Technology Accessories



AA903
Keyboard drawer
slide platform
\$235
MODEL # AA903
*Not compatible with
articulating arms*

- Features**
- 25.0" width accommodates both keyboard and mouse
 - Retractable on 15.0" ball bearing slides
 - Palm rest for both keying and mousing
 - Warranty: Lifetime (platform)
10 yr. (palm rest/mouse pads)



ACDP01
Sliding Pencil Drawer
slide platform
\$149
MODEL # ACPD01-BLK

- Inside drawer dimensions:
20.5" w x 16.3" d x 2.0" h
Opening requirements:
23.0" w x 16.3" d x 2.0" h
Retracts on 16.0" ball bearing slides
Warranty: 10 yr.



Supply and Technology Accessories



Tech Dock
Sliding tech tray

\$174
MODEL # TDock-SLV

Stow and go
Gain back up to 25% of your desktop space with this laptop storage solution that easily accommodates a single laptop or a laptop/docking station combo.

Glide and swivel
Can swivel 360° under the worksurface for increased accessibility, with or without the glide track attached.

- Features**
- 15.0" laptop tray width
 - 12.0"-16.0" adjustable depth
 - 17" glide track
(can be fix-mounted without the glide track if space under worksurface is limited)
 - 4.2" or 4.9" adjustable height below worksurfaces
 - 360° swivel
 - 20lb. weight capacity
 - Rubber coated grip
 - Convenient cable access
 - Warranty: Lifetime



Supply and Technology Accessories



Hana Monitor Riser
\$354
HANA-MR-BLK
HANA-MR-WHT
3 different settings to achieve your perfect viewing height

Easily accessible fast charging dual USB ports to keep devices powered

Rear facing dual USB data ports to easily connect your mouse and keyboard

Metal base with real wood veneer finish, available in black or white

Platform Size: (W x D) 15.8"x 7.6"

Number of Height Settings: 3


Height Adjustment Measurements:
4.0" / 5.0" / 6.0"

USB Connectivity: 2 x USB 2.0 (Type A) / 2 x Quick Charge USB Ports 2.1A (Type A)

Material: Steel / Wood Veneer

Designed for use with monitors up to 40 lbs.

Warranty: 10 yr.



Hana Laptop Support
\$357
HANA-LTS-BLK
HANA-LTS-WHT
Effortless finger touch height adjustment with gas spring arm

Easily collaborate with colleagues with flexible movement

Easily accessible fast charging dual USB ports to keep devices powered

Rear facing dual USB data ports to easily connect devices such as mouse and keyboard

Built-in cable management

Metal base with real wood veneer finish, available in black or white

Product Dimensions:
(H x W x D) 4.0" x 13.5" x 15.6"

Platform Size: (W x D) 11.8" x 11.4"

Height Adjustment Measurements:
4.0"- 16.0"

Angle Adjustments: Platform tilts +/- 45°

Arm Swivel: +/- 45°


USB Connectivity: 2 x USB 2.0 (Type A) / 2 x Quick Charge USB Ports 2.1A (Type A)

Material: Steel / Wood Veneer

Weight Capacity: 10 lbs.

Maximum Laptop Size: 19"

Warranty: 10 yr.





Hana Adjustable Foot Support

\$407

HANA-FS-BLK
HANA-FS-WHT

Promotes motion with the active movement feature, which allows for flexible platform movements

Light or heavy tension setting to adjust the ease of movement

Two height settings for sitting and standing

Change height positions with effortless foot adjustment

Metal base with non-slip real wood veneer finish, available in black or white

Platform Size: (W x D) 17.7" x 13.8"

Number of Height Settings: 2

Height Adjustment Range:
- Low Setting: 4.7" - 6.9"
- High Setting: 7.0" - 8.6"

Angle Adjustments: +/- 5°


Tension Adjustments: Light or heavy

Material: Steel / Wood Veneer

Weight Capacity: 110 lbs.

Warranty: 10 yr.

Designer wood veneer finish on all Hana series products



Storage Solutions

Flexible Storage

Maximize unused workspace with the MP series storage pedestals. The MP series includes a Standard and Slim option allowing you to add efficient storage where it fits best while maximizing knee space.



Products shown: VictoryLX 3-leg, Designer White Worksurface, LilyLEDX, Edge, Conceal, CPU05, Centro, Solution Ultra, Railway, MP-Slim, Iced Grey Cushion

MP™ Series



Mobile storage pedestals

Standard

\$502

- MP-STND-SLV
- MP-STND-BLK
- MP-STND-WHT

Available finishes

- Silver -SLV
- White -WHT
- Black -BLK

Features

Heavy duty steel construction

Cabinet measurements

- Standard: 15.4" w x 18.5" h x 19.7" d
- Slim: 11.8" w x 18.5" h x 19.7" d

Measuring only 18.5" in overall height, ESI's mobile ped will remain untouched even at the lowest position of our 3-stage height adjustable tables.

Box/file with full extension ball bearing slides

Locking front casters, stationary rear casters

Anti-tip front stability caster

Adjustable divider to accommodate both letter and legal size files

Ample room for personal items

200lb weight seated capacity

Recessed side pulls for clean aesthetics

Available in black, silver and white finishes that coordinate with Fellowes table bases

Includes two break-away, anti-bacterial keys with Sanitized® coating

Includes repositionable pencil drawer

Peds will clear all Fellowes table feet with glides to allow for extra space under desk

Meets BIFMA X5.9 standards for performance and stability

For information regarding master keys, replacement core sets and keyed-alike options, please contact a Customer Service Representative

Ships fully assembled

Warranty: Lifetime

MP™ Series



Mobile storage cushion

Standard

\$112

- MPCUSH-STND-BLK
- MPCUSH-STND-BLU
- MPCUSH-STND-CBN
- MPCUSH-STND-GNM
- MPCUSH-STND-GRN
- MPCUSH-STND-ICE

Features

Provides convenient additional seating

Seat cushion adds approximately 1.2" h to pedestal

Available in seven fabric colors to compliment Centro privacy/modesty panels

Meets CAL-117 flammability standards

EPA TSCA Title VI Compliant

100% Polyester Fabric

100% Polyurethane Foam

Do not wash. Spot clean only using mild soap and water

Warranty: 5 yr.



Mobile storage pedestals

Slim

\$447

- MP-SLIM-SLV
- MP-SLIM-BLK
- MP-SLIM-WHT

Available finishes

- Silver -SLV
- White -WHT
- Black -BLK

Mobile storage cushion

Slim

\$112

- MPCUSH-SLIM BGE
- MPCUSH-SLIM-BLK
- MPCUSH-SLIM-CBN
- MPCUSH-SLIM-GNM
- MPCUSH-SLIM-GRN
- MPCUSH-SLIM-ICE

Available Cushion fabric

- Beige - BGE
- Black - BLK
- Cobalt Blue - BLU
- Carbon - CBN
- Gunmetal - GNM
- Pear Green - GRN
- Iced Grey -ICE

Sit to Stand

Move. And be moved.

Sit. Stand. Empower your day. Our sit-to-stand workstations move with you, and easily adjust to comfortably fit your needs throughout your workday. They support monitors or laptops and feature built-in keyboard platforms. Best yet, existing fixed-height workstations can be easily retrofitted to offer adjustable height options, offering the utmost in flexibility.



Lotus™RT1



LOTUS-RT1 - raised



LOTUS-RT1 - lowered

Lotus RT1

Dynamic motion sit-to-stand workstation

\$1,533

LOTUS-RT1-BLK

LOTUS-RT1-WHT

Effortless Adjustability

The Tri-Motion Adjustability of the Lotus affords the ability to easily work and collaborate with ultimate stability.

Smooth Lift Technology

Easily transition from sitting to standing with Smooth Lift Technology™.

High End Aesthetics

Sturdy wood veneer work surface – available in black or white.



Features

Smooth Lift Technology™ with easy dial weight adjustment; patent pending design

TriMotion™ flexibility: 180° rotation at the base, 90° vertical adjustment, 180° platform rotation

Clamp mounts to worksurface (1.0" to 3.1" thick)

17.0" height adjustment range

Precision positioning

25 lbs. platform weight capacity
(20 lbs. weight capacity for the monitor platform and 5 lbs. weight capacity for the keyboard platform)

28.4" w x 8.3" d top platform

28.4" w x 9.7" d keyboard platform

24.0" minimum worksurface depth required for the Lotus RT to function properly

Integrated monitor arm mount allows for 75mm/100mm VESA mount
- 16.5" monitor mount height range
- Holds 20 lbs. max. monitor weight

Includes integrated cable management

Some assembly required

Waterfall design allows users to prop up a phone, notepad or documents

Warranty: Lifetime

Available finishes

● Black -BLK

○ White -WHT

Lotus™RT2



LOTUS-RT2 - raised

LOTUS-RT2 - lowered

Lotus RT2
Dynamic motion sit-to-stand workstation

\$1,592
LOTUS-RT2-BLK
LOTUS-RT2-WHT

Effortless Adjustability
The Tri-Motion Adjustability of the Lotus affords the ability to easily work and collaborate with ultimate stability.

Smooth Lift Technology
Easily transition from sitting to standing with Smooth Lift Technology™.

High End Aesthetics
Sturdy wood veneer work surface – available in black or white.

- Features**
- Smooth Lift Technology™ with easy dial weight adjustment; patent pending design
 - TriMotion™ flexibility: 180° rotation at the base, 90° vertical adjustment, 180° platform rotation
 - Clamp mounts to worksurface (1.0" to 3.1" thick)
 - 17.0" height adjustment range
 - Precision positioning
 - 25 lbs. platform weight capacity (20 lbs. weight capacity for the monitor platform and 5 lbs. weight capacity for the keyboard platform)
 - 28.4"w x 8.3"d top platform
 - 28.4"w x 9.7"d keyboard platform
 - 24.0" minimum worksurface depth required for the Lotus RT to function properly
 - Integrated monitor arm mount allows for 75mm/100mm VESA mount
 - 16.5" monitor mount height range
 - 10 lbs. each max. monitor weight
 - Holds 20 lbs. max. monitor weight (bezel measured left to right)
 - Includes integrated cable management
 - Assembly required
 - Waterfall design allows users to prop up a phone, notepad or documents
 - Warranty: Lifetime

Available finishes

- ☒ Black -BLK
- ☐ White -WHT


Power Solutions

Charge ahead and power through

Get power when and where you need it most: bring outlets to you with the FlexCharge series or wire your work place with the Railway series. Our options make these power source solutions adaptable for virtually any workspace.



Product shown: Railway, FlexCharge4, Edge, Centro, All-Flex 3-leg, Designer White worksurface



Railway

Power and data solution

Versatile solution

Optimize floor plans with various workspace needs by adding Railway data and power rails. Available in four widths with power and data on both sides.

Visually clean

The simple, non-panel design keeps all of the electrical and data wiring separated and hidden inside the rail.

Feet

All posts come standard with a T-foot which is ideal for use in open floor plans. Alternatively, the L-foot is available to accommodate applications against a wall or partition.

Features

Four available widths: 36.0", 48.0", 60.0", and 72.0"

18.0"h x 3.3"w post

3.6"w x 12.0"d T foot *(standard)*

3.6"w x 7.8"d L foot *(optional)*

Power and data can be utilized on both sides of the rail

Cable/data channel

Up to ten rails can be connected to each other *(for anything over ten rails, contact a local electrician)*

Up to eight 125V AC outlets per rail and four inputs for data

Specify base or ceiling feed

UL listed

20 amps

Four circuits, eight wire Byrne™ 8trac system


Fourth circuit is isolated and dedicated


Optional electric compliance available for municipal standards such as NY Box, California Title 24, and Chicago


Please reference the Railway Spec Guide for more details


Warranty: Lifetime

Available finishes

 Silver -SLV
48.0"/60.0" ships in 48 hrs.
36.0"/72.0" **LT**

 Black -BLK
All sizes **LT**

 White -WHT
All sizes **LT**



Rail

MODEL #		
RAIL-RWY36-DBL-_-_-	\$1,029	LT
RAIL-RWY36-DBL-CHI-_-_-	\$1,029	LT
RAIL-RWY36-DBL-CALI-_-_-	\$1,029	LT
RAIL-RWY48-DBL-_-_-	\$1,077	LT
RAIL-RWY48-DBL-CHI-_-_-	\$1,077	LT
RAIL-RWY48-DBL-CALI-_-_-	\$1,077	LT
RAIL-RWY60-DBL-_-_-	\$1,158	LT
RAIL-RWY60-DBL-CHI-_-_-	\$1,158	LT
RAIL-RWY60-DBL-CALI-_-_-	\$1,158	LT
RAIL-RWY72-DBL-_-_-	\$1,244	LT
RAIL-RWY72-DBL-CHI-_-_-	\$1,244	LT
RAIL-RWY72-DBL-CALI-_-_-	\$1,244	LT



Ceiling feed

MODEL #		
CEILINGFEED-144	\$320	LT
CEILINGFEED-144-NY	\$654	LT
CEILINGFEED-144-CALI	\$519	LT

Power pole

MODEL #		
RAIL-POLE-142-_-_-	\$357	LT

Base feed

MODEL #		
BASEFEED-72-END	\$262	LT
BASEFEED-72-END-NY	\$408	LT
BASEFEED-72-END-CALI	\$403	LT



Rail jumper

MODEL #		
RAIL-JUMPER-22	\$169	LT




End posts

MODEL #		
POSTKIT-END-DBL-_-_-	\$333	LT



3-way posts

MODEL #		
POSTKIT-3WAY-DBL-_-_-	\$362	LT



4-way posts

MODEL #		
POSTKIT-4WAY-DBL-_-_-	\$378	LT




90° posts

MODEL #		
POSTKIT-90-DBL-_-_-	\$348	LT



180° posts

MODEL #		
POSTKIT-180-DBL-_-_-	\$348	LT



120° posts

MODEL #		
POSTKIT-120-DBL-_-_-	\$325	LT




180° knock out posts

MODEL #		
POSTKIT-180KO-DBL-_-_-	\$310	LT

Linear configurations

2-pack <i>(up to two users)</i>	MODEL #	
	RAIL-KIT36-2PK-DBL-_-_-	\$1,892
	RAIL-KIT48-2PK-DBL-_-_-	\$1,939
	RAIL-KIT60-2PK-DBL-_-_-	\$2,018
	RAIL-KIT72-2PK-DBL-_-_-	\$2,106
<i>Posts, rails, and feet will match specified finish</i>		
4-pack <i>(up to four users)</i>	MODEL #	
	RAIL-KIT36-4PK-DBL-_-_-	\$3,407
	RAIL-KIT48-4PK-DBL-_-_-	\$3,500
	RAIL-KIT60-4PK-DBL-_-_-	\$3,662
	RAIL-KIT72-4PK-DBL-_-_-	\$3,833
<i>Posts, rails, and feet will match specified finish</i>		
6-pack <i>(up to six users)</i>	MODEL #	
	RAIL-KIT36-6PK-DBL-_-_-	\$4,922
	RAIL-KIT48-6PK-DBL-_-_-	\$5,064
	RAIL-KIT60-6PK-DBL-_-_-	\$5,304
	RAIL-KIT72-6PK-DBL-_-_-	\$5,560
<i>Posts, rails, and feet will match specified finish</i>		
8-pack <i>(up to eight users)</i>	MODEL #	
	RAIL-KIT36-8PK-DBL-_-_-	\$6,437
	RAIL-KIT48-8PK-DBL-_-_-	\$6,627
	RAIL-KIT60-8PK-DBL-_-_-	\$6,948
	RAIL-KIT72-8PK-DBL-_-_-	\$7,289
<i>Posts, rails, and feet will match specified finish</i>		



When considering space requirements, it is important to remember to include the total combination of rail and post measurements.

Linear configurations


2-pack *(up to two users)*



4-pack *(up to four users)*



6-pack *(up to six users)*



8-pack *(up to eight users)*



Run includes:

- Two - End posts
- One - Rail in the size of your choosing, double run
- One - Base feed
- Two - T-feet
- Four - Receptacles
- Two - Data ports

A **2-pack** is a one to two user configuration
Up to **two** users can be provided power and data based on specified run
Kits not applicable in New York, Chicago, or California

Run includes:

- Two - End posts
- One - 180° post
- Two - Rails in the size of your choosing, double run
- One - Base feed
- Three - T-feet
- One - Jumper
- Eight - Receptacles
- Four - Data ports

A **4-pack** is a two to four user configuration
Up to **four** users can be provided power and data based on specified run
Kits not applicable in New York, Chicago, or California

Run includes:

- Two - End posts
- Two - 180° posts
- Three - Rails in the size of your choosing, double run
- One - Base feed
- Four - T-feet
- Two - Jumpers
- Twelve - Receptacles
- Six - Data ports

A **6-pack** is a three to six user configuration
Up to six users can be provided power and data based on specified run
Kits not applicable in New York, Chicago, or California

Run includes:

- Two - End posts
- Three - 180° posts
- Four - Rails in the size of your choosing, double run
- One - Base feed
- Five - T-feet
- Three - Jumpers
- Sixteen - Receptacles
- Eight - Data ports

An **8-pack** is a four to eight user configuration
Up to eight users can be provided power and data based on specified run
Kits not applicable in New York, Chicago, or California

FlexCharge™ Hub ES



FCHHUB-ES

Desktop Charging Station for Edge, Evolve and Sena Monitor Arms

\$265

- FCHHUB-ES-SLV
- FCHHUB-ES-BLK
- FCHHUB-ES-WHT

Convenient accessibility

PowerHub offers a convenient yet out-of-the-way place to charge personal devices keeping the worksurface environment clear.

Charging options

PowerHub offers 3 charging options, USB-A, USB-C and Qi Wireless.

Quality testing

Meets UL 62368-1 and CAN/CSA C22.2 No. 62368-1:2014

Not intended for use with the EDGE-MAX series.

Features

Qi wireless charging pad, 5V-2A (10W Coil)

Two fast charging USB ports:
(1) USB-A (5V-2.4A charging speed)
(1) USB-C (5V-2A charging speed)

Power Consumption:
Max power output: 44W
No load: 2-3 W
Full load (all ports used): 40W

Power insert:
AC Input - 120V
DC Output - 12V, 3A

Built-in surge protection

UL and cUL listed

6' power cord

Multiple top covers included to best fit users' monitor arm configuration

Warranty: 10 yr.

Available finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

FlexCharge™ Hub K1



FlexCharge Hub K1

Desktop Charging Station for Single Kata and KataEX monitor arms

\$265

- FCHHUB-K1-SLV
- FCHHUB-K1-BLK
- FCHHUB-K1-WHT

Convenient accessibility

PowerHub offers a convenient yet out-of-the-way place to charge personal devices keeping the worksurface environment clear.

Charging options

PowerHub offers 3 charging options, USB-A, USB-C and Qi Wireless.

Quality testing

Meets UL 62368-1 and CAN/CSA C22.2 No. 62368-1:2014

Features

Qi wireless charging pad, 5V-2A (10W Coil)

Two fast charging USB ports:
(1) USB-A (5V-2.4A charging speed)
(1) USB-C (5V-2A charging speed)

Power Consumption:
Max power output: 44W
No load: 2-3 W
Full load (all ports used): 40W

Power insert:
AC Input - 120V
DC Output - 12V, 3A

Built-in surge protection

UL and cUL listed

6' power cord

Warranty: 10 yr.

Available finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

FlexCharge™ Hub K2



FlexCharge Hub K2

Desktop Charging Station for Dual
Kata and Kata2-MS monitor arms

\$265

- FCHHUB-K2-SLV
- FCHHUB-K2-BLK
- FCHHUB-K2-WHT

Convenient accessibility

PowerHub offers a convenient yet out-of-the-way place to charge personal devices keeping the worksurface environment clear.

Charging options

PowerHub offers 3 charging options, USB-A, USB-C and Qi Wireless.

Quality testing

Meets UL 62368-1 and CAN/CSA C22.2 No. 62368-1:2014

Features

Qi wireless charging pad, 5V-2A (10W Coil)

Two fast charging USB ports:
(1) USB-A (5V-2.4A charging speed)
(1) USB-C (5V-2A charging speed)

Power Consumption:
Max power output: 44W
No load: 2-3 W
Full load (all ports used): 40W

Power insert:
AC Input - 120V
DC Output - 12V, 3A

Built-in surge protection

UL and cUL listed

6' power cord

Warranty: 10 yr.

Available finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT

FlexCharge™ Hub K2



FlexCharge™4CX



FlexCharge4CX

Personal desktop power

\$456

MODEL # FCH4CX-_-_-

Quick reach

Puts power within reach for any individual desk or benching environment.

Extended reach

Six additional AC outlets on the power adapter which mounts below the worksurface for all workstation equipment that needs power but doesn't need to be seen.

Charging

Includes quick-charge USB-A and USB-C ports for powering up phones, tablets or other devices.

Quality testing

Meets CSA C22.2 No269 surge protection guidelines.

Features

Power module:

- Two AC outlets- 15A, 125V, 60Hz
- One quick-charge USB-A port- 3A, 5V
- One quick-charge USB-C port- 3A, 5V

Power strip: six AC outlets

Power module: Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount

Power strip: mounts below the worksurface

Meets spill-protection criteria

UL and cUL listed

9.0' power cord *(black)*

28.5" connection cord *(color matched to power module)*

Indicator light illuminates when built-in surge protection is active

Warranty: 10 yr.

Available finishes

- White -WHT
- Black -BLK

FlexCharge™4C



FlexCharge4C

Personal desktop power

\$293

MODEL # FCH4C-_-_-

Quick reach

Puts power within reach for any individual desk or benching environment.

Charging

Includes quick-charge USB-A and USB-C ports for powering up phones, tablets or other devices.

Quality testing

Meets CSA C22.2 No269 surge protection guidelines.

Features

Two AC outlets: 15A, 125V, 60Hz

One quick-charge USB-A port: 3A, 5V

One quick-charge USB-C port: 3.1A, 5V

Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount

Meets spill-protection criteria

UL and cUL listed

9.0' power cord

Indicator light illuminates when built-in surge protection is active

Warranty: 10 yr.

Available finishes

- White -WHT
- Black -BLK

FlexCharge™4



FlexCharge4
Personal desktop power

\$266
MODEL # FCH4-DSK-_-_-

Quick reach
Puts power within reach for any individual desk or benching environment.

Charging
Includes quick-charge USB-A ports for powering up phones, tablets or other devices.

Quality testing
Meets CSA C22.2 No269 surge protection guidelines.

Features
Two AC outlets: 15A, 125V, 60Hz
Two quick-charge USB-A ports: 3.1A, 5V
Max 15.5W for the unit
Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount
Meets spill-protection criteria
UL and cUL listed
9.0' power cord
Indicator light illuminates when built-in surge protection is active
Warranty: 10 yr.



Available finishes

○ White -WHT

● Black -BLK

FlexCharge™3C and 3



FlexCharge3C
Personal desktop power

\$210
MODEL # FCH3C-_-_-

Quick reach
Puts power within reach for any individual desk or benching environment.

Charging
Includes quick-charge USB-A and USB-C ports for powering up phones, tablets or other devices.

Features
One AC outlet: 15A, 125V, 60Hz
One quick-charge USB-A port: 2.4A, 5V
One quick-charge USB-C port: 5V/3A, 9V/3A, 12V/2.5A, 15V/2.0A, 20V/1.5A (PD3.0) (device dependent)
Mounts with a desk clamp
Meets spill-protection criteria
UL and cUL listed
9.0' power cord
Warranty: 10 yr.



FlexCharge3
Personal desktop power

\$183
MODEL # FCH3-DSK-_-_-

Quick reach
Puts power within reach for any individual desk or benching environment.

Charging
Includes quick-charge USB-A ports for powering up phones, tablets or other devices.

Features
One AC outlet: 15A, 125V, 60Hz
Two quick-charge USB-A ports: 3.1A, 5V
Max 15.5W for the unit
Mounts with a desk clamp
Meets spill-protection criteria
UL and cUL listed
9.0' power cord
Warranty: 10 yr.



Available finishes

○ White -WHT

● Black -BLK

A (key)stroke of genius

Beat fatigue and boost your productivity with a simple solution—maximizing your keyboard. Our keyboard solutions feature built-in elements like tilt adjustment, palm rest, and glide track to elevate your comfort, and are highly adaptable to fit your specific needs.



Product shown: Solution 1, VictoryLX 3-leg, Designer White worksurface, FlexCharge4, Centro, Railway, Evolve2-FMS

Combo Solutions



Solution Ultra

Keyboard combo solution

\$593

MODEL # SOLUTION ULTRA

Switch-n-click mousing

Adjust mousing area to be used in three positions: over the keyboard, next to the keyboard or in a mouse forward position.

Lift-and-lock

Make quick and easy adjustments and set a comfortable tilt.

Features

Recommended for radius corner worksurfaces

PL217 keyboard platform

18.8" keyboard platform with 9.3" switch-n-click mousing platform

AA360 articulating arm

Lift-and-lock adjustment

21.0" glide track

21.0" clearance required for full retraction

±15° tilt adjustment

7.0" adjustment range
2.5" height above track
4.5" height below track

360° glide track rotation

Positions flush with worksurface

Warranty: Lifetime (articulating arm/platform)
10 yr. (palm rest/mouse pads)



Solution All-Fit

Keyboard combo solution

\$556

MODEL # SOLUTION ALL-FIT

Save space

Keyboard platforms help maximize the amount of available space on a worksurface.

Dual retraction

This innovative mechanism retracts at two points to achieve full clearance under worksurfaces as shallow as 13 inches.

Features

Recommended for shallow worksurfaces, or benching applications

PL003-27N keyboard platform

27.0" keyboard platform with notch

AA100-PTLO articulating arm

Lift-and-lock adjustment

12.3" glide track

13.0" clearance required for full retraction


+22.6°/-12.4° tilt adjustment

6.0" height adjustment range
2.4" height above track
3.6" height below track

360° glide track rotation

Positions flush with worksurface

Warranty: Lifetime (articulating arm/platform)
10 yr. (palm rest/mouse pads)



Combo Solutions

Solution 1

Solution 1CC

Keyboard platform combo



\$406

MODEL # SOLUTION 1
MODEL # SOLUTION 1CC

Solution 2

Solution 2CC

Keyboard platform combo



\$524

MODEL # SOLUTION 2
MODEL # SOLUTION 2CC




Solution 3

Keyboard platform combo



\$587

MODEL # SOLUTION 3

Recommended for straight edge worksurfaces (Solution 1) or diagonal corner worksurfaces (Solution 1CC)	Recommended for straight edge worksurfaces (Solution 2) or diagonal corner worksurfaces (Solution 2CC)	Recommended for radius corner worksurfaces
PL003-25 or PL003CC-25 keyboard platform	PL003-25 or PL003CC-25 keyboard platform	PL215 keyboard platform
25.0" keyboard platform, rectangle or cut corner	25.0" keyboard platform, rectangle or cut corner	18.8" keyboard platform with swivel mouse-below platform
AA260 articulating arm	AA360 articulating arm	AA360 articulating arm
Spring assisted adjustment	Lift-and-lock adjustment	Lift-and-lock adjustment
17.0" glide track	21.0" glide track	21.0" glide track
–	21.0" clearance required for full retraction	21.0" clearance required for full retraction
±15° tilt adjustment	±15° tilt adjustment	±15° tilt adjustment
6.3" adjustment range 1.3" height above track 5.0" height below track	7.0" adjustment range 2.5" height above track 4.5" height below track	7.0" adjustment range 2.5" height above track 4.5" height below track
360° glide track rotation	360° glide track rotation	360° glide track rotation
Positions flush with worksurface	Positions flush with worksurface	Positions flush with worksurface
Warranty: Lifetime <i>(articulating arm/platform)</i> 10 yr. <i>(palm rest/mouse pads)</i>	Warranty: Lifetime <i>(articulating arm/platform)</i> 10 yr. <i>(palm rest/mouse pads)</i>	Warranty: Lifetime. <i>(articulating arm/platform)</i> 10 yr. <i>(palm rest/mouse pads)</i>
		

Combo Solutions

Solution Ultra

Keyboard platform combo



\$593

MODEL # SOLUTION ULTRA

Recommended for radius corner worksurfaces	Recommended for straight edge worksurfaces (Solution 6) or diagonal corner worksurfaces (Solution 6CC)
PL217 keyboard platform	PL003-27 or PL003CC-27 keyboard platform
18.8" keyboard platform with 9.3" switch-n-click mousing platform	27.0" keyboard platform, rectangle or cut corner
AA360 articulating arm	AA750DAT articulating arm
Lift-and-lock adjustment	Lift-and-lock and dial-a-tilt adjustment
21.0" glide track	21.8" glide track
21.0" clearance required for full retraction	22.0" clearance required for full retraction
±15° tilt adjustment	+10°/-15° tilt adjustment
7.0" adjustment range 2.5" height above track 4.5" height below track	7.2" adjustment range 2.3" height above track 4.9" height below track
360° glide track rotation	360° glide track rotation
Positions flush with worksurface	Positions flush with worksurface
–	–
Warranty: Lifetime <i>(articulating arm/platform)</i> 10 yr. <i>(palm rest/mouse pads)</i>	Warranty: Lifetime <i>(articulating arm/platform)</i> 10 yr. <i>(palm rest/mouse pads)</i>
	

Solution 6

Solution 6CC

Keyboard platform combo



\$557

MODEL # SOLUTION 6
MODEL # SOLUTION 6CC

Combo Solutions



Solution 7

Keyboard platform combo



\$615

MODEL # SOLUTION 7

Recommended for radius corner worksurfaces	Recommended for straight edge worksurfaces or shallow worksurfaces
PL217 keyboard platform	PL003-27N keyboard platform
18.8" keyboard platform with 9.3" switch-n-click mousing platform	27.0" keyboard platform with notch
AA750DAT articulating arm	AA100-PTLO articulating arm
Lift-and-lock and dial-a-tilt adjustment	Lift-and-lock adjustment
21.8" glide track	12.3" glide track
22.0" clearance required for full retraction	13.0" clearance required for full retraction
+10°/-15° tilt adjustment	+22.6°/-12.4° tilt adjustment
7.2" adjustment range 2.3" height above track 4.9" height below track	6.0" adjustment range 2.4" height above track 3.6" height below track
360° glide track rotation	360° glide track rotation
Positions flush with worksurface	Positions flush with worksurface
–	–
Warranty: Lifetime (articulating arm/platform) 10 yr. (palm rest/mouse pads)	Warranty: Lifetime (articulating arm/platform) 10 yr. (palm rest/mouse pads)
	

Solution All-Fit

Keyboard platform combo



\$556

MODEL # SOLUTION ALL-FIT

Keyboard Platforms



PL003

Rectangle platform

\$196

MODEL # PL003-25
25.0" wide (shown)

\$207

MODEL # PL003-27
27.0" wide

\$207

MODEL # PL003-27N
27.0" wide notched

Features


For use with straight edge worksurfaces

Accommodates left or right-handed users

Palm rest for both keying and mousing

PL003-27N can only be used in the Solution All-Fit for complete retraction

Warranty: Lifetime (platform)
10 yr. (palm rest/mouse pads)



PL003CC

Cut corner platform

\$196

MODEL # PL003CC-25
25.0" wide (shown)

\$207

MODEL # PL003CC-27
27.0" wide

Features

For use with diagonal corner worksurfaces

Accommodates left or right-handed users

Palm rest for both keying and mousing

Warranty: Lifetime (platform)
10 yr. (palm rest/mouse pads)



PL215

Swivel mouse-below platform

\$259

MODEL # PL215

Features

Offers a universal fit on virtually any worksurface shape

Accommodates left or right-handed users

Palm rest for both keying and mousing

18.8" platform with a swivel-below mousing platform

Warranty: Lifetime (platform)
10 yr. (palm rest/mouse pads)



Keyboard Platforms



PL217
Switch-n-click platform

\$265
MODEL # PL217 *(shown)*

Features
Reversible design; mouse platform mounts on left or right side - no tools required

Independent tilt and swivel mousing platform

Can be used as a mouse in line, mouse over, or mouse forward

Warranty: Lifetime *(platform)*
10 yr. *(palm rest/mouse pads)*



Articulating Arms

AA260
Articulating arm



\$210

MODEL # AA260

AA330
Articulating arm



\$328

MODEL # AA330


AA360
Articulating arm



\$328

MODEL # AA360

Spring assisted adjustment	Lift-and-lock adjustment	Lift-and-lock adjustment
17.0" glide track	17.8" glide track	21.0" glide track
No minimum clearance required for full retraction	No minimum clearance required for full retraction	21.0" minimum clearance required for full retraction
±15° tilt adjustment	±15° tilt adjustment	±15° tilt adjustment
6.3" adjustment range 1.3" height above track 5.0" height below track	7.0" adjustment range 2.5" height above track 4.5" height below track	7.0" adjustment range 2.5" height above track 4.5" height below track
360° glide track rotation	360° glide track rotation	360° glide track rotation
Positions flush with worksurface	Positions flush with worksurface	Positions flush with worksurface
Recommended for any platform	Recommended for any platform	Recommended for any platform
Warranty: Lifetime	Warranty: Lifetime	Warranty: Lifetime



Visit our website for additional specs, dimensional drawings, alternative images and more resources for all of Fellowes' products.

Articulating Arms


AA100-PTLO

Articulating arm



\$349

MODEL # AA100-PTLO

Lift-and-lock adjustment
12.3" glide track
13.0" minimum clearance required for full retraction
+22.6°/-12.4° tilt adjustment
6.0" adjustment range 2.4" height above track 3.6" height below track
360° glide track rotation
Positions flush with worksurface
Recommended for PLO03-27N notched platform
Warranty: Lifetime



AA750DAT

Articulating arm



\$350

MODEL # AA750DAT

Lift-and-lock and dial-a-tilt adjustment
21.8" glide track
22.0" minimum clearance required for full retraction
+10°/-15° tilt adjustment
7.1" adjustment range 2.2" height above track 4.9" height below track
360° glide track rotation
Positions flush with worksurface
Recommended for any platform
Warranty: Lifetime


Articulating Arms

AA370

Articulating arm with extended reach



\$440

MODEL # AA370

Lift-and-lock adjustment
24.8" glide track
25.0" minimum clearance required for full retraction
±15° tilt adjustment
16.0" adjustment range 8.0" height above track 8.0" height below track
360° glide track rotation
Positions flush with worksurface
Recommended for any platform
-
Warranty: Lifetime



AA780DAT

Articulating arm with Dial-a-Tilt adjustment



\$518

MODEL # AA780DAT

Lift-and-lock and dial-a-tilt adjustment
21.8" glide track
22.0" minimum clearance required for full retraction
+10°/-15° tilt adjustment
12.9" adjustment range 8.2" height above track 4.7" height below track
360° glide track rotation
Positions flush with worksurface
Recommended for any platform
-
Warranty: Lifetime




Positive tilt

Negative tilt

Visit our website for additional specs, dimensional drawings, alternative images and more resources for all of Fellowes' products.

Keyboard Accessories



Spacer Kit
\$85
MODEL # SPACERKIT-KBD-BLK

- Features**
- Ideal for height adjustable tables and benching systems, the kit creates a flat mounting surface for keyboard arms and glide tracks where cross channels typically prevent installations
 - Attaches between underside of worksurface and a keyboard arm or glide track
 - Includes mounts for benching systems and height adjustable tables
 - Powder coated steel construction
 - Two sets of spacers included to accommodate needed spacing between 1.0"-2.2"
 - Includes installation hardware
 - Warranty: Lifetime.



Lighting
Shine on

Cast light where it's needed—after all, your work deserves to be seen. Our desktop task lighting and under-cabinet lighting feature a variety of options, like dimming, occupancy sensors, flexible tilt and rotation, and energy-saving enhancements.



Product shown: Ambler Performance

Amble™ Series



Amble Performance

Single arm LED task light with USB-A port

\$590

MODEL # AMB-PERF- _ _ _

Available finishes

- ☐ Silver -SLV
- ☐ White -WHT
- ☒ Black -BLK
- ☐ Ash Grey -GRY

Features

- LED
- 3500 K color temperature
- 206 lumens
- 83 CRI
- 11.5 watts
- 60,000 hrs. lamp life
- Occupancy sensor with 30 min. auto shut-off
- Built-in dimmer
- 9.0' power cord
- Power source is UL listed
- Light is ETL listed
- USB-A charging port
- 15.8" arm reach
- Warranty: 10 yr.

Amble™ Series



Amble Classic

Single arm LED task light

\$456

MODEL # AMB-CLSC-WHT

Available finishes

- ☐ White -WHT

Features

- LED
- 3500 K color temperature
- 206 lumens
- 83 CRI
- 11.5 watts
- 60,000 hrs. lamp life
- 10hr. auto shut-off
- Built-in dimmer
- 9.0' power cord
- Power source is UL listed
- Light is ETL listed
- 15.8" arm reach
- Warranty: 10 yr.



Products: Brisa, Kataz-MS, Amble

Lustre



Lustre

Telescoping LED task light
with USB-A port

\$606

MODEL # LUSTRE- _ _ _

Available finishes

- ☒ Silver -SLV
- ☐ White -WHT

Features

- LED
- 3500 K color temperature
- 350 lumens
- 83 CRI
- 4.8 watts
- 50,000 hrs. lamp life
- Occupancy sensor
- Built-in dimmer
- 12.0' power cord
- Power source is UL listed
- USB-A charging port
- Telescoping arm reach
- Warranty: Lifetime



Product shown: Lustre

Lily™ Series



Lily LEDX

Single arm LED task light
with USB-A port

\$307

MODEL # LILY-LEDX- _ _ _

Available finishes

- ☒ Silver -SLV
- ☐ White -WHT
- ☐ Black -BLK

Features

- LED
- 5000 K color temperature
- 900 lumens
- 90 CRI
- 8 watts
- 90,000 hrs. lamp life
- 6 hr. auto shut-off
- Built-in dimmer
- 6.0' power cord
- Power source and light is ETL listed
- USB-A charging port
- 16.0" arm reach
- Warranty: Lifetime



Lily LED

Single arm LED task light

\$230

MODEL # LILY-LED- _ _ _

Available finishes

- ☒ Silver -SLV
- ☐ White -WHT
- ☐ Black -BLK

Features

- LED
- 5000 K color temperature
- 900 lumens
- 90 CRI
- 8 watts
- 90,000 hrs. lamp life
- Built-in dimmer
- 6.0' power cord
- Power source and light is ETL listed
- 16.0" arm reach
- Warranty: Lifetime





Lucera Series



Lucera - 36"
Under cabinet LED lighting track

\$561
MODEL # LUCERA-36-SLV
\$1,146
MODEL # LUCERA-36X2-SLV
Set of two
Includes one 24.0" jumper cord

\$1,170
MODEL # LUCERA-36X3-SLV
Set of three
Includes two 24.0" jumper cords
\$2,316
MODEL # LUCERA-36X4-SLV
Set of four
Includes three 24.0" jumper cords

- Features**
31.7" w x 0.8" d x 0.5" h unit size
420 lumens
7.1 watts
3500 K color temperature
85 CRI
50,000 hrs. lamp life
Continuous dimmer
9.0' power cord
Power source is UL listed
Combination wood and magnet mounting hardware
Occupancy sensor sold separately
Warranty: 10 yr.



Lucera - 24"
Under cabinet LED lighting track

\$408
MODEL # LUCERA-24-SLV
\$840
MODEL # LUCERA-24X2-SLV
Set of two
Includes one 24.0" jumper cord


\$1,272
MODEL # LUCERA-24X3-SLV
Set of three
Includes two 24.0" jumper cords
\$1,704
MODEL # LUCERA-24X4-SLV
Set of four
Includes three 24.0" jumper cords

- Features**
20.1" w x 0.8" d x 0.5" h unit size
250 lumens
4.4 watts
3500 K color temperature
85 CRI
50,000 hrs. lamp life
Continuous dimmer
9.0' power cord
Power source is UL listed
Combination wood and magnet mounting hardware
Occupancy sensor sold separately
Warranty: 10 yr.




Occupancy sensor
One occupancy sensor controls every daisy chained Lucera light, shutting-off all connected lights simultaneously. When motion is detected, lights resume the last brightness setting
\$167
MODEL # LUCERA-OS


Measurement Standards




Measurement Standards




Measurement Standards




Measurement Standards



Position arms parallel to rear edge of the worksurface, with the VESA mounts facing forward (perpendicular to rear edge of worksurface).
Adjust motion arms (if used) to be fully horizontal.
Measure distance between the center points of each VESA plate with the sliders (if used) at their outermost positions.



Position VESA mount facing forward with arm(s) retracted/rotated back so the rear-most point of the VESA mount is in-line with the rear face of the desk clamp bracket.
Measure distance between rear face of the desk clamp bracket and the VESA plate.




Position arm(s) and VESA mount parallel to each other and extending away from the base, as shown. Adjust motion arm (if used) to be fully horizontal.
Measure from pole axis to center point of VESA plate.

Vertical travel distance measured from center point of the VESA plate with the motion arm at its high point and low point.


Adjust motion arm (if used) to its highest point.
Measure from top of the worksurface to center point of VESA plate.

Adjust motion arm (if used) to its lowest point.
Measure from top of the worksurface to center point of the VESA plate.

Measurement Standards



Position VESA mount facing forward with arm(s) retracted/rotated back so the rear-most point of the VESA mount is in-line with the rear face of the desk clamp bracket.
Measure distance between rear face of the desk clamp bracket and the VESA plate.




Position stem, arm(s), and VESA mount parallel to each other and extending away from the pole, as shown. Adjust motion arm (if used) to be fully horizontal.
Measure from pole axis to center point of VESA plate.


Raise stem to its highest point on the pole with the motion arm (if used) at its maximum height.
Measure from top of worksurface to center point of VESA plate.

Lower stem to base of the pole with the motion arm (if used) at its minimum height.
Measure from top of the worksurface to center point of the VESA plate.

Measurement Standards



Measurement Standards





Product shown: Evolve3Combo, VictoryLX 3-leg, Designer White worksurface, FlexCharge4, Conceal, CPU Mini, Solution 2

Terms and Conditions

These terms shall be considered to be an inseparable part of any additional terms between the applicable Fellowes entity and Customer and are collectively referred to herein as the Terms and Conditions. To the extent that any terms provided by Customer conflict with the terms and conditions that follow, these Terms and Conditions shall govern that transaction.

Acceptance; Entire Agreement.

Acceptance by Customer of delivery of goods constitutes acceptance by Customer of the following terms and conditions. Any additional or different terms proposed by Customer shall be deemed to have been objected to by the Fellowes entity ("Fellowes" or "Seller"), shall be of no force or effect, and shall not be binding upon or enforceable against Seller. These terms and conditions constitute the entire agreement and understanding between the parties and supersede any and all prior agreements, understandings and communications with Customer, oral or written, relating to the goods that Seller or any of its subcontractors may provide (collectively, the "Goods"). No course of dealing or course of performance, either prior to, during or after the delivery of the Goods, shall be relevant or admissible by Customer to supplement, explain or vary these Terms and Conditions. The invalidity or unenforceability of any Terms and Conditions shall not affect the validity or enforceability of any other term or condition, and the remaining terms and conditions shall remain in full force and effect. No waiver, amendment or modification of these Terms and Conditions shall be binding upon or enforceable against Seller until approved in writing by a Fellowes Authorized Signatory.

Proprietary Information; Confidentiality.

Advertising. Customer shall consider all information furnished by Fellowes, as well as information learned about Fellowes' business or products, to be confidential and shall not disclose any such information to any other person or entity or use such information itself for any purpose other than performing hereunder, unless Customer obtains written permission from Fellowes to do so. This paragraph shall apply to drawings, specifications, or other documents prepared by Customer or Fellowes in connection with this order as well as observations of Customer while receiving goods or services. Customer shall not advertise or publish the fact that Fellowes has contracted to sell goods or services to Customer, nor shall any information relating to the order be disclosed without Fellowes' written permission unless otherwise agreed in writing, no commercial financial or technical information disclosed in any manner or at any time by Customer to Fellowes shall be deemed secret or confidential and Customer shall have no rights against Fellowes with respect thereof except such rights as may exist under patent or copyright laws.

Trademark Rights.

Fellowes grants Customer a non-exclusive, royalty-free license to use the Fellowes' trademarks included on any goods purchased hereunder (the "Licensed Marks") in connection with Customer's sale or marketing of goods in the course of Customer's business. The license granted herein does not include a right to sublicense. Customer acknowledges that Fellowes is the owner of the Licensed Marks, and nothing herein shall grant to Customer any right, title or interest in the Licensed Marks, except as specifically set forth herein. Customer shall use Fellowes' trademarks in a manner that is consistent with Fellowes' standards. This includes using the ® designation adjacent to registered trademarks, and the TM designation adjacent to unregistered trademarks, where practicable.

Customer shall cooperate with Fellowes' requests to ensure that Fellowes' trademarks are used in this manner. Fellowes shall have the right to review and inspect any marketing or promotional materials relating to the Licensed Products and, in its sole discretion, to prohibit the use of any such materials that do not meet Fellowes' standards. If Customer becomes aware of any infringing products, Customer will promptly notify Fellowes, which reserves the right to take any action. This trademark license is revocable at Fellowes' sole discretion.

Prices.

Prices quoted by Fellowes are subject to change without notice. Prices billed on invoice at time of shipment shall govern. Unless otherwise stated, all prices are quoted in U.S. Dollars. Seller will not accept or process purchase orders that contain pricing different from the standard prices. Fellowes reserves the right to revise all pricing, discounts, and freight terms, at any time, without notice. Current product pricing is included on product pages at Fellowes.com. Prices which are in effect at the time of order shall apply. Listed prices exclude additional fees applicable to special services requested by Customer (e.g., special cutting).

Taxes.

The prices for the Goods do not include sales, use and other taxes, duties and other governmental fees and charges that may be applicable to the Goods, and Customer shall be responsible for and pay upon demand all such taxes, duties and other governmental fees and charges (other than income taxes of Seller), notwithstanding that responsibility for collection or payment of such taxes, duties and other governmental fees and charges may be imposed by law on Seller or any of its subcontractors. All authorized dealers should ensure that a resale tax exemption certificate is on file with Fellowes.

Discontinued products.

Due to changing market demands, Fellowes may periodically discontinue certain products. Fellowes reserves the right to change and/or discontinue products at any time without notice.

Credit.

Fellowes may, in its sole discretion, extend credit to the Customer. For credit limits in excess of \$100,000, Fellowes requires audited financial statements prior to initial credit approval and on an annual basis thereafter. Fellowes shall perform periodic credit reviews using credit reporting agencies, trade references, industry trade groups and banks. In the event of a material adverse change in Customer's credit standing or in the event that Customer does not comply with the terms of these provisions, Fellowes shall have the right to change terms of payment, and Fellowes obligation to provide Products will be subject to reaching mutual agreement on revised terms.

To establish an account, Customer must complete and submit Fellowes' New Account Application (signed by company officer of Customer), Federal Taxpayer ID (Form W-9) and State Resale Certificate. Subject to sales, credit history, and credit lines, a deposit or advance payment may be required to process large orders.

Once credit is approved, payment terms are net 30 days. Prior to Customer's credit approval (with receipt of required documents), prepayment of orders may be made by corporate check, wire transfer or ACH or for convenience, credit cards (Visa and Mastercard) are accepted.

Terms and Conditions

Payment.

Unless otherwise agreed in writing or stated on the Invoice, all payments are to be made in US Dollars and all amounts payable by Customer shall be due and payable in full 30 days after invoice. Fellowes will not accept the unilateral assessment of any fee, marketing support, co-op or other advertising, expense reimbursement, rebate, offset or any other financial or marketing support not explicitly authorized in writing by an authorized officer of Seller.

Any amounts not paid in full within 30 days after invoice shall be subject to a late payment charge of 1 ½ % per month (or, if less, the maximum amount permitted by law) from the date due until paid. Fellowes' obligation to provide Products is subject to receipt of prompt payment of all invoices pursuant to the terms of this and other agreements we may have with Customer. Progress billing of interest due or a failure to bill for interest due shall not constitute a waiver of Fellowes' right to charge interest on all amounts past due to the date payment is received. Should any portion of an invoice become disputed you agree to pay the undisputed portion according to its terms, and you will notify us promptly of the dispute.

Both parties agree to use their best efforts to resolve the disputed portion of such invoice within 30 days. Fellowes shall have the right to set off against any amount that Fellowes may be obligated to pay to Customer any amounts due or to become due to Fellowes from Customer and its divisions, subsidiaries and affiliated companies. Fellowes may assign payments due to a wholly-owned subsidiary without consent.

Order Placement and Confirmation.

(a)Stocked Finished Goods (Workspace Category).

Fellowes requires all orders to be submitted via e-mail to ci-orders@Fellowes.com. Orders must include "Ship To" and "Bill To" information along with complete Fellowes product model numbers and Customer cost. Government orders require a copy of the agency PO at the time the order is placed with Fellowes. All orders shall be subject to written acceptance by an authorized representative of Fellowes. Incomplete orders or changes will delay processing and shipment until receipt of all necessary information and Fellowes issuance of revised Sales Order Acknowledgment.

(b)For Made-to-Order, Special, and Custom Products (Furniture, Modular Walls, and Air Quality Management Categories)

Fellowes requires all orders to be submitted electronically via on-line order entry at www.fellowes.com, or in writing following Ordering Procedures. Fellowes recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. Customer assumes all responsibility for the correct content of any order which has been acknowledged.

Upon receiving an order, Fellowes will send an acknowledgment with exact pricing information and a scheduled shipping date. Orders can also be confirmed on-line at www.fellowes.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

Order changes or cancellations.

All Customer cancellations and changes must be submitted to Fellowes in writing to ci-orders@Fellowes.com. **Any request for cancellation or change to an order must be submitted within**

twenty-four (24) hours of receipt of order acknowledgment by Fellowes. Any requested cancellation or change received thereafter will incur a fee. Order changes include the addition/deletion of line items or changes in quantity or requested Ship Date or Ship To address. Order changes that result in a quantity reduction may be subject to an adjustment in pricing. Change or cancellation requests are not considered accepted until Fellowes provides a revised Sales Order Acknowledgment. Changes may result in processing delays or shipping delays. Under no circumstances will changes or cancellations be accepted on any special order, custom product, or worksurface order without the express written consent of Fellowes. All such custom and special orders are non-returnable.

Lead-Times and Delays.

Fellowes reserves the right to alter lead times as demand for products fluctuate. Stated lead- times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may entail extended lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date for custom product orders as currently published at www.fellowes.com. Please contact your customer service representative for estimated lead-times. If unforeseen circumstances occur, Fellowes may postpone delivery of orders and will notify Customer when such postponement occurs.

Fellowes shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Fellowes' reasonable control. This includes, but is not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Customer, acts of civil or military authority, fires, strikes, disease or pandemic, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Fellowes' reasonable control to obtain necessary labor, manufacturing facilities, or material from Fellowes' usual sources. In no event shall Fellowes be liable for special or consequential damages for any delay for any cause.

Shipping and Transportation.

(a)For Stocked Finished Goods

48-hour shipping program

Fellowes offers 48-hour shipping on the majority of finished goods in that are in stock. Unless otherwise requested, these products are shipped from multiple shipping points throughout the U.S., within two business days of receiving the PO, depending on quantity ordered and available inventory. Orders that include products with longer lead times including special orders, custom products, or worksurface orders, are designated as "LT" (lead time) and therefore excluded from the 48-hour shipping program. Large orders may also require additional lead time. Products designated as LT could take up to 90 days for delivery after Fellowes' receipt of Customer's order. Call for on-hand availability.

Please note:

- For the order to qualify for 48-hour shipping, all products on the PO must be available under the 48-hour shipping program.
- POs that include LT designated products will be shipped based on the lead time of the LT designated products unless otherwise requested.

3. 48-hour orders will be shipped out within two business days of Fellowes' receipt of Customer's order unless otherwise specified on the PO.

4. Worksurfaces, Motific, Centro, and Railway may arrive on a date different than the other items on the order.

For all other purchases, delivery dates for the Goods shall be established by mutual agreement of Fellowes and Customer. The minimum order size is \$1500. Fellowes may at its option accept orders not meeting the minimum order size with a \$75 handling fee. Customer shall provide any special shipping or labeling requirements to Fellowes for consideration prior to the first shipment.

Freight terms are as follows:

- Orders under \$2,500 list will incur a flat \$25 net fee
- Orders between \$2,501 list and \$5,000 list will incur a flat \$100 net fee
- Orders between \$5,001 list and \$7,000 list will incur a flat \$200 net fee
- Order overs \$7,001 list ship free
- Residential freight deliveries will incur a flat \$70 net fee.

For Canada:

- Orders under \$3,125 (CAD) list will incur a flat \$50 (CAD) net fee
- Orders between \$3,126 (CAD) list and \$6,250 (CAD) list will incur a flat \$125 (CAD) net fee
- Orders between \$6251 (CAD) list and \$9375 (CAD) list will incur a flat \$250 (CAD) net fee
- Orders over \$9,376 (CAD) list ship free.
- Residential freight deliveries will incur a flat \$140 (CAD) net fee.

Fellowes ships orders by way of standard ground carrier service dock-to-dock within the contiguous 48 states of the United States. Special requests such as "call before delivery", "delivery lift gate required", residential delivery, re-routed deliveries, or specific delivery date/time requests may be subject to additional charges or may not be available. Contact our Customer Service Department for expedited delivery requests or deliveries outside of the contiguous 48 states. Customers will be charged additional fees for changes made to orders that have already departed the facility, resulting in re-delivery or re- consignment.

Fellowes accepts requests for expedited freight at the customer's expense. Please contact our Customer Service Department at 800.833.3746 and provide your preferred carrier account number in which to charge the expedited freight.

Unless an Invoice expressly specifies otherwise, all Goods shall be delivered F.O.B. the shipping platform at the shipping facility, and all shipping and transportation costs from the shipping platform at such facility shall be borne by Customer and all risk of loss, damage or late delivery shall pass to Customer upon loading at the shipping platform at such facility. Seller shall have no responsibility for any failure of or delay in delivery caused by or attributable to war, sabotage, riot, civil disorder, fire, flood, earthquake, explosion, accident, natural or manmade disaster, governmental action, shortage or interruption of supply of materials, supplies, equipment or energy, transportation problem, strike, labor stoppage or slowdown, or other cause beyond the reasonable control of Seller.

(b)For Made-to-Order, Special, and Custom Products

All orders shipped to any destination within the contiguous United States, will be F.O.B. origin, freight prepaid. Except as noted above, title and risk of loss or damage shall pass to Customer upon delivery to carrier. Fellowes shall retain a Purchase Money Security Interest in all such goods until payment is received in full and reserves the right to file and perfect the same. Fellowes will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Fellowes and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 12:00 noon EST on Fridays will have an additional charge of \$450 per truck.
- Excessive unloading (in excess of 2 hours) will be billed at \$50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of \$150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of \$85 for an LTL carrier. For lift gate service on a truckload, contact Customer Service.
- Inside delivery service starts at \$50. Call Customer Service for quote.
- Reconsignment cost after shipment starts at \$50. Call Customer Service for quote.
- Special equipment requirements call for a quote.

If delivery is made on Fellowes owned or leased equipment, Customer or its authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Fellowes within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim will be provided by Fellowes only if the product has been immediately unpacked and both the carrier and Fellowes have been promptly notified of resultant damage so the proper inspection can be made.

Damage and Shortage.

Fellowes is not responsible for shipped products when the common carrier is in receipt of the material. Fellowes expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the Customer to Fellowes Customer Service. Concealed damage or damage not noted at time of delivery shall be made by the Customer to the common carrier within five (5) days after receipt. Fellowes assumes no liability for such damage. Shortage on ordered products must be reported to Fellowes within five (5) days of product delivery and must be noted on the bill of lading at time of delivery.

Storage.

When shipment is delayed by the Customer, Fellowes reserves the right to place the goods in storage at Customer's risk and cost.

Terms and Conditions

Fellowes charges ¼ of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue to apply to Customer's confirmed order; except that title shall remain with Fellowes. Fellowes reserves the right to modify payment terms to assure recovery of any additional cost incurred.

Returned Goods.
To receive authorization to return goods, please contact Fellowes' Customer Service Department. All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after thirty (30) days will be refused and returned to sender collect. Electrical components, nonstandard items and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Fellowes packaging. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. A return authorization will not be issued for items unless they are Fellowes stock items. If material is authorized for return because of Fellowes error, shipment may be made freight collect. Any other goods that Fellowes authorizes a return will be sent prepaid and a restocking charge of 35% will apply.

Fellowes offers free returns for any accessory product returned in the original Fellowes packaging.

Fellowes does not accept returns of any made to order, special or custom product.

Installation.
Installation and servicing of Fellowes products are normally handled directly by Fellowes-authorized dealers. When this is not possible, assistance is available by calling Fellowes' Customer Service Department. On-site field measurement and installation support is available as a service. The fees are listed below:

- Field Installation Assistance: 2 Day On-Site, \$1,200
- Field Installation Assistance: 3 Days On-Site, \$1,800
- Field Installation Assistance: 4 Days On-site, \$2,400
- Field Installation Assistance: 5 Days On-Site, \$3,000

*Days include 1/2 day travel to and 1/2 day travel from location. These fees are based on a minimum fourteen (14) business days advanced notification and booking.

*Service requests booked less than fourteen (14) business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Fellowes Customer Service at 1-800-833-3746.

Product Usage and Compliance.
Customer assumes full responsibility for the application of Fellowes' product to Customer's use and compliance with Fellowes installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the Customer or its authorized agent.

Customer's Own Material or COM.
The Fellowes COM program allows customers to use special materials. By complying with the COM testing procedure in the steps below, Fellowes will be able to identify if your material is appropriate

for application to the products you specify. To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with www.fellowes.com/, and consult the COM library to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a COM Order Submission Form (avail- able from Fellowes Customer Service Representative).
4. If the material requested is not in the COM Library, customer must submit a COM test request on-line at www.fellowes.com, send a sample of the COM material (see Test Yardage Requirements below) and include a list of Fellowes product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form automated e-mail response.
5. Ship COM samples to
U.S. Mail and UPS/ FedEx Shipment:
Fellowes - Attn: COM Request
13467 Quincy Street
Holland, MI 49424
6. You will be notified within five working days of receiving the material sample by Fellowes, whether your COM has been approved or disapproved for application

TEST YARDAGE REQUIREMENTS		
TrendWall and Volo Tiles	4	yards
Fabric Screens	2	yards
Choices Panels	1 1/2	yards
Capture Tiles, Intrinsic Freestanding Ped Cushions, and Tackboards	1	yard
Flipper Doors	2/3	yard

NOTE: Most fabric houses have a yard- age minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Customer desires to use its own material in the production of Fellowes' products, it is necessary to obtain the prior written consent of Fellowes. Whether purchased by Customer or by Fellowes on Customer's behalf, material provided by the Customer shall be shipped to Fellowes at Customer's sole expense and risk of loss. Fellowes will hold Customer's own materials for up to one (1) year from the date of receipt and thereafter return or dispose of such material at Customer's sole cost and expense.

Customer hereby holds Fellowes harmless against any and all claims for loss, liability, injury, or damage arising from use of Customer-provided material; and Customer takes full responsibility for performance and quality of Customer-provided material. Customer should also be aware that Customer-provided materials may not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Fellowes Customer Service before to placing your order.

Custom Color.
Fellowes' Custom Color program allows the customer to specify their own color on many of Fellowes' products. See www.fellowes.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color:

1. Complete a Custom Color Request form (available on www.fellowes.com).
2. Send request form along with two 2"x3" samples to Fellowes Customer Service Color Coordinator.
3. After the receipt of the request, Fellowes will provide customer with one color sample.
4. If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
5. Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
6. If applicable, dealer will be sent an invoice for \$250 color matching fee per customer, per color. See Specials Request form for details.

Limited Warranty; Limitations on Liability.
Fellowes grants a limited warranty to the end-users of its Goods, the terms of which are included with each product. Fellowes warrants to the Customer solely that, subject to the terms, conditions and limitations hereof, the Goods conform to the specifications set forth in the Fellowes catalog and will be transferred to customer free and clear of any and all encumbrances. **FELLOWES MAKES NO OTHER WARRANTIES AND GIVES NO OTHER ASSURANCES OR GUARANTEES, EXPRESS OR IMPLIED, WITH RESPECT TO ANY GOODS, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.**

FELLOWES' SOLE LIABILITY IN CONNECTION WITH ANY GOODS THAT ARE DEFECTIVE OR DELIVERED LATE SHALL BE LIMITED TO EITHER (i) REFUNDING TO THE CUSTOMER A PERCENTAGE OF THE TOTAL PRICE (EXCLUSIVE OF TAXES, SHIPPING AND OTHER SEPARATE CHARGES) THAT THE CUSTOMER HAS PAID TO FELLOWES FOR ALL GOODS PROVIDED EQUAL TO THE PERCENTAGE OF ALL GOODS PROVIDED THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS, OR (ii) AT FELLOWES' OPTION, REPLACING FOR THE CUSTOMER, AT NO CHARGE TO THE CUSTOMER, THE GOODS THAT ARE DEFECTIVE OR DELIVERED LATE DUE TO THE SOLE FAULT OF FELLOWES AND ITS SUBCONTRACTORS.

IN NO EVENT SHALL FELLOWES OR ANY OF ITS SUBCONTRACTORS BE LIABLE FOR (i) ANY INCIDENTAL, INDIRECT, EXEMPLARY, SPECIAL OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, INTEREST, LOST PROFITS OR INTERRUPTION OF BUSINESS), EVEN IF FELLOWES HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR IF SUCH DAMAGES RESULT FROM ANY RECOMMENDATIONS MADE BY FELLOWES, OR (ii) ANY LOSSES, DAMAGES, LIABILITIES, SUITS OR CLAIMS THAT ARE COVERED BY ANY INSURANCE MAINTAINED BY OR ON BEHALF OF THE CUSTOMER OR ARE OTHERWISE RECOVERABLE FROM THIRD PARTIES.

IN ADDITION, THE LIABILITY OF FELLOWES AND ITS SUBCONTRACTORS FOR LOSSES, DAMAGES, LIABILITIES, SUITS AND CLAIMS, REGARDLESS OF THE FORM OF ACTION (WHETHER BASED ON CONTRACT, ON NEGLIGENCE, ON STRICT LIABILITY OR OTHERWISE) AND THE PERSON OR ENTITY BRINGING SUCH ACTION, SHALL NOT EXCEED, IN THE AGGREGATE, THE TOTAL AMOUNT (EXCLUSIVE OF TAXES, SHIPPING, AND OTHER SEPARATE CHARGES) ACTUALLY PAID TO SELLER BY THE CUSTOMER FOR THE GOODS AT ISSUE. ANY ACTION AGAINST SELLER MUST BE BROUGHT WITHIN ONE YEAR OF THE CAUSE OF ACTION FIRST ARISING.

Lifetime Warranty.
Fellowes warrants to the original purchaser that the products described in its price lists, sold after March 1, 2023, will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Products	Components
10 Years	<ul style="list-style-type: none">• Lighting• Power Solutions• Hana Series• Palm Rests/Mouse Pads/ Pencil Drawers• Lotus-DX Power Module	<ul style="list-style-type: none">• Panel and Wall Textiles
5 Years	<ul style="list-style-type: none">• Anti-fatigue Mats	<ul style="list-style-type: none">• Upholstered Cushions• PET and Acrylic Screens and Modesties• Seating Mesh• Plastic Components• Paint
Not Covered		<ul style="list-style-type: none">• Customer's Own Material• Custom Requested Logos• Special Paint Textures and Finishes

The following exceptions apply to all product lines:

The Fellowes warranty applies to normal eight hour, forty hours per week office use.

Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Fellowes authorized installer. Fellowes will repair, or at its sole option, replace defective merchandise, free of charge, which, when used normally and pursuant to Fellowes' published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Fellowes any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company.

Any and all labor charge backs must be pre-approved by Fellowes' Customer Service Manager in writing. Fellowes will reimburse authorized Fellowes dealers and service centers with a credit against future orders.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Fellowes employs quality measures to ensure color consistency in our products. However, due to the effects of light and

Terms and Conditions

other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Fellowes makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Fellowes, its authorized dealers, or others who are specifically authorized by Fellowes to sell such products. Fellowes' liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Fellowes be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, and Fellowes expressly disclaims any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Fellowes warranties.

Governing Law and Dispute Resolution.

In no case shall the 1980 U.N. Convention on Contracts for the International Sale of Goods apply.

If Seller is Fellowes, Inc. or any other subsidiary or joint venture of Fellowes, Inc. not listed below:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in either the United States District Court in and for the Eastern Division of the Northern District of Illinois or the Circuit Court in and for Du Page County, Illinois, and consents to personal jurisdiction of such courts over them in any such action. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Canada, Ltd.

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the Province of Ontario, without giving effect to any choice or conflict of law provision or rule that would cause the application of the laws of any jurisdiction other than the Province of Ontario. Each of the Parties agrees that any legal action arising out of or relating to this Agreement shall be brought in Ontario, Canada, and consents to the personal jurisdiction of such courts over the Parties in any such action. Each of the Parties waives any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of any Party hereto.

If Seller is Fellowes Ltd, Fellowes Ibérica S.L., Fellowes GmbH, Fellowes Polska S.A., Fellowes RU Ltd, Beswick Office Products (Pty) Ltd., Fellowes Leonardi S.p.A., or Fellowes France SA

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of England and Wales. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in England and Wales, and consents to personal jurisdiction of such courts over

them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes (Australia) Pty. Ltd:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the laws of Victoria, Australia. Seller and Customer agree that any legal action arising out of or relating to this agreement or the transactions contemplated by this agreement shall be brought in courts of the State of Victoria, and consents to personal jurisdiction of such courts over them in any such action. Any such action shall be conducted in English. Seller and Customer waive any defense of inconvenient forum to the maintenance of any such action or proceeding so brought and waives any bond, surety, or other security that might be required of either Seller and Customer.

If Seller is Fellowes Office Products Suzhou Co. Ltd, Fellowes Singapore, Fellowes Malaysia, Fellowes Korea Ltd:

The construction, validity and performance of these Terms and Conditions shall be governed and construed according to the internal laws of the State of Illinois. Any controversy or claim arising out of or relating to these Terms and Conditions, or the breach thereof, will be determined by arbitration administered by the International Centre for Dispute Resolution ("ICDR") in accordance with its International Arbitration Rules. A request for interim measures addressed by Seller and Customer to a judicial authority will not be deemed incompatible with the agreement to arbitrate or a waiver of the right to arbitrate. The place of arbitration will be Chicago, Illinois, U.S.A. The number of arbitrators shall be three (3); Seller and Customer will each appoint one (1) arbitrator, and ICDR will appoint a third arbitrator, who will be the presiding arbitrator. The language of the arbitration will be English. The arbitration award made by ICDR will be final and binding upon the parties. The costs of arbitration will be borne by the losing party, unless otherwise determined by the arbitration award.

Notwithstanding the forgoing, if Customer is domiciled in the People's Republic of China or any other jurisdiction that does not enforce the judgments from a court of a jurisdiction designated by the foregoing paragraphs, the paragraph calling for arbitration with the ICDR shall apply.

Relationship of parties.

References herein to "Customer" include the person or entity specifically identified in the Invoice as "Customer" and its divisions, subsidiaries and affiliated companies. The relationship of the Parties hereto is that of vendor and purchaser. Nothing in these Terms and Conditions, and no course of dealing between the Parties, shall be construed to create any other type of relationship. Accordingly, Customer shall not be empowered to bind Fellowes in any way, to incur any liability or otherwise act on behalf of Fellowes.

Severability.

If any clause or portion of these Terms and Conditions shall be held by a court of competent jurisdiction to be illegal, invalid, or unenforceable, the remaining clauses or portions shall remain in full force and effect.

Force majeure.

Fellowes shall not be liable hereunder for any failure or delay in the

performance of its obligations under these Terms and Conditions, if such failure or delay is on account of causes beyond its control, including labor disputes, civil commotion, contagion, pandemic, war, fires, floods, inclement weather, governmental regulations or controls, casualty, government authority, strikes, or acts of God, in which event the Fellowes shall be excused from its obligations for the period of the delay and for a reasonable time thereafter. Fellowes shall use reasonable efforts to notify the other Party of the occurrence of such an event within five business days of its occurrence.

Fellowes Customer Service Contacts:

Workspace (Monitor Arms, Height Adjustable Tables, Power Solutions, and Lighting)

Phone: 800-833-3746

Email: ci-mesacustomerservice@fellowes.com

Furniture, Modular Walls, and Air Quality Management

Phone: 800-893-8115

Email: ci-quincycustomerservice@fellowes.com

