



# Kata™ EX2-FF

Dual fixed + fixed monitor arm

# Kata™ EX2-FF

Dual fixed + fixed monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

## Product specs

- Manual height adjustment
- Recommended for worksurfaces 24.0"–36.0" deep or corner applications
- 24.8" arm extension
- 4.5" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height
- 0 lb–20 lb weight capacity (*per arm*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Includes a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Exceeds ANSI/BIFMA x5.5 requirements
- 32.0" max. monitor width  
*Bezel measured left to right,  
Max width is contingent on weight capacity*
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

## Model #

- ☐ KATAEX2-DC-FF-SLV
- ☒ KATAEX2-DC-FF-BLK
- ☐ KATAEX2-DC-FF-WHT
- ☐ KATAEX2-GM-FF-SLV
- ☒ KATAEX2-GM-FF-BLK
- ☐ KATAEX2-GM-FF-WHT

## KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm




S - Slider mount

esi


800.833.3746  
esiergo.com

# Kata™ EX2-FF


Dual fixed + fixed monitor arm




Base



Base



VESA plate



VESA mount  
(profile view)

esi

800.833.3746  
esiergo.com