



Premium 3-leg

Electric height adjustable table base

Premium 3-leg

Electric height adjustable table base

esi®



height adjustable

Product specs

- Electric height adjustment
- 330 lb. base lifting capacity
- 1.5"/sec adjustment speed
- 26.0" height adjustment range
 - 21.0"–47.0" (low/high) (*excluding worksurface*)
- Three stage adjustable legs
- C-leg
- Adjustable width frame accommodates worksurfaces 48.0"–72.0"
- Two motors
- Soft start and stop
- Anti-collision safety features
- Locking casters are available
- Low standby power consumption
- Meets or exceeds BIFMA G1-2014 and HFES 100-2007 guidelines
- Digital keypad with four memory settings
- Complete tables available (*base and top*)
- Warranty: 15 yr. (*structural*)/7 yr. (*mechanical*)



locking casters

Caster Kit

- Set of four casters for table base
- Increases height by 2.0"
- Locking casters for security

MODEL # CASTERKIT-3E -SLV

MODEL # CASTERKIT-3E -BLK

MODEL # CASTERKIT-3E -WHT

Available base finishes

LT Silver -SLV

LT Black -BLK




LT White -WHT

LT=CALL FOR ON HAND AVAILABILITY

Premium 3-leg

Electric height adjustable table base



Table bases		Available worksurfaces				
Table base model	Worksurface shape	Worksurface dimension		TFL standard	HPL standard	HPL premium
			Quick ship	Standard ship	Standard ship	Standard ship
3E90-C6060-24-___		60"wl x 60"wr x 24"d	—	3EC606024-TFL-__	3EC606024-HPL-__	3EC606024-PHPL-__
3E90-C7272-24-___		72"wl x 72"wr x 24"d*	—	—	3EC727224-HPL-__	3EC727224-PHPL-__
3E90-C6060-30-___		60"wl x 60"wr x 30"d	—	3EC606030-TFL-__	3EC606030-HPL-__	3EC606030-PHPL-__
3E90-C7272-30-___		72"wl x 72"wr x 30"d*	—	—	3EC727230-HPL-__	3EC727230-PHPL-__
3E90-C4860-24-___		60"wr x 48"wl x 24'd	—	3OCL604824-TFL-__	3OCL604824-HPL-__	3OCL604824-PHPL-__
3E90-C4872-24-___		72"wl x 48"wr x 24"d	—	3OCL724824-TFL-__	3OCL724824-HPL-__	3OCL724824-PHPL-__
3E90-C6072-24-___		72"wl x 60"wr x 24"d	—	3OCL726024-TFL-__	3OCL726024-HPL-__	3OCL726024-PHPL-__
3E90-C4860-30-___		60"wl x 48"wr x 30"d	—	3OCL604830-TFL-__	3OCL604830-HPL-__	3OCL604830-PHPL-__
3E90-C4872-30-___		72"wl x 48"wr x 30"d	—	3OCL724830-TFL-__	3OCL724830-HPL-__	3OCL724830-PHPL-__
3E90-C6072-30-___		72"wl x 60"wr x 30"d	—	3OCL726030-TFL-__	3OCL726030-HPL-__	3OCL726030-PHPL-__
3E90-C4860-24-___		48"wl x 60"wr x 24"d	—	3OCR486024-TFL-__	3OCR486024-HPL-__	3OCR486024-PHPL-__
3E90-C4872-24-___		48"wl x 72"wr x 24"d	—	3OCR487224-TFL-__	3OCR487224-HPL-__	3OCR487224-PHPL-__
3E90-C6072-24-___		60"wl x 72"wr x 24"d	—	3OCR607224-TFL-__	3OCR607224-HPL-__	3OCR607224-PHPL-__
3E90-C4860-30-___		48"wl x 60"wr x 30"d	—	3OCR486030-TFL-__	3OCR486030-HPL-__	3OCR486030-PHPL-__
3E90-C4872-30-___		48"wl x 72"wr x 30"d	—	3OCR487230-TFL-__	3OCR487230-HPL-__	3OCR487230-PHPL-__
3E90-C6072-30-___		60"wl x 72"wr x 30"d	—	3OCR607230-TFL-__	3OCR607230-HPL-__	3OCR607230-PHPL-__

Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, TFL standard and HPL standard/premium worksurfaces ship within three weeks. Lead time may vary depending on quantities ordered and their availability.

Table bases and worksurfaces can be purchased independently or as a combination.

ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

*Equal Corner worksurfaces measuring 72x72x24 and 72x72x30 will ship in 2 pieces