

# esi




Sena<sup>™</sup>EX1-M

Single motion monitor arm

### Sena™EX1-M

### Single motion monitor arm







#### **Product specs**

- · Finger touch dynamic height adjustment
- · Recommended for worksurfaces 30" deep or less
- · 30.4" height adjustment range
  - 0.0"-30.4" (low/high)
- 18.3" arm extension
- 2.9" arm retraction
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. 19.8lb weight capacity
- 20.1" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 360° rotation at three points
- · Desk clamp and grommet mount included
- Meets or exceeds BIFMA x5.5 and CSA CAN/ CGSB44.227 guidelines
- · Warranty: 15 yr

#### Model #

SENAEX1-M-SLV

SENAEX1-M-BLK

SENAEX1-M-WHT

#### SenaEX monitor arm key Available mounting options

F - Fixed monitor arm DC - Desk clamp

M - Motion monitor arm GM - Grommet mount

S - Slider mount

#### SenaEX for every need

As workstation needs change, so can the SenaEX configurations. Additional components sold separately

Call our Customer Service Department for pricing for custom configurations.

## Sena™EX1-M

# esi

### Single motion monitor arm

