

All-Flex® 2-leg + Worksurface

electric table base bundle



Rectangle

Dimensions	Base model	List price
36"w x 24"d	2R3624FLEX2-SLV	\$1,889
48"w x 24"d	2R4824FLEX2-SLV	\$1,928
60"w x 24"d	2R6024FLEX2-SLV	\$1,973
36"w x 30"d	2R3630FLEX2-SLV	\$1,919
48"w x 30"d	2R4830FLEX2-SLV	\$1,968
60"w x 30"d	2R6030FLEX2-SLV	\$2,017
72"w x 24"d	2R7224FLEX2-SLV	\$2,017
72"w x 30"d	2R7230FLEX 2-SLV	\$2,067

Specify laminate code. See laminate guide for details.

Casters model # CASTERKIT-FLEX2

All-Flex features

top support at 19.3"



top support at 23.3"



foot at 28.0"



foot at 22.0"



Product specs

- · Electric height adjustment
- · 265 lbs. base lifting capacity
- 1.5"/sec adjustment speed
- · One part number for all 2-leg sizes
- · 26.0" height adjustment range
 - 23.2"-49.2" (low/high) (excluding worksurface)
- · Three-stage adjustable legs
- · Provides adjustable cross channels, top support, and feet making it one of the most adjustable table bases on the market.
- Foot is adjustable to 22.0" or 28.0" (patented design)
- · Adjustable width frame to fit worksurfaces 36.0"-84.0" wide
- · Adjustable depth top support expands to accommodate worksurfaces 24.0"-36.0" deep
- · Notched cross channel offers ample space for keyboard tray glide tracks
- · 86.0" power cord
- Digital keypad with four memory settings
- · Anti-collision safety feature
- · Quick start
- · Crossbar includes guide markings to assist in setting width
- · Folding frame design for quick assembly
- · Integrated control unit shelf
- · Integrated storage for foot extension plate when not in use
- · Integrated cable management
- · Quiet adjustment
- · Steel frame and foot construction
- · Low standby power consumption
- · Lead free
- Two motors
- ADA compliant
- Locking casters are available
- Warranty: 15 yrs. structural / 7 yrs. mechanical



All-Flex 2-leg + worksurface

electric table base bundle



