

 $Enmo^{TM}$

Electric height adjustable table base

Electric height adjustable table base





T-leg



keypad



locking casters

Product specs

- · Electric height adjustment
- · 220 lb. base lifting capacity
- 1.3"/sec. adjustment speed
- 17.4" height adjustment range
- 27.4"-44.8"(low/high) (excluding worksurface)
- Two stage adjustable legs
- T-lea
- Adjustable width frame accommodates worksurfaces 48.0"–72.0"
- · Keypad with up and down buttons
- Two motors
- Soft start and stop
- · Anti-collision safety feature
- · Table base is UL962 listed
- · Locking casters are available
- 7.0' power cord
- · Steel frame and foot construction
- Works with peds or storage with 24.5" max. height
- Low standby power consumption
- · Meets or exceeds BIFMA x5.5 guidelines
- Complete tables available (base and top)
- Warranty: 15 yr. (structural)/7 yr. (mechanical)

Available base finishes

Silver -SLV

Black -BLK

White -WHT

Caster Kit

- · Set of four casters for table base
- Increases height by 2.0"
- · Locking casters for security

Model # CASTERKIT-2NM

esi

Electric height adjustable table base

Complete quick ship table model # breakdown



48.0" x 24.0" quick ship complete table

 Enmo 2-leg table base with a 48.0"w x 24.0"d rectangle TFL worksurface

MODEL # 2NM_-R4824-QS-T___

60.0" x 30.0" quick ship complete table

 Enmo 2-leg table base with a 60.0"w x 30.0"d rectangle TFL worksurface

MODEL # 2NM_-R6030-QS-T___

base finish notation

laminate color notation

a: number of legs

b: type of table base

c: finish of base

d: worksurface shape

e: worksurface width

f: worksurface depth

g: quick ship indicator

h: laminate material

i: laminate color

A	1-6			£:	: - -	
Ava	llap	ıe ı	oase	TIN	ISN	es

Silver -S

Black -B

White -W

Available TFL quick ship laminates

Beigewood - BG

Phantom Charcoal -PC

Shadow Oak -SO

Designer White -DW

Grey -GR

Dove Grey -DV

Enmo table

Quick ship complete table options include: silver, black, or white table bases; 48.0"w x 24.0"d or 60.0"w x 30.0"d rectangle worksurfaces; all six TFL laminates. Quick ship worksurfaces will be pre-drilled to accommodate the Enmo table base. For all other combinations, please call our Customer Service Department for the estimated lead time and cost.

Multiple worksurface shapes and laminates are available. See Complete Table and Worksurface Guide for worksurface details including laminate colors.



Electric height adjustable table base

Table bases	Available worksurfaces

Table base model	Worksurface shape	Worksurface dimension	TFL standard		HPL standard	HPL premium
			Quick ship	Standard ship	Standard ship	Standard ship
2NM-C48		48"w x 24"d	2R4824-QS-TFL	2R4824-TFL	2R4824-HPL	2R4824-PHPL
		60"w x 24"d	-	2R6024-TFL	2R6024-HPL	2R6024-PHPL
	D	72"w x24"d	-	2R7224-TFL	2R7224-HPL	2R7224-PHPL
	W Rectangle	48"w x 24"d	-	2R4830-TFL	2R4830-HPL	2R4830-PHPL
		60"w x 24"d	2R6030-QS-TFL	2R6030-TFL	2R6030-HPL	2R6030-PHPL
		72"w x24"d	-	2R7230-TFL	2R7230-HPL	2R7230-PHPL

Worksurface Program


Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL quick ship worksurfaces are shipped out in 48 hours, TFL standard and HPL standard/premium worksurfaces ship within three weeks. Lead time may vary depending on quantities ordered and their availability


Table bases and worksurfaces can be purchased independently or as a combination. ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.





Electric height adjustable table base





The base dimensions as shown are actual.

