




# Crank

crank height adjustable table base

# Crank

crank height adjustable table base



hand crank  
no electricity needed

## Product specs

- Crank height adjustment
- 250 lbs. base lifting capacity
- 1.0" per six cranks adjustment speed
- 18.0" height adjustment range
  - 27.0"–45.0" (low/high)  
(excluding worksurface)
- Two stage adjustable legs
- Warranty: 15 yrs. structural / 7 yrs. mechanical



## Available base finishes

- ⓁⓉ Silver -SLV
- ⓁⓉ Black -BLK
- ⓁⓉ White -WHT

LT=CALL FOR ON HAND AVAILABILITY



locking casters

## Caster Kit


### Caster Kit

- Set of casters for table bases
- Increases height by 2.0"
- Locking casters for security

MODEL # CASTERKIT-2C

esi

800.833.3746  
esiergo.com

Table bases		Available worksurfaces			
Table base model	Worksurface shape	Worksurface dimension	TFL Quick ship	TFL Standard	HPL Standard
2C-C36-24-___	 W D Rectangle	36"w x 24"d	—	●	●
2C-C42-24-___		42"w x 24"d	—	●	●
2C-C48-24-___		48"w x 24"d	●	●	●
2C-C60-24-___		60"w x 24"d	—	●	●
2C-C72-24-___		72"w x 24"d	—	●	●
2C-C36-30-___		36"w x 30"d	—	●	●
2C-C42-30-___		42"w x 30"d	—	●	●
2C-C48-30-___		48"w x 30"d	—	●	●
2C-C60-30-___		60"w x 30"d	●	●	●
2C-C72-30-___		72"w x 30"d	—	●	●

### Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL Quick ship worksurfaces are shipped out in 48 hours, TFL and HPL Standard worksurfaces ship in 2–3 weeks.

*Table bases and worksurfaces can be purchased independently or as a combination.*

*ESI table bases and worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.*