esi | work gear




Victory-LX™ 3-Leg

electric table base

Fellowes Brands | FAMILY BUSINESS SINCE 1917

Victory-LX 3-Leg

electric table base



universal
corner bracket



drawers easily slide over feet



locking casters



digital keypad

Product specs

- electric height adjustment
- 330 lbs. base lifting capacity
- 1.4"/sec adjustment speed
- 26.1" height adjustment range
  - 21.6"–47.7" (low/high)
    (excluding worksurface)
- Three stage adjustable legs
- Adjustable width frame
- Soft start
- Anti-collision safety feature
- Locking casters are available
- Three motors
- ADA compliant
- Exceeds BIFMA x5.5 requirements
- Meets BIFMA GI-2013 ergonomic standards when used with a 1.0" worksurface
- Works with peds or storage with 20.0" max. height
- Low standby power consumption
- Steel frame and foot construction
- Can be configured for 90° or 120° with a universal bracket
- Warranty: 15 yr. structural / 7 yr. mechanical

Digital Keypad

- Digital programmable switch with three memory settings
- Keypad can slide under worksurface to store out of the way

esi

800.833.3746
esiergo.com

© 2018 Fellowes, Inc.

Victory-LX 3-Leg


electric table base

Large equal corner



Dimensions	Base model	Surface model
60"wl x 60"wr x 24"d	3VT-LX-C4848-24-_ _ _	3EC606024_ _
72"wl x 72''wr x 24"d	3VT-LX-C4848-24-_ _ _	3EC727224_ _
84"wl x 84"wr x 24"d	3VT-LX-C4848-24-_ _ _	3EC848424_ _
60"wl x 60"wr x 30"d	3VT-LX-C4848-30-_ _ _	3EC606030_ _
72"wl x 72''wr x 30"d	3VT-LX-C4848-30-_ _ _	3EC727230_ _
84"wl x 84"wr x 30"d	3VT-LX-C4848-30-_ _ _	3EC848430_ _

120 degree



Dimensions	Base model	Surface model
48"wl x 48"wr x 24"d	3VT-LX-C3636-24-_ _ _	120-4824_ _
60"wl x 60"wr x 24"d	3VT-LX-C4848-24-_ _ _	120-6024_ _
72"wl x 72''wr x 24"d	3VT-LX-C4848-24-_ _ _	120-7224_ _
48"wl x 48"wr x 30"d	3VT-LX-C3636-30-_ _ _	120-4830_ _
60"wl x 60"wr x 30"d	3VT-LX-C4848-30-_ _ _	120-6030_ _

Offset corner left



Dimensions	Base model	Surface model
60"wl x 48"wr x 24"d	3VT-LX-C4836-24-_ _ _	3OCL604824_ _
72"wl x 48"wr x 24"d	3VT-LX-C4836-24-_ _ _	3OCL724824_ _
72"wl x 60"wr x 24"d	3VT-LX-C4848-24-_ _ _	3OCL726024_ _
84"wl x 48"wr x 24"d	3VT-LX-C4836-24-_ _ _	3OCL844824_ _
84"wl x 60"wr x 24"d	3VT-LX-C4848-24-_ _ _	3OCL846024_ _
84"wl x 72''wr x 24"d	3VT-LX-C4848-24-_ _ _	3OCL847224_ _
60"wl x 48"wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCL604830_ _
72"wl x 48"wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCL724830_ _
72"wl x 60"wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCL726030_ _
84"wl x 48"wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCL844830_ _
84"wl x 60"wr x 30"d	3VT-LX-C4848-30-_ _ _	3OCL846030_ _
84"wl x 72''wr x 30"d	3VT-LX-C4848-30-_ _ _	3OCL847230_ _

Offset corner right



Dimensions	Base model	Surface model
48"wl x 60"wr x 24"d	3VT-LX-C4836-24-_ _ _	3OCR486024_ _
48"wl x 72''wr x 24"d	3VT-LX-C4836-24-_ _ _	3OCR487224_ _
60"wl x 72''wr x 24"d	3VT-LX-C4848-24-_ _ _	3OCR607224_ _
48"wl x 84"wr x 24"d	3VT-LX-C4836-24-_ _ _	3OCR488424_ _
60"wl x 84"wr x 24"d	3VT-LX-C4848-24-_ _ _	3OCR608424_ _
72"wl x 84"wr x 24"d	3VT-LX-C4848-24-_ _ _	3OCR728424_ _
48"wl x 60"wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCR486030_ _
48"wl x 72''wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCR487230_ _
60"wl x 72''wr x 30"d	3VT-LX-C4848-30-_ _ _	3OCR607230_ _
48"wl x 84"wr x 30"d	3VT-LX-C4836-30-_ _ _	3OCR488430_ _
60"wl x 84"wr x 30"d	3VT-LX-C4848-30-_ _ _	3OCR608430_ _
72"wl x 84"wr x 30"d	3VT-LX-C4848-30-_ _ _	3OCR728430_ _

Caster Kit

- Set of caster wheels for table bases
- Increases height by 2.0"
- Locking wheels for security

MODEL # CASTERKIT-LX-3LEG-SLV

MODEL # CASTERKIT-LX-3LEG-BLK

MODEL # CASTERKIT-LX-3LEG-WHT

Available base finishes

- Silver -SLV
- Black -BLK
- White -WHT

Worksurface shapes - LT

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.

Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available.



Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See laminate guide worksurface for details. ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

esi

800.833.3746
esiergo.com

© 2018 Fellowes, Inc.

Victory-LX 3-Leg

electric table base

Pennisula left



Dimensions	Base model	Surface model
72"wl x 48"wr x 30"d	3VT-LX-C4836-30-_ _ _	3PL724830_ _
72"wl x 60"wr x 30"d	3VT-LX-C4848-30-_ _ _	3PL726030_ _
84"wl x 48"wr x 30"d	3VT-LX-C4836-30-_ _ _	3PL844830_ _
84"wl x 60"wr x 30"d	3VT-LX-C4848-30-_ _ _	3PL846030_ _
84"wl x 72''wr x 30"d	3VT-LX-C4848-30-_ _ _	3PL847230_ _

Pennisula right



Dimensions	Base model	Surface model
48"wl x 72''wr x 30"d	3VT-LX-C4836-30-_ _ _	3PR487230_ _
60"wl x 72''wr x 30"d	3VT-LX-C4848-30-_ _ _	3PR607230_ _
48"wl x 84"wr x 30"d	3VT-LX-C4836-30-_ _ _	3PR488430_ _
60"wl x 84"wr x 30"d	3VT-LX-C4848-30-_ _ _	3PR608430_ _
72"wl x 84"wr x 30"d	3VT-LX-C4848-30-_ _ _	3PR728430_ _

Caster Kit

- Set of caster wheels for table bases
- Increases height by 2.0"
- Locking wheels for security

MODEL # CASTERKIT-LX-3LEG-SLV

MODEL # CASTERKIT-LX-3LEG-BLK

MODEL # CASTERKIT-LX-3LEG-WHT

Available base finishes

- Silver -SLV
- Black -BLK
- White -WHT

Worksurface shapes - LT

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.

Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available.



Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See laminate guide worksurface for details. ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

esi


800.833.3746
esiergo.com

© 2018 Fellowes, Inc.


Victory-LX 3-Leg

electric table base


3VT-LX-C4836-24




3VT-LX-C4836-30




3VT-LX-C3636-24




3VT-LX-C3636-30



3VT-LX-C4848-24




3VT-LX-C4848-30




3VT-LX-C3636-24 & 3VT-LX-C3636-30

120° configuration




3VT-LX-C4848-24 & 3VT-LX-C4848-30

120° configuration



3VT-LX-C4836-24 & 3VT-LX-C4836-30

120° configuration



The base dimensions as shown are actual.

esi

800.833.3746
esiergo.com

© 2018 Fellowes, Inc.