




Espree™

pneumatic table base

Espree

pneumatic table base

foot at 28.0"



foot at 22.0"



Product Specs

- Height adjustment range: 19.6"
 - Low: 26.2" | High: 45.8" (excluding worksurface)
- Adjustable feet: 22.0" or 28.0" long (patented design)
- Fixed width frame
- Base lifting capacity:
 - 2ESP-C48-ADJ: 38 lbs.–83 lbs.
 - 2ESP-C60-ADJ: 49 lbs.–94 lbs.
- Table bases accommodate worksurfaces measuring 48.0" and 60.0" in width
- Counterbalanced columns provide smooth, synchronized height
- Two-stage adjustable legs
- Optional casters are available
- Warranty: 15 yrs. structural / 7 yrs. mechanical
- Available on GSA contract



no power needed



optional casters

esi

800.833. 3746
esiergo.com

Espree

pneumatic table base

Rectangle



Dimensions

48"w x 24"d

48"w x 30"d

60"w x 24"d

60"w x 30"d

Base model

2ESP-C48-ADJ-___

2ESP-C48-ADJ-___

2ESP-C60-ADJ-___

2ESP-C60-ADJ-___

Surface model

2R4824__

2R4830__

2R6024__

2R6030__

D-top



Dimensions

60"w x 30"d

Base model

2ESP-C60-ADJ-___

Surface model

D6030__

Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See laminate guide worksurface for details.

Caster Kit

Set of caster wheels for table bases

Increases height by 2.0"

Locking wheels for security

Model # CASTERKIT-2ESP

Available base finishes

● Silver -SLV

●LT Black -BLK

●LT White -WHT

LT=CALL FOR ON HAND AVAILABILITY

Worksurface Choices

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.

Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available.




esi

800.833. 3746
esiergo.com


Espree

pneumatic table base

2ESP-C48-ADJ



2ESP-C60-ADJ



esi

800.833. 3746
esiergo.com