

# Railway<sup>™</sup> specification guide




## Table of contents

Product Introduction	5
Railway specs and line drawings	56
Configuration Inspiration	
Custom specification ordering guid	de19
Rail part numbers and specificat	ions 20
Post kit part numbers and specif	fications21
Electrical components	
New York Black Box	
Railway Linear pre-configurations	
Electrical information	



# Railway Power and data solution

Railway is the perfect solution to get power to your workstations and works seamlessly with our height adjustable bases by accommodating you to lower your table to its lowest setting without any obstructions. Our power and data solution is simple while providing the user with different sizes to accommodate all your different workstation configurations. Our data and power are separated and hidden inside the rail which keeps the workstation clean and organized. As your needs or workspace evolves, so can Railway, by simply reconfiguring it to match your new configured needs. It truly is that easy.



#### **Product Specs**

- Four available widths: 36.0", 48.0", 60.0", and 72.0"
- 18.0"h x 3.3"w post
- 3.6"w x 12.0"d T foot (standard)
   3.6"w x 7.8"d L foot (optional)
- · Power and data can be utilized on both sides of the rail
- · Separate cable/data channel that allows for lay-in cable runs
- Up to ten rails can be connected to each other (for anything over ten rails, contact a local electrician)
- Up to eight 125V AC outlets per rail and four inputs for data
- Specify base or ceiling feed
- Flexible power feeds with 3.5" of extension through flexible metal conduit
- UL listed as an Office Furnishing Accessory (UL1286), UL183, and in full compliance with NEC electrical specifications

- Optional electric compliance available for municipal standards such as NY Box, California Title 24, and Chicago
- 20 amps
- Four circuits, eight wire Byrne<sup>™</sup> 8trac system
- Up to 13 duplex receptacles per circuit (total of 52 available duplex receptacles allowed)
- 12 AWG line conductors which share a 12 AWG ground and 10 AWG neutral
- · Fourth circuit is isolated and dedicated
- Warranty: 15 yr. (structural) / 7 yr. (electrical)

Available base finishes


Silver -SLV 48"/60" ship in 48 hrs. 36"/72" LT

LT = call for on-hand availability


Black -BLK All sizes LT (IT) White -WHT All sizes LT


#### Top view 4-Pack

#### varies by rail width



42.0", 54.0" 66.0", 78.0"






When considering space requirements, it is important to remember to include the total combination of rail and post measurements.


# Railway layout inspiration

With endless configurations to choose from, here are just a few common layout examples.




Railway components				
Quantity	Model#		Price	Total
1	RAIL-KIT72-8PK-DBL	Linear 72" 8-pack kit	\$6,181	\$6,181
	SUBTOTAL			\$6,181

Quantity	Model#		Price	Total
8	2T-LX-C48-24	2-leg TriumphLX electric table base	\$971	\$7,768
8	2R6024-TFL	60x24 TFL Rectangle worksurface	\$309	\$2,472
8	CENTRO-58	Centro privacy panel 58" length	\$622	\$4,976
16	CENTRO-22	Centro privacy panel 22" length	\$411	\$6,576
8	CONCEAL	Conceal cable manager (22 links)	\$70	\$560
8	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$328
	SUBTOTAL			\$22,680
	GRAND TOTAL			\$28,861




Quantity	Model#	Product description	Price	Total
6	RAIL-RWY60-DBL	60" rail	\$982	\$5,892
4	POSTKIT-END DBL	End posts	\$283	\$1,132
2	POSTKIT-3WAY-DBL	3-way post	\$307	\$614
1	POSTKIT-180-DBL	180° post	\$295	\$295
1	BASEFEED-72-END	72" base-feed	\$222	\$222
5	RAIL-JUMPER-22	22" jumper	\$144	\$720
	SUBTOTAL			\$8,875

Quantity	Model#	Product description	Price	Total
8	2T-LX-C48-24	2-leg TriumphLX electric table base	\$971	\$7,768
8	2R6024-TFL	60x24 TFL Rectangle worksurface	\$309	\$2,472
8	CENTRO-58	Centro privacy panel 58" length	\$622	\$4,976
8	CONCEAL	Conceal cable manager (22 links)	\$70	\$560
8	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$328
	SUBTOTAL			\$16,104
	GRAND TOTAL			\$24,979




Railway components				
Quantity	Model#	Product description	Price	Total
9	RAIL-RWY72-DBL	72" rail	\$1,055	\$9,495
2	POSTKIT-4WAY-DBL	4-way post	\$320	\$640
1	POSTKIT-3WAY-DBL	3-way post	\$307	\$307
7	POSTKIT-END-DBL	End posts	\$283	\$1,981
1	BASEFEED-72-END	72" base-feed	\$222	\$222
8	RAIL-JUMPER-22	22" jumper	\$144	\$1,152
	SUBTOTAL			\$13,797

Quantity	Model#	Product description	Price	Total
6	3VT-LX-C4848-24	3-leg VictoryLX electric table base	\$1,658	\$9,948
6	3EC727224-HPL	72x72x24 HPL Equal corner worksurface	\$1,854	\$11,124
12	CENTRO-70	Centro privacy panel 70" length	\$774	\$9,288
6	CONCEAL	Conceal cable manager (22 links)	\$70	\$420
12	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$492
	SUBTOTAL			\$31,272
	GRAND TOTAL			\$45,069




Quantity	Model#	Product description	Price	Total
3	RAIL-RWY48-DBL	48" rail	\$914	\$2,742
3	POSTKIT-END-DBL	End posts	\$283	\$849
1	POSTKIT-120-DBL	120º post	\$276	\$276
1	BASEFEED-72-END	72" base-feed	\$222	\$222
2	RAIL-JUMPER-22	22" jumper	\$144	\$288
	SUBTOTAL			\$4,377

Quantity	Model#	Product description	Price	Total
3	2T-LX-C48-24	2-leg TriumphLX electric table base	\$971	\$2,913
3	120-4824-TFL	48x24 TFL 120 Degree worksurface	\$839	\$2,517
6	CENTRO-46	Centro privacy panel 46" length	\$579	\$3,474
3	CONCEAL	Conceal cable manager (22 links)	\$70	\$210
3	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$123
	SUBTOTAL			\$9,237
	GRAND TOTAL			\$13,614




Quantity	Model#	Product description	Price	Total
1	RAIL-KIT60-4PK-DBL	Linear 60" 4-pack kit	\$3,105	\$3,105
	SUBTOTAL			\$3,105

Quantity	Model#	Product description	Price	Total
4	2T-LX-C48-24	2-leg TriumphLX electric table base	\$971	\$3,884
4	2R6024-TFL	60x24 TFL Rectangle worksurface	\$309	\$1,236
4	CENTRO-58	Centro privacy panel 58" length	\$622	\$2,488
4	CONCEAL	Conceal cable manager (22 links)	\$70	\$280
4	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$164
	SUBTOTAL			\$8,052
	GRAND TOTAL			\$11,157




Quantity	Model#	Product description	Price	Total
1	RAIL-KIT72-4PK-DBL	Linear 72" 4-pack kit	\$3,250	\$3,250
	SUBTOTAL			\$3,250

Quantity	Model#	Product description	Price	Total
2	3VT-LX-C4848-24	3-leg VictoryLX electric table base	\$1,658	\$3,316
2	3EC727224-HPL	72x72x24 HPL Equal corner worksurface	\$1,854	\$3,708
4	CENTRO-70	Centro privacy panel 70" length	\$774	\$3,096
2	CONCEAL	Conceal cable manager (22 links)	\$70	\$140
2	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$82
	SUBTOTAL			\$10,342
	GRAND TOTAL			\$13,592



Quantity	Model#	Product description	Price	Total
7	RAIL-RWY48-DBL	48" rail	\$914	\$6,398
4	POSTKIT-END-DBL	End posts	\$283	\$1,132
2	POSTKIT-180-DBL	180° post	\$295	\$590
2	POSTKIT-120-DBL	120° post	\$276	\$552
1	BASEFEED-72-END	72" base-feed	\$222	\$222
6	RAIL-JUMPER-22	22" jumper	\$144	\$864
	SUBTOTAL			\$9,758

Quantity	Model#	Product description	Price	Total
6	3VT-LX-C3636-24	3-leg VictoryLX electric table base	\$1,658	\$9,948
6	120-4824-TFL	48x24 TFL 120° worksurface	\$839	\$5,034
2	2VT-LX-C36-24	2-leg TriumphLX electric table base	\$1,146	\$2,292
2	2R4824-TFL	48x24 TFL Rectangle worksurface	\$258	\$516
14	CENTRO-46	Centro privacy panel 46" length	\$579	\$8,106
8	CONCEAL	Conceal cable manager (22 links)	\$70	\$560
8	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$328
	SUBTOTAL			\$32,784
	GRAND TOTAL			\$36,542



Quantity	Model#	Product description	Price	Total
4	RAIL-RWY60-DBL	60" rail	\$982	\$3,928
4	POSTKIT-END-DBL	End posts	\$283	\$1,132
1	POSTKIT-4WAY-DBL	4-way post	\$320	\$320
1	BASEFEED-72-END	72" base-feed	\$222	\$222
3	RAIL-JUMPER-22	22" jumper	\$144	\$432
	SUBTOTAL			\$6,034

Quantity	Model#	Product description	Price	Total
4	2T-LX-C48-24	2-leg TriumphLX electric table base	\$971	\$3,884
4	2R6024-TFL	60x24 TFL Rectangle worksurface	\$309	\$1,236
4	CENTRO-58	Centro privacy panel 58" length	\$622	\$2,488
4	CONCEAL	Conceal cable manager (22 links)	\$70	\$280
4	TROUGH-DLX-KIT-BLK	Trough wire manager 18"	\$41	\$164
	SUBTOTAL			\$8,052
	GRAND TOTAL			\$14,086



# Railway custom configurations

The Railway can be customized with endless configurations to meet virtually any needs.


### Custom specification ordering guide

Follow the four steps below to build custom configurations not already include in our standard kits. For additional questions contact Customer Service at 1-800-833.3746.


Individual component model numbers are also available in this section.

#### Select your rail

- Specify the length of rail that you need. Available in sizes 36.0", 48.0", 60.0", or 72.0". (see page 20)
- Specify color. Available in silver, black, and white.
  - All finishes are LT (lead time) with the exception of the 48.0" and 60.0" silver Railways, which ship within 48-72 hours.
- Specify the rail.
  - A rail includes (4) four ports for data and/or phone, two on each side. It includes
    (4) four duplex power receptacles, two on each side, to fully power both sides of the Railway.
  - ESI offers different code compliant rails for New York City (NY), Chicago and California Title 24.



#### Select your posts:



- Each Railway requires (2) two posts per rail.
- All post kits include a 12.0" T-foot by default. An L-foot is only intended for applications going against a wall and not intended for open floor plans.

#### Specify base or ceiling feed

- 72.0" base feed is standard.
- 144.0" ceiling feeds are available for drop in power. Integrated power pole specify separately.
- ESI offers different code compliant feeds for NY Box and California Tile 24. (see page 22)
- Chicago Code Railways do not include receptacles, base/ceiling feed or jumpers. Please contact your local electrician for sourcing these items.

#### Specify the number of jumpers based on your layout

- There should be one less jumper than rail for specifications, see page 22.
- Chicago Code Railways do not include receptacles, base/ceiling feed or jumpers. Please contact your local electrician for sourcing these items.

#### Select the rail type and size:


Rails are available in lengths of 36.0", 48.0", 60.0", and 72.0" with three finish options. It includes data and power receptacles. Does not include posts, feeds, or jumpers. The posts will each add an additional 3.3" to the overall length of each rail.

New York City (NY) will need a special rail. See page 23

Code compliant rails may incur a longer lead time. Please contact Customer Service for a quote.

#### Rail includes:

- Top data cover in matching size and finish for data cable management
- (4) Four duplex power receptacles
- (2) Two data receptacles with (2) two ports each for data and phone
- (1) One set of connectors for post mounting
- (2) Two blank plate covers for covering unused ports



 $\Phi \bullet \Phi$ 

#### Rails

Model #	List				
RAIL-RWY36-DBL	\$873	LT	RAIL-RWY60-DBL	\$982	LT
RAIL-RWY36-DBL-CHI	\$873	LT	RAIL-RWY60-DBL-CHI	\$982	LT
RAIL-RWY36-DBL-CALI	\$873	LT	RAIL-RWY60-DBL-CALI	\$982	LT
RAIL-RWY48-DBL	\$914	LT	RAIL-RWY72-DBL	\$1,055	LT
RAIL-RWY48-DBL-CHI	\$914	LT	RAIL-RWY72-DBL-CHI	\$1,055	LT
RAIL-RWY48-DBL-CALI	\$914	LT	RAIL-RWY72-DBL-CALI	\$1,055	LT

#### Available finishes

Silver -SLV

• 48.0"/60.0" ship in 48 hrs.

• 36.0"/72.0" LT

Black - BLK

(LT) White -WHT

LT = call for on-hand availability


#### Select the post kit:

#### Post kit includes:

- (1) One post in 90°, 180°, 180°KO, 3-way, 4-way, 120°, or end configuration
- (1) One 12.0" T-foot including a hardware pack for foot mounting
- (1) One mounting bracket per cutout for rail mount (example: 3-way includes (3) three brackets, 180° and 90° both contain (2) two
- (1) One top cap

#### What post do I need?

- At least (2) two end posts are always recommended for each rail for a clean finished look. An end post goes on a rail anywhere that will NOT connect to an additional rail. Think of them as the "ends" of the configuration. The power feed will also come into the rail through an end post or 180°KO.
- For linear configurations of multiple connected rails, a 180° or 180°KO post is necessary for every rail being connected. Think of these as the "bridge" between rails in a straight line.
- 90°, 3-way, and 4-way post kits are needed wherever a configuration requires connections from different or multiple angles.
- Post dimensions are 3.3" wide by 3.3" deep, by 18.0" high.




#### Select the power feed:

We offer a ceiling feed for open floor plans with drop in power or a base feed for hard wired, wall fed power applications.

#### What feed do I need?

d\_[\_\_\_\_\_\_\_

- The standard is the 72.0" base feed. This is for hardwiring power directly from the wall into the rail. The power feed can only come through an end post or 180°KO.
- A 144.0" ceiling feed is used when power must be hardwired and "dropped" in from the ceiling. Specify power pole separately.
- ESI offers special feeds that comply with municipal standards for building and power such as NY Box (-NY) and Liquid tight (-CALI). Please check if any of these special power feeds are needed on the project.
- Chicago Code Railways do not include receptacles, base/ceiling feed or jumpers. Please contact your local electrician for sourcing these items.



receptacle

Ceiling feed			Base feed		
Model #	List		Model #	List	
CEILINGFEED-144	\$271	LT	BASEFEED-72-END	\$222	LT
CEILINGFEED-144-NY	\$554	LT	BASEFEED-72-END-NY	\$346	LT
CEILINGFEED-144-CALI	\$440	LT	BASEFEED-72-END-CALI	\$342	LT
Power pole					
Model #ListRAIL-POLE-142-BLK\$303LT		- The pole is 3.0" x 3.75" x 142" long. - It attaches to the post on its 3.0" side. Which			
LT = call for on-hand availability			means it will lengthen the Railw - Only available in black plastic	/ay by 3.75"	


LT = call for on-hand availability

### Select the number of jumpers:

Jumpers connect power from rail to rail.

#### How many jumpers do I need?

- (1) One jumper for every rail connected in the configuration beyond the initial rail connected to your base feed.
- Chicago Code Railways do not include receptacles, base/ceiling feed or jumpers. Please contact your local electrician for sourcing these items.



#### New York City power rail kit

Due to the New York City electrical code requirements we provided a specific NYC power rail kit that meets all specification requested by the city. All parts are provided and need to be installed by a licensed electrician per the code.


The NYC power rail kit is to be used as the designated infeed rail. All other rails in the configuration can be our standard rails

- Please consult local electrician for power draw when connecting more than 5 rails to one endfeed.

NY Kit includes:		Model #
(1)	One - NY Power block	NYCPWRBLK00#
(1)	One - Jumper	RAIL-JUMPER-22
(1)	One - Box	RAIL-NYBOX#

#### NY City power rail kit

Model #	List	
RAIL-POWER-NYCKIT	\$997	LT



#### convert to size needed

NY Power Kit does not include a railway shell. A shell will need to be purchased to put the power kit in. Please talk to your customer service representative for more information.

# Railway linear pre-configurations

To make ordering easy, there are various linear pre-configurations available.



Drawings are not to scale

#### 2-pack (up to two users)

#### Run includes:

- (2) Two End posts
- (1) One Rails in the size of your choosing, double run
- (1) One BASEFEED-72-END
- (2) Two T-feet
- (4) Four Receptacles



Posts, rails, and feet will match specified finish

- A **2-pack** is a one to two user configuration
- Up to **two** users can be provided power and data based on specified run
- Kits not applicable in New York, Chicago, or California
- Pricing does not include height adjustable desks and screens

#### 4-pack (up to four users)

#### Run includes:

- (2) Two End posts
- (1) One 180° post
- (2) Two Rails in the size of your choosing, double run
- (1) One BASEFEED-72-END
- (3) Three T-feet
- (1) One Jumper
- (8) Eight Receptacles




Model #	List price
RAIL-KIT36-4PK-DBL	\$2,889
RAIL-KIT48-4PK-DBL	\$2,968
RAIL-KIT60-4PK-DBL	\$3,105
RAIL-KIT72-4PK-DBL	\$3,250

Posts, rails, and feet will match specified finish


- A 4-pack is a two to four user configuration
- Up to **four** users can be provided power and data based on specified run
- Kits not applicable in New York, Chicago, or California
- Pricing does not include height adjustable desks and screens

Drawings are not to scale

#### 2-pack



#### 4-pack



Φ


Φ

Drawings are not to scale

#### 6-pack (up to six users)


#### Run includes:

- (2) Two End posts
- (2) Two 180° posts
- (3) Three Rails in the size of your choosing, double run
- (1) One BASEFEED-72-END
- (4) Four T-feet
- (2) Two Jumpers
- (12) Twelve Receptacles



Posts, rails, and feet will match specified finish

- A **6-pack** is a three to six user configuration
- Up to **six** users can be provided power and data based on specified run
- Kits not applicable in New York, Chicago, or California
- Pricing does not include height adjustable desks and screens



#### 8-pack (up to eight users)

#### Run includes:

- (2) Two End posts
- (3) Three 180° posts
- (4) Four Rails in the size of your choosing, double run
- (1) One BASEFEED-72-END
- (5) Five T-feet
- (3) Three Jumpers
- (16) Sixteen Receptacles




Model #	List price
RAIL-KIT36-8PK-DBL	\$5,458
RAIL-KIT48-8PK-DBL	\$5,619
RAIL-KIT60-8PK-DBL	\$5,891
RAIL-KIT72-8PK-DBL	\$6,181

Posts, rails, and feet will match specified finish


- An 8-pack is a four to eight user configuration
- Up to **eight** users can be provided power and data based on specified run
- Kits not applicable in New York, Chicago, or California
- Pricing does not include height adjustable desks and screens

Drawings are not to scale

#### 6-pack



8-pack




#### **BYRNE** electrical information

#### Circuitry/Keying

The Byrne 8-Trac System is rated for 20 amps allowing the use of 4 circuits with 4 line conductors, 2 neutrals and 2 grounds. Under NEC requirements, up to 13 duplex receptacles maybe used per circuit, with a total of 52 available duplex receptacles if all circuits are used, per single power entry. The line conductors are 12 AWG, and share a 12 AWG ground and a 10 AWG neutral. The fourth circuit is isolated and dedicated, and is serviced by its own line conductor, neutral and isolated ground. Alternate circuit diagrams are available. The Byrne System can be wired in both single and three-phase configurations, 240/120V, 208/120V respectively. Additionally, a 3 hot, 3 neutral, 2 ground (3-3-2) wiring system is available.

#### 3+D wiring diagram 208/120V

(3+D keying is designated as -3- in part numbers)



#### esiergo.com | 800.833.3746





FAMILY BUSINESS SINCE 1917

© 2021 Fellowes, Inc.