



Crank

Crank height adjustable table base

Crank

Crank height adjustable table base



hand crank
no electricity needed



locking casters

Product specs

- Crank height adjustment
- 250 lbs. base lifting capacity
- 1.0" per six cranks adjustment speed
- 18.0" height adjustment range
 - 27.0"–45.0" (low/high)
(excluding worksurface)
- Two stage adjustable legs
- Warranty: 15 yrs. structural / 7 yrs. mechanical



Available base finishes

LT Silver -SLV

LT Black -BLK

LT=CALL FOR ON HAND AVAILABILITY

Caster Kit


Caster Kit

- Set of casters for table bases
- Increases height by 2.0"
- Locking casters for security

MODEL # CASTERKIT-2C

esi

800.833.3746
esiergo.com

Table bases		Available worksurfaces			
Table base model	Worksurface shape	Worksurface dimension	TFL Quick ship	TFL Standard	HPL Standard
2C-C36-24-___	 W D Rectangle	36"w x 24"d	—	●	●
2C-C42-24-___		42"w x 24"d	—	●	●
2C-C48-24-___		48"w x 24"d	●	●	●
2C-C60-24-___		60"w x 24"d	—	●	●
2C-C72-24-___		72"w x 24"d	—	●	●
2C-C36-30-___		36"w x 30"d	—	●	●
2C-C42-30-___		42"w x 30"d	—	●	●
2C-C48-30-___		48"w x 30"d	—	●	●
2C-C60-30-___		60"w x 30"d	●	●	●
2C-C72-30-___		72"w x 30"d	—	●	●

Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL Quick ship worksurfaces are shipped out in 48 hours, TFL and HPL Standard worksurfaces ship in 2–3 weeks.

Table bases and worksurfaces can be purchased independently or as a combination.

ESI table bases and worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.