



All-Flex® 2-leg + Conceal


Electric height adjustable table base + cable management spine

All-Flex 2-leg + Conceal




Electric height adjustable table base + cable management spine

All-Flex features



Conceal



All-Flex® 2-leg specs

- Electric height adjustment
- 265 lb. base lifting capacity
- 1.5"/sec adjustment speed
- One part number for all 2-leg sizes
- 26.0" height adjustment range
- 23.3"–49.3" (low/high) (excluding worksurface)
- Three stage adjustable legs
- Provides adjustable cross channels, top supports, and feet making it one of the most adjustable table bases on the market
- C-leg
- Foot is adjustable to 22.0" or 28.0" (patented design)
- Leg columns fold out for easy assembly
- Adjustable width frame accommodates worksurfaces 36.0"–72.0"
- Adjustable depth top supports expands to accommodate worksurfaces 24.0"–36.0" deep
- Notched cross channel offers ample space for keyboard tray glide tracks
- 7'2" power cord
- Digital keypad with four memory settings
- Anti-collision safety feature
- Soft start and stop
- Crossbar includes guide markings to assist in setting width
- Integrated control unit shelf
- Integrated storage for foot extension plate when not in use
- Integrated cable management
- Steel construction
- Low standby power consumption
- Table base is UL962 listed
- Two motors
- ADA compliant
- Locking casters are available
- Warranty: 15 yr. (structural) / 7 yr. (mechanical)

Conceal specs

- Expands and retracts to keep cables organized under a height adjustable table base
- 53.5" total height
- 23 links
- Links are detachable
- Weighted bottom
- Attaches to bottom of worksurface
- Warranty: 15 yr.



Model



List price

○ FLEX2-CNCL-GRY	\$1,764
● FLEX2-CNCL-BLK	\$1,764
○ FLEX2-CNCL-WHT	\$1,764


All-Flex 2-leg + Conceal

esi®


Electric height adjustable table base + cable management spine




Link aerial view



Link profile view



Base profile view



The base dimensions as shown are actual.