

The FlexCharge series puts power within reach for any type of workspace—whether it is an individual desk, benching environment, collaborative area, or conference room. FlexCharge power solutions include both USB and AC outlets so users can conveniently charge any device.









FlexCharge™9 Tabletop power pod

(5) Five AC outlets: 15A. 125V, 60Hz

(4) Four quick-charge **USB** outlets

Ideal for worksurfaces in collaborative spaces and conference rooms

Meets spill-protection criteria

UL and cUL listed

8.0' power cord

Indicator light illuminates when built-in surge protection is active

Circuit reset button on the underside of device

Available in black and white



FlexCharge™3

Personal desktop power

(1) One AC outlet: 15A, 125V, 60Hz

(2) Two quick-charge **USB** outlets

Mounted with a desk clamp

Meets spill-protection criteria

8.0' power cord

UL and cUL listed

Available in black and white



FlexCharge™4

Personal desktop power

(2) Two AC outlets: 15A, 125V, 60Hz

(2) Two quick-charge USB outlets

Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount

Meets spill-protection criteria

UL and cUL listed

8.0' power cord

Indicator light illuminates when built-in surge protection is active

Available in black and white



FlexCharge™4C

Personal desktop power

(2) Two AC outlets: 15A, 125V, 60Hz

(1) One quick-charge USB-A port: 3A, 5V

(1) One quick-charge ÚSB-C port: 3.1A, ŠV

Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount

Meets spill-protection criteria

UL and cUL listed

8.0' power cord

Indicator light illuminates when built-in surgeprotection is active

Available in black and white



FlexCharge™4CX

Power module

(2) Two AC outlets- 15A, 125V. 60Hz

(1) One quick-charge ÚSB-A port- 3A, 5Ŭ

(1) One quick-charge ÚSB-C port- 3A, 5V

Power strip: six AC outlets

Power module: Universal mounting bracket that allows for a desk clamp, 2.0" grommet, or under worksurface mount

Power strip: mounts below the worksurface

Meets spill-protection criteria

UL and cUL listed

8.0' power cord (black)

28.5" connection cord (color matched to power module)

Indicator light illuminates when built-in surge protection is

Available in black and white







FlexCharge™ Hub **Desktop Charging Station**

Available for the following

monitor arm series:

Edge, Evolve and Sena Monitor Arms (ES), Kata (K1), Kata2 (K2)

Qi wireless charging pad, 5V-2A (10W Coil)

Two fast charging USB ports:

- (1) USB-A (5V-2.4A charging speed)
- (1) USB-C (5V-2A charging speed)

Power Consumption:

- Max power output: 44W Power insert:

- AC Input - 120V

- DC Output - 12V, 3A

Built-in surge protection UL & cUL Listed

Colors: Silver, Black, White

6' power cord

ES includes multiple top covers included to best fit users' monitor arm configuration









