

esi




Sena[™]EX1-M

Single motion monitor arm

Sena™EX1-M

Single motion monitor arm







Product specs

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 30" deep or less
- · 30.4" height adjustment range
 - 0.0"-30.4" (low/high)
- 18.3" arm extension
- · 2.9" arm retraction
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. 19.8lb weight capacity
- 20.1" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 360° rotation at three points
- · Desk clamp and grommet mount included
- Meets or exceeds BIFMA x5.5 and CSA CAN/ CGSB44.227 guidelines
- Warranty: 15 yr

Model #	List price
SENAEX1-M-SLV	\$324
SENAEX1-M-BLK	\$324
SENAEX1-M-WHT	\$324

SenaEX monitor arm key	Available mounting option
F - Fixed monitor arm	DC - Desk clamp
M - Motion monitor arm	GM - Grommet mount
S - Slider mount	

SenaEX for every need

As workstation needs change, so can the SenaEX configurations. Additional components sold separately

Call our Customer Service Department for pricing for custom configurations.

Sena™EX1-M

esi

Single motion monitor arm

