esi



Kata[™]EX4-FMS

Quad fixed + motion + slider monitor arm

KataEX4-FMS

Quad fixed + motion + slider monitor arm



tension adjustment



integrated tool storage



desk clamp



connection sleeve



slider mount


esi

Product specs

- · Finger touch dynamic height adjustment
- Recommended for worksurfaces 36.0" deep or less
- · 33.4" arm extension
- 6.6" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 2.5 lb.-18.5 lb. weight capacity (per arm)
- 28.0" pole height (includes base)
- VESA 75mm/100mm guick release
- 180° lock-out feature
- · Desk clamp mount only
- Slider provide 9.5" of additional horizontal adjustability
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- · Partially assembled for quick installation
- · Integrated cord management
- · Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- 32.0" max. monitor width
 Bezel measured left to right.
 Max. width is contingent on weight capacity.
 Note: monitor height/weight might limit size.
- Designed for ESI by Roger Webb Associates of London
- Warranty: 15 yr.

Model

KATAEX4-DC-FMS-SLV



KATAEX4-DC-FMS-WHT

KataEX monitor arm key

Available mounting options

F - Fixed monitor arm

DC - Desk clamp

M - Motion monitor arm

GM - Grommet mount

S - Slider mount

KataEX for every need

- As workstation needs change, so can the KataEX configurations. Additional components sold separately
- Benching system mount(s) available

Call our Customer Service Department for compatibility and pricing for custom configurations.



KataEX4-FMS

