





All-Flex[®] 2-leg

electric table base




All-Flex 2-leg

electric table base



Product Specs

- Electric height adjustment
- 265 lbs. base lifting capacity
- 1.5"/sec adjustment speed
- One part number for all 2-leg sizes
- 26.0" height adjustment range
 - 23.2"–49.2" (low/high) (excluding worksurface)
- Three-stage adjustable legs
- Provides adjustable cross channels, top support, and feet making it one of the most adjustable table bases on the market.
- Foot is adjustable to 22.0" or 28.0" (patented design)
- Adjustable width frame to fit worksurfaces 36.0"–84.0" wide
- Adjustable depth top support expands to accommodate worksurfaces 24.0"–36.0" deep
- Notched cross channel offers ample space for keyboard tray glide tracks
- 86.0" power cord
- Digital keypad with four memory settings
- Anti-collision safety feature
- Quick start
- Crossbar includes guide markings to assist in setting width
- Folding frame design for quick assembly
- Integrated control unit shelf
- Integrated storage for foot extension plate when not in use
- Integrated cable management
- Quiet adjustment
- Steel construction
- Low standby power consumption
- Table base is UL962 listed
- Lead free
- Two motors
- ADA compliant
- Locking casters are available
- Warranty: 15 yrs. structural / 7 yrs. mechanical




esi

800.833.3746
esiergo.com

All-Flex 2-leg

electric table base

Rectangle



Dimensions

36"w x 24"d
42"w x 24"d
48"w x 24"d
60"w x 24"d
72"w x 24"d
84"w x 24"d
36"w x 30"d
42"w x 30"d
48"w x 30"d
60"w x 30"d
72"w x 30"d
84"w x 30"d


Base model

FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____

Surface model

2R3624__
2R4224__
2R4824__
2R6024__
2R7224__
2R8424__
2R3630__
2R4230__
\$2R4830__
2R6030__
2R7230__
2R8430__

120°



Dimensions

48"wl x 48"wr x 24"d
60"wl x 60"wr x 24"d
48"wl x 48"wr x 30"d
60"wl x 60"wr x 30"d

Base model

FLEX2-____
FLEX2-____
FLEX2-____
FLEX2-____

Surface model

120-4824__
120-6024__
120-4830__
120-6030__

Small equal corner



Dimensions

42"wr x 42"wl x 24"d
48"wr x 48"wl x 24"d


Base model

FLEX2-____
FLEX2-____

Surface model

2EC424224__
2EC484824__

D-top



Dimensions

60"w x 30"d
72"w x 30"d

Base model

FLEX2-____
FLEX2-____

Surface model

D6030__
D7230__

Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See our worksurface ordering guide for details. ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Caster Kit

- Set of caster wheels for table bases
- Increases height by 2.0"
- Locking wheels for security

MODEL # CASTERKIT-FLEX2

Available base finishes

- ☐ Silver -SLV
- ☒ Black -BLK
- ☐ White -WHT


LT=CALL FOR ON HAND AVAILABILITY

Worksurface shapes - LT

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.

Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available at an additional cost.






esi

800.833.3746
esiergo.com

All-Flex 2-leg

electric table base



The base dimensions as shown are actual.

esi

800.833.3746
esiergo.com