

Weight Adjustable Espree™

pneumatic table base



weight resistance gauge



foot at 28.0"



foot at 22.0"

With no power needed, it is both environmentally friendly and easy to retrofit any space with power limitations

Product Specs

- Pneumatic height adjustment
- 20.0" height adjustment range
 - 26.0"-46.0" (low/high) (excluding worksurface)
- 44–143 lbs. base lifting capacity (2ESP-WA-C48)
- 52–163 lbs. base lifting capacity (2ESP-WA-C60)
- · Two-stage adjustable legs
- Foot is adjustable to 22.0" or 28.0" (patented design)
- · Fixed width frame
- · Locking casters are available
- Table bases accommodate worksurfaces measuring 48.0" and 60.0" in width
- Base includes weight resistance setting gauge
- The user has the ability to change the weight resistance in the base for easy height adjustment
- Counter-balanced columns provide smooth, synchronized height adjustment
- The weight adjustment cylinder includes preventative hard stop
- Warranty: 15 yrs. structural / 7 yrs. mechanical





locking casters

800.833.3746 esiergo.com

Weight Adjustable Espree

pneumatic table base

	Dimensions 60"w x 30"d	Base model 2ESP-WA-C60	Surface model D6030
D-top			
	60"w x 30"d	2ESP-WA-C60	2R6030
	60"w x 24"d	2ESP-WA-C60	2R6024
	48"w x 30"d	2ESP-WA-C48	2R4830
	48"w x 24"d	2ESP-WA-C48	2R4824
	Dimensions	Base model	Surface model

Table bases can be purchased independently or combined with a worksurface. Worksurfaces can only be purchased with a table base. See laminate guide worksurface for details. ESI worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.

Caster Kit

- Set of caster wheels for table bases
- · Increases height by 2.0"
- · Locking wheels for security

MODEL # CASTERKIT-2ESP-WA

Available base finishes



Black -BLK

(LT) White -WHT

LT=CALL FOR ON HAND AVAILABILITY

Worksurface shapes - LT

Multiple worksurface shapes are available. See chart to the left for full list. Worksurfaces can be come in a variety of laminates.


Edge Detail

Worksurfaces ship with a standard square profile edge and coordinating 3mm edge band. Additional edge detail profiles are available.




2ESP-WA-C48

fixed width 44.0"



2ESP-WA-C60

fixed width 56.0"



The base dimensions as shown are actual.