esi







Privacy/modesty screen

Centro

Privacy/modesty screen





screen application

proprietary clamp mount allows you to use the screens in privacy or modesty applications

Model

- CENTRO-22-___
- CENTRO-28-___
- CENTRO-34-___
- CENTRO-46-___
- CENTRO-58-___
- CENTRO-70-___

*Screens are actual size, sizes are designed to accommodate nominal worksurfaces.







Ash -ASH 48"/58" ships in 48 hrs. 22"/28"/34"/70" LT









Cobalt Blue -BLU All sizes LT

Iced Grey -ICE All sizes LT

Product specs

- Available lengths: 22.0", 28.0", 34.0", 46.0", 58.0", and 70.0"*
- 25.0" height
 - Privacy application 18.0" above/6.0" below
 - Modesty application 6.0" above/18.0" below
- 0.8" screen thickness
- 22.0", 28.0", 34.0" and 46.0" screens come with two worksurface mounting brackets, 58.0" and 70.0" screens come with three brackets
- 46.0" and 58.0" screens in Charcoal and Ash ship in 48 hours
- Mounting brackets designed to accommodate 0.5"-1.8" thick worksurfaces
- · Lightweight screens
- · Sound level absorption up to .9 NRC rating
- · Universal mounting system allows brackets to be set for privacy or modesty applications
- Convenient tackable surface •
- 100% recyclable
- Made from 60% post-consumer recycled plastic water bottles
- VOC-Free
- 22.0" and 28.0" lengths are recommended for side applications. Larger sizes are recommended for the rear applications
- · Seven available colors: Cobalt Blue, Pear Green, Sandstone, Ash, Charcoal, Slate, Iced Grey
- Custom options are available: Contact our Customer Service Department for a customized Centro quote. Minimum quantity of four required. Additional costs and lead time may apply
- Warranty: 7 yr.

Cleaning/Care instructions


Centro can be safely cleaned and disinfected with mild soap and water, disinfectant sprays, and fabric or carpet cleaners.

When cleaning Centro with a fabric or carpet cleaner, always be sure to test it on a small inconspicuous area first.



length and number of brackets vary by screen width

available in 22.0", 28.0", 34.0", 46.0", 58.0", 70.0"





mounting bracket

