

Q Crank

Crank height adjustable table base

Q Crank

Crank height adjustable table base



Product specs

- · Crank height adjustment
- 220 lbs. base lifting capacity
- 1.0" per two cranks adjustment speed
- 17.7" height adjustment range
 - 24.8"—42.5" (low/high) (excluding worksurface)
- Two stage adjustable legs
- · Adjustable width frame
- Optional casters are available
- Warranty: 15 yrs. (structural); 7 yrs. (mechanical)

Available base finishes





LT=CALL FOR ON HAND AVAILABILITY



locking casters

Caster Kit

no electricity needed

- Set of casters for table bases
- Increases height by 2.0"
- · Locking casters for security

MODEL # CASTERKIT-QCRANK



Crank height adjustable table base

Table bases

Available worksurfaces

Table base model	Worksurface shape	Worksurface dimension	TFL Quick ship	TFL Standard	HPL Standard
QCRANK-24S		36"w x 24"d	-	•	•
		42"w x 24"d	-	•	•
	W Rectangle	48"w x 24"d	•	•	•
QCRANK-24L		60"w x 24"d	-	•	•
		72"w x 24"d	-	•	•
		84"w x 24"d	_	•	•
QCRANK-30S		36"w x 30"d	-	•	•
QCRANK-30L		42"w x 30"d	_	•	•
		48"w x 30"d	_	•	•
		60"w x 30"d	•	•	•
		72"w x 30"d	_	•	•

Worksurface Program

Multiple worksurface shapes and laminates are available. See the Complete Table & Worksurface Ordering Guide for worksurface details including pricing and laminate colors. TFL Quick ship worksurfaces are shipped out in 48 hours, TFL and HPL Standard worksurfaces ship in 2–3 weeks.

Table bases and worksurfaces can be purchased independently or as a combination.


ESI table bases and worksurfaces are made to exact dimensions. If nominal sizing is needed, please specify when ordering.




Q Crank

Crank height adjustable table base

adjustable width frame 31.2"-47.5" top support 19.7"



Q CRANK-24L adjustable width frame 42.7"-71.0" top support 19.7"



The base dimensions as shown are actual.