

esi®




S2S

Desktop sit-to-stand workstation



S2S

Desktop sit-to-stand workstation



lowered



Top view

Product specs

- Pneumatic height adjustment
- Weight adjustable counterbalance pneumatic lift capability; built-in tension adjustment
- 35 lb. platform weight capacity
- 16.7" height adjustment range
 - Retracted height: 6.0"
 - Extension height: 22.0"
- 35.5" w x 21.0" d top platform
- 26.8" w x 10.5" d keyboard platform
- 1.8" keyboard platform depth adjustment range upon installation
- 24.0" min. worksurface depth
- 40.3 lb. unit weight
- Sits atop worksurface
- Integrated cable management
- Precision positioning moves all of the workstation essentials in one fluid motion, stopping at any point along the way
- One-handed operation
- Arrives fully assembled
- Arrives with weight tension pre-set to lift 22 lb.
- Ratchet wrench included for easy weight tension adjustment with integrated tool storage
- Worksurface and keyboard platform move simultaneously
- Straight vertical travel increases stability and security of work gear and technology
- Large worksurface and keyboard platform for enhanced user comfort
- Compatible with Eppa™, Edge®, Evolve, Kata™, Kata™EX, Sena™ and Sena™EX single . . . single and dual monitor arms (monitor arms sold separately)
- Warranty: 5 yr.



Model


- S2S-BLK

S2S



Desktop sit-to-stand workstation



Top View



Bottom View



Can be used with worksurfaces 24" deep

Back View

