



ALL-FLEX® 3-LEG

ELECTRIC TABLE BASE

- One part number for all 3-leg sizes
- Height adjustment range: 26"
 - Low: 23.2" | High: 49.2"
 - (excluding worksurface)
- Adjusts to fit worksurfaces 36"–84" wide
- Adjustment speed: 1.5"/second
- Lifting capacity: 330 lbs.
 - (including worksurface)
- Adjustable feet: 22" or 28"
- Crossbar includes guide markings to assist in setting width
- Top support expands to more effectively accommodate worksurfaces 24"–36" deep
- Notched cross channel offers ample space for keyboard tray glide tracks
- Anti-collision safety feature
- 86" power cable
- Quick start
- Digital keypad with 4 memory settings
- Folding frame design for quick assembly


ADDITIONAL FEATURES

- Integrated control unit shelf
- Integrated storage for foot extension plate when not in use
- Integrated cable management
- Quiet adjustment
- Steel construction
- Low power consumption
- Lead free
- ADA compliant
- Optional casters are available



AVAILABLE WORKSURFACES

Additional worksurface options are available.
Call Customer Service for more information.



BASE FINISH OPTIONS


Complete the base model # with the 3 letter finish code



LT Call for on-hand availability


EDGE DETAIL

Worksurfaces ship with standard square profile edge and coordinating 3mm edge band.



UNIVERSAL CORNER BRACKET

Allows base to be installed in either A 90° Or 120° configuration



FEET ADJUST TO 22" OR 28"



All-Flex® 3-Leg Ordering Options

	DIMENSIONS			BASE MODEL # SPECIFY FINISH	SURFACE MODEL # SPECIFY LAMINATE
	WL	WR	D		
LARGE EQUAL CORNER	60	60	24	FLEX3-___	3EC606024__
	72	72	24	FLEX3-___	3EC727224__
	84	84	24	FLEX3-___	3EC848424__
	60	60	30	FLEX3-___	3EC606030__
	72	72	30	FLEX3-___	3EC727230__
	84	84	30	FLEX3-___	3EC848430__
120 DEGREE	48	48	24	FLEX3-___	120-4824__
	60	60	24	FLEX3-___	120-6024__
	72	72	24	FLEX3-___	120-7224__
	48	48	30	FLEX3-___	120-4830__
OFFSET CORNER LEFT	60	48	24	FLEX3-___	3OCL604824__
	72	48	24	FLEX3-___	3OCL724824__
	72	60	24	FLEX3-___	3OCL726024__
	84	48	24	FLEX3-___	3OCL844824__
	84	60	24	FLEX3-___	3OCL846024__
	84	72	24	FLEX3-___	3OCL847224__
	60	48	30	FLEX3-___	3OCL604830__
	72	48	30	FLEX3-___	3OCL724830__
	72	60	30	FLEX3-___	3OCL726030__
	84	48	30	FLEX3-___	3OCL844830__
	84	60	30	FLEX3-___	3OCL846030__
	84	72	30	FLEX3-___	3OCL847230__
OFFSET CORNER RIGHT	48	60	24	FLEX3-___	3OCR486024__
	48	72	24	FLEX3-___	3OCR487224__
	48	84	24	FLEX3-___	3OCR488424__
	60	72	24	FLEX3-___	3OCR607224__
	60	84	24	FLEX3-___	3OCR608424__
	72	84	24	FLEX3-___	3OCR728424__
	48	60	30	FLEX3-___	3OCR486030__
	48	72	30	FLEX3-___	3OCR487230__
	60	72	30	FLEX3-___	3OCR607230__
	48	84	30	FLEX3-___	3OCR488430__
	60	84	30	FLEX3-___	3OCR608430__
	72	84	30	FLEX3-___	3OCR728430__
PENINSULA LEFT	72	48	30	FLEX3-___	3PL724830__
	72	60	30	FLEX3-___	3PL726030__
	84	48	30	FLEX3-___	3PL844830__
	84	60	30	FLEX3-___	3PL846030__
PENINSULA RIGHT	84	72	30	FLEX3-___	3PL847230__
	48	72	30	FLEX3-___	3PR487230__
	60	72	30	FLEX3-___	3PR607230__
	48	84	30	FLEX3-___	3PR488430__
	60	84	30	FLEX3-___	3PR608430__
	72	84	30	FLEX3-___	3PR728430__

ALL-FLEX® 3-LEG

HEIGHT ADJUSTABLE TABLES




© 2017 ESI. All Rights Reserved.


esiergo.com | 800.833.3746

GSA Contract Holder • 2020 CAP & GIZA
Project Spec • IceEdge • Sketch-Up


90° CONFIGURATION



120° CONFIGURATION



SIDE



© 2017 ESI. All Rights Reserved.

esiergo.com | 800.833.3746

GSA Contract Holder • 2020 CAP & GIZA
Project Spec • IceEdge • Sketch-Up