





Sena™EX2-F

Dual fixed monitor arm

### Sena™EX2-F

#### Dual fixed monitor arm







desk clamp



#### **Product specs**

- Manual Height Adjustment
- Recommended for worksurfaces 36" deep or less
- 17.2" arm extension
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. 19.8lb weight capacity (per arm)
- 20.1" pole height (includes base)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 270° / 135° arm rotation with 180° lock out
- · Desk clamp and grommet mount included
- 23.8" max monitor width
  - Bezel measured left to right
- Meets or exceeds BIFMA x5.5 and CSA CAN/ CGSB44.227 guidelines
- · Warranty: 15 yr

#### Model #

SENAEX2-F-SLV

SENAEX2-F-BLK

SENAEX2-F-WHT

#### SenaEX monitor arm key

#### **Available mounting options**

F - Fixed monitor arm

DC - Desk clamp

M - Motion monitor arm

GM - Grommet mount

S - Slider mount

#### SenaEX for every need

As workstation needs change, so can the SenaEX configurations. Additional components sold separately

Call our Customer Service Department for pricing for custom configurations.

## Sena™EX2-F

# esi

Dual fixed monitor arm 157mm [6.2in] 603mm [23.7in] MAX 359mm[14.2in] 166mm [6.5in]MIN 506mm [19.9in] -107mm [4.2in] -330mm [13.0in]  $\emptyset$ 35mm[1.4in] -255mm[10.0in] -150mm [5.9in] --75mm [3.0in] -- 122mm [4.8in] ---73mm<sup>[</sup>2.9in]