



Kata™ EX3-FF

Triple fixed + fixed monitor arm

Kata™ EX3-FF

Triple fixed + fixed monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

Product specs

- Manual height adjustment
- Recommended for worksurfaces 30.0" deep or less
- 31.7" outside arm extension
- 11.1" center arm extension
- 7.1" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height (*includes base*)
- Up to 20.0 lb. weight capacity (*both middle & outside arms*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- 24.0" max. monitor width
*Bezel measured left to right,
Max width is contingent on weight capacity*
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

Model #	List price
○ KATAEX3-DC-FF-SLV	\$827
● KATAEX3-DC-FF-BLK	\$827
○ KATAEX3-DC-FF-WHT	\$827
○ KATAEX3-GM-FF-SLV	\$827
● KATAEX3-GM-FF-BLK	\$827
○ KATAEX3-GM-FF-WHT	\$827

KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm




S - Slider mount

esi

800.833.3746
esiergo.com

Kata™ EX3-FF



Triple fixed + fixed monitor arm



Base


4.13"

VESA plate



Base

VESA mount
(profile view)



esi

800.833.3746
esiergo.com