




Kata™ EX1-F

Single fixed monitor arm

Kata™ EX1-F

Single fixed monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

Product specs

- Manual height adjustment
- Recommended for shallow worksurfaces 30.0" deep or less
- 21.4" arm extension
- 5.6" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height (*includes base*)
- Up to 20.0 lb. weight capacity
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

Model

- ☐ KATAEX1-DC-F-SLV
- ☒ KATAEX1-DC-F-BLK
- ☐ KATAEX1-DC-F-WHT
- ☐ KATAEX1-GM-F-SLV
- ☒ KATAEX1-GM-F-BLK
- ☐ KATAEX1-GM-F-WHT

KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm



S - Slider mount

esi


800.833.3746
esiergo.com

Kata™ EX1-F


Single fixed monitor arm




Base




Base



VESA plate



VESA mount
(profile view)



esi

800.833.3746
esiergo.com