



Kata™ EX1-MS

Single motion + slider monitor arm

Kata™ EX1-MS

Single motion + slider monitor arm



tension adjustment




integrated tool storage



grommet mount



desk clamp



slider mount



connection sleeve

Product specs

- Finger touch dynamic height adjustment
- Recommended for shallow worksurfaces 30.0" deep or less
- 23.0" arm extension
- 6.6" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- 16.0" pole height (*includes base*)
- 2.5 lb.–18.5 lb. weight capacity
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Slider provide 9.5" of additional horizontal adjustability
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- Warranty: 15 yr.
- Designed for ESI by Roger Webb Associates of London, England

Model

List price

<input type="radio"/> KATAEX1-DC-MS-SLV	\$497
<input checked="" type="radio"/> KATAEX1-DC-MS-BLK	\$497
<input type="radio"/> KATAEX1-DC-MS-WHT	\$497
<input type="radio"/> KATAEX1-GM-MS-SLV	\$497
<input checked="" type="radio"/> KATAEX1-GM-MS-BLK	\$497
<input type="radio"/> KATAEX1-GM-MS-WHT	\$497

KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm



S - Slider mount

esi


800.833.3746
esiergo.com

Kata™ EX1-MS


Single motion + slider monitor arm




Base




Base



VESA plate



VESA mount
(profile view)



esi

800.833.3746
esiergo.com