

esi.<sup>®</sup>



Kata<sup>™</sup> EX1-FF

Single fixed + fixed monitor arm

# KataEX1-FF

Single fixed + fixed monitor arm



tension adjustment



integrated tool storage



grommet mount



desk clamp



connection sleeve

## Product specs

- Manual height adjustment
- Recommended for worksurfaces 36.0" deep or less
- 33.28" arm extension
- 4.27" arm retraction
- +90°/-45° monitor tilt
- ±90° VESA rotation
- Up to 20.0 lb. weight capacity
- 15.99" pole height (*includes base*)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- Specify a grommet mount or a desk clamp mount
- Tension adjustment indicator for precision installation
- Each connection sleeve can accommodate up to three monitors depending on the configuration
- Partially assembled for quick installation
- Integrated cord management
- Integrated tool holder
- Meets or exceeds ANSI/BIFMA x5.5 guidelines
- Designed for ESI by Roger Webb Associates of London
- Warranty: 15 yr.

## Model #

- KATAEX1-DC-FF-SLV
- KATAEX1-DC-FF-BLK
- KATAEX1-DC-FF-WHT
- KATAEX1-GM-FF-SLV
- KATAEX1-GM-FF-BLK
- KATAEX1-GM-FF-WHT

## KataEX monitor arm key

F - Fixed monitor arm

M - Motion monitor arm

S - Slider mount

## Available mounting options

DC - Desk clamp

GM - Grommet mount

## KataEX for every need

- As workstation needs change, so can the KataEX configurations. Additional components sold separately
- Benching system mount(s) available

*Call our Customer Service Department for compatibility and pricing for custom configurations.*

# KataEX1-FF

esi.<sup>®</sup>

Single fixed + fixed monitor arm

