





esi



U Shape | Post bracket



U Shape | Low profile bracket


U Shape Acrylic Screen

Protective screen


UShape Acrylic Screen

Protective screen


esi



Acrylic U Shape screen | Post bracket |
No gap | Clear



Acrylic U Shape screen | Post bracket |
2.0" gap | Clear



Acrylic U Shape screen | Post bracket |
4.0" access slot | Clear



Acrylic U Shape screen | Low profile bracket |
No gap | Clear



Acrylic U Shape screen | Low profile bracket |
4.0" access slot | Clear



post bracket available in Black (BLK), Silver (SLV), and White (WHT)



low profile bracket available in Black (BLK), Silver (SLV), and White (WHT)

Cleaning/Care instructions

Clean with soap and water and a soft cloth, or non abrasive cleaners that do not contain ammonia. For more detailed cleaning instructions see page 6.

Product Specs

Product specs

- Quickly retrofit an existing workspace
- Provides separation and peace of mind when coming back to the office
- Available lengths: 36.0", 48.0", 60.0", and 72.0" (screens will be 3.375" shorter than worksurface)
- Available heights: 24.0", 30.0", 36.0"*(*post bracket only) (height are measured from the top of worksurface to top of screen. Screens will be 0.75" shorter than nominal height shown for no gap and 4.0" gap versions. Screens will be 2.0" shorter than nominal height shown for 2.0" gap version)
- Available depths: 24.0" and 30.0"
- Available brackets:
 - Post bracket
 - Low profile bracket
 - Corner brackets are provided for U-shape configurations
- Brackets are available in black, silver and white finish, the corner bracket finish matches the main bracket finish
- Available screen styles: Clear and Frosted
- Screen thickness:
 - Clear: 0.24"
 - Frosted: 0.22"
- Available access opening:
 - No gap
 - 2.0" gap (post bracket only)
 - 4.0" gap access slot
- Each size and style of screen comes with two brackets per section
- Bracket attachment methods:
 - Post brackets will include adhesive and screw mounting hardware
 - Low profile bracket will include adhesive only
- Minimum order requirements:
 - Standard screen sizes have NO minimum order qty
 - Custom orders will be assessed on a case-by-case basis depending on the size
- UL 94 Certified
- Rounded edges and corners for user safety.
- Lead time 2-4 weeks, pending acrylic is available
- Custom options available, contact our Customer Service Department with questions.
- Made of general purpose cast acrylic
- Compatible with ESI products. See table on next page for breakout.
- Warranty: 5 yr.

U Shape Acrylic Screen



Protective screen

Acrylic screen model # breakdown:

ACRU-362424-NG-PST-FST-__-__-__

a b c d e f g h

- a: type of screen
- b: screen length
- c: screen depth
- d: screen height
- e: gapping
- f: bracket style
- g: screen style
- h: bracket finish

U Shape Acrylic Screen | Post style bracket

Acrylic screen type	Acrylic style	Bracket type	Screen dimension	Gapping	
				No gap - NG or 2.0" gap - 2G or 4.0" gap access slot - 4G	
ACRU	Clear	Post style bracket	36.0"l x 24.0"d x 24.0"h	ACRU-362424-__-PST-CLR-__	\$1,184
			48.0"l x 24.0"d x 24.0"h	ACRU-482424-__-PST-CLR-__	\$1,194
			60.0"l x 24.0"d x 24.0"h	ACRU-602424-__-PST-CLR-__	\$1,217
			72.0"l x 24.0"d x 24.0"h	ACRU-722424-__-PST-CLR-__	\$1,365
			36.0"l x 30.0"d x 24.0"h	ACRU-363024-__-PST-CLR-__	\$1,184
			48.0"l x 30.0"d x 24.0"h	ACRU-483024-__-PST-CLR-__	\$1,194
			60.0"l x 30.0"d x 24.0"h	ACRU-603024-__-PST-CLR-__	\$1,217
			72.0"l x 30.0"d x 24.0"h	ACRU-723024-__-PST-CLR-__	\$1,365
			36.0"l x 24.0"d x 30.0"h	ACRU-362430-__-PST-CLR-__	\$1,184
			48.0"l x 24.0"d x 30.0"h	ACRU-482430-__-PST-CLR-__	\$1,194
			60.0"l x 24.0"d x 30.0"h	ACRU-602430-__-PST-CLR-__	\$1,268
			72.0"l x 24.0"d x 30.0"h	ACRU-722430-__-PST-CLR-__	\$1,365
			36.0"l x 30.0"d x 30.0"h	ACRU-363030-__-PST-CLR-__	\$1,233
			48.0"l x 30.0"d x 30.0"h	ACRU-483030-__-PST-CLR-__	\$1,249
			60.0"l x 30.0"d x 30.0"h	ACRU-603030-__-PST-CLR-__	\$1,319
			72.0"l x 30.0"d x 30.0"h	ACRU-723030-__-PST-CLR-__	\$1,416
			36.0"l x 24.0"d x 36.0"h	ACRU-362436-__-PST-CLR-__	\$1,479
			48.0"l x 24.0"d x 36.0"h	ACRU-482436-__-PST-CLR-__	\$1,490
			60.0"l x 24.0"d x 36.0"h	ACRU-602436-__-PST-CLR-__	\$1,513
			72.0"l x 24.0"d x 36.0"h	ACRU-722436-__-PST-CLR-__	\$1,804
			36.0"l x 30.0"d x 36.0"h	ACRU-363036-__-PST-CLR-__	\$1,479
			48.0"l x 30.0"d x 36.0"h	ACRU-483036-__-PST-CLR-__	\$1,490
			60.0"l x 30.0"d x 36.0"h	ACRU-603036-__-PST-CLR-__	\$1,513
			72.0"l x 30.0"d x 36.0"h	ACRU-723036-__-PST-CLR-__	\$1,804

U Shape Acrylic Screen



Protective screen

U Shape Acrylic Screen | Post style bracket

Acrylic screen type	Acrylic style	Bracket type	Screen dimension	Gapping
				No gap - NG or 2.0" gap - 2G or 4.0" gap access slot - 4G
ACRU	Frosted	Post style bracket	36.0"l x 24.0"d x 24.0"h	ACRU-362424-__-PST-FST-__ \$1,319
			48.0"l x 24.0"d x 24.0"h	ACRU-482424-__-PST-FST-__ \$1,328
			60.0"l x 24.0"d x 24.0"h	ACRU-602424-__-PST-FST-__ \$1,559
			72.0"l x 24.0"d x 24.0"h	ACRU-722424-__-PST-FST-__ \$1,568
			36.0"l x 30.0"d x 24.0"h	ACRU-363024-__-PST-FST-__ \$1,389
			48.0"l x 30.0"d x 24.0"h	ACRU-483024-__-PST-FST-__ \$1,397
			60.0"l x 30.0"d x 24.0"h	ACRU-603024-__-PST-FST-__ \$1,628
			72.0"l x 30.0"d x 24.0"h	ACRU-723024-__-PST-FST-__ \$1,638
			36.0"l x 24.0"d x 30.0"h	ACRU-362430-__-PST-FST-__ \$1,462
			48.0"l x 24.0"d x 30.0"h	ACRU-482430-__-PST-FST-__ \$1,471
			60.0"l x 24.0"d x 30.0"h	ACRU-602430-__-PST-FST-__ \$2,054
			72.0"l x 24.0"d x 30.0"h	ACRU-722430-__-PST-FST-__ \$2,063
			36.0"l x 30.0"d x 30.0"h	ACRU-363030-__-PST-FST-__ \$1,774
			48.0"l x 30.0"d x 30.0"h	ACRU-483030-__-PST-FST-__ \$1,753
			60.0"l x 30.0"d x 30.0"h	ACRU-603030-__-PST-FST-__ \$2,341
			72.0"l x 30.0"d x 30.0"h	ACRU-723030-__-PST-FST-__ \$2,350
			36.0"l x 24.0"d x 36.0"h	ACRU-362436-__-PST-FST-__ \$1,742
			48.0"l x 24.0"d x 36.0"h	ACRU-482436-__-PST-FST-__ \$1,753
			60.0"l x 24.0"d x 36.0"h	ACRU-602436-__-PST-FST-__ \$2,197
			72.0"l x 24.0"d x 36.0"h	ACRU-722436-__-PST-FST-__ \$2,207
			36.0"l x 30.0"d x 36.0"h	ACRU-363036-__-PST-FST-__ \$1,885
			48.0"l x 30.0"d x 36.0"h	ACRU-483036-__-PST-FST-__ \$1,892
			60.0"l x 30.0"d x 36.0"h	ACRU-603036-__-PST-FST-__ \$2,341
			72.0"l x 30.0"d x 36.0"h	ACRU-723036-__-PST-FST-__ \$2,350

U Shape Acrylic Screen

Protective screen

esi

U Shape Acrylic Screen | Low profile style bracket

Acrylic screen type	Acrylic style	Bracket type	Screen dimension	Gapping
				No gap - NG or 4.0" gap access slot - 4G
ACRU	Clear	Low profile style bracket	36.0"l x 24.0"d x 24.0"h	ACRU-362424-__-LPF-CLR-__
			48.0"l x 24.0"d x 24.0"h	ACRU-482424-__-LPF-CLR-__
			60.0"l x 24.0"d x 24.0"h	ACRU-602424-__-LPF-CLR-__
			72.0"l x 24.0"d x 24.0"h	ACRU-722424-__-LPF-CLR-__
			36.0"l x 30.0"d x 24.0"h	ACRU-363024-__-LPF-CLR-__
			48.0"l x 30.0"d x 24.0"h	ACRU-483024-__-LPF-CLR-__
			60.0"l x 30.0"d x 24.0"h	ACRU-603024-__-LPF-CLR-__
			72.0"l x 30.0"d x 24.0"h	ACRU-723024-__-LPF-CLR-__
			36.0"l x 24.0"d x 30.0"h	ACRU-362430-__-LPF-CLR-__
			48.0"l x 24.0"d x 30.0"h	ACRU-482430-__-LPF-CLR-__
			60.0"l x 24.0"d x 30.0"h	ACRU-602430-__-LPF-CLR-__
			72.0"l x 24.0"d x 30.0"h	ACRU-722430-__-LPF-CLR-__
			36.0"l x 30.0"d x 30.0"h	ACRU-363030-__-LPF-CLR-__
			48.0"l x 30.0"d x 30.0"h	ACRU-483030-__-LPF-CLR-__
			60.0"l x 30.0"d x 30.0"h	ACRU-603030-__-LPF-CLR-__
			72.0"l x 30.0"d x 30.0"h	ACRU-723030-__-LPF-CLR-__

U Shape Acrylic Screen | Low profile style bracket

Acrylic screen type	Acrylic style	Bracket type	Screen dimension	Gapping
				No gap - NG or 4.0" gap access slot - 4G
ACRU	Frosted	Low profile style bracket	36.0"l x 24.0"d x 24.0"h	ACRU-362424-__-LPF-FST-__
			48.0"l x 24.0"d x 24.0"h	ACRU-482424-__-LPF-FST-__
			60.0"l x 24.0"d x 24.0"h	ACRU-602424-__-LPF-FST-__
			72.0"l x 24.0"d x 24.0"h	ACRU-72424-__-LPF-FST-__
			36.0"l x 30.0"d x 24.0"h	ACRU-363024-__-LPF-FST-__
			48.0"l x 30.0"d x 24.0"h	ACRU-483024-__-LPF-FST-__
			60.0"l x 30.0"d x 24.0"h	ACRU-603024-__-LPF-FST-__
			72.0"l x 30.0"d x 24.0"h	ACRU-723024-__-LPF-FST-__
			36.0"l x 24.0"d x 30.0"h	ACRU-362430-__-LPF-FST-__
			48.0"l x 24.0"d x 30.0"h	ACRU-482430-__-LPF-FST-__
			60.0"l x 24.0"d x 30.0"h	ACRU-602430-__-LPF-FST-__
			72.0"l x 24.0"d x 30.0"h	ACRU-722430-__-LPF-FST-__
			36.0"l x 30.0"d x 30.0"h	ACRU-363030-__-LPF-FST-__
			48.0"l x 30.0"d x 30.0"h	ACRU-483030-__-LPF-FST-__
			60.0"l x 30.0"d x 30.0"h	ACRU-603030-__-LPF-FST-__
			72.0"l x 30.0"d x 30.0"h	ACRU-723030-__-LPF-FST-__

U Shape Acrylic Screen



Protective screen


Main Acrylic screen

Available lengths: 30.0", 36.0", 48.0", 60.0", and 72.0" nominal




Side Acrylic screen


Available depths: 24.0", 30.0" nominal




Acrylic screen thickness




Acrylic U Shape screen | Post bracket | 4.0" gap access slot




Acrylic U Shape screen | Post bracket | 2.0" gap



Acrylic U Shape screen | Post bracket | no gap




Post bracket



U Shape Acrylic Screen

esi

Protective screen



U Shape Acrylic Screen

Protective screen

Cleaning Instructions for Acrylic Screen

First time setup: Do not attempt to clean immediately after removing the protective paper because the static electricity will attract dust and particles. Wait a day for the static to dissipate before cleaning.

Step 1

Begin by removing excess dust or dirt from the surface of the acrylic with an air hose or blow dryer set to its coolest setting (never heat acrylic). Hold the blow dryer at a 45-degree angle several inches away from the acrylic and run side-to-side down the surface. Wipe any remaining dust with a soft, lint-free cotton microfiber cloth.

Step 2

Once excess grime has been blown away, spray a nonabrasive acrylic cleaner, such as Brilliantize or Novus No. 1 onto a one- or two-foot-square section of acrylic. (For an on-hand alternative, a solution of mild dish soap and water works well too.) Never use abrasive cleaners or anything containing Ammonia such as Formula 409®, Windex® or Fantastik®. Ammonia will cause your acrylic to get cloudy and you can't reverse the effects. Bleach solutions and disinfectants are not recommended and can cause damage to the acrylic.

Once the cleaner has been applied, use a soft, lint-free cotton microfiber cloth to gently wipe the surface down, again being careful to make contact only with the portion of the surface that already has cleaner on it. Continue applying the cleaner and wiping it off in small sections until you've finished the entire surface. Do not use a paper towel to clean acrylic because it can cause scratching.